

LS 2:

2739-9927

K. Winter J.A.C. Smith (Eds.)

---

# Crassulacean Acid Metabolism

## Biochemistry, Ecophysiology and Evolution

---

With 123 Figures and 45 Tables



Springer

# Contents

<b>An Introduction to Crassulacean Acid Metabolism. Biochemical Principles and Ecological Diversity</b>	
K. Winter and J.A.C. Smith . . . . .	1
Discovery of Dark CO <sub>2</sub> Fixation . . . . .	1
Biochemistry . . . . .	2
Phenotypic Plasticity . . . . .	3
Ecophysiology and Species Diversity . . . . .	6
Conclusions . . . . .	9
References . . . . .	10
<b>Part A: Biochemistry of Carbon Flow During Crassulacean Acid Metabolism</b>	
Preface . . . . .	17
<b>1 Stoichiometric Nightmares: Studies of Photosynthetic O<sub>2</sub> and CO<sub>2</sub> Exchanges in CAM Plants</b>	
C.B. Osmond, M. Popp, and S.A. Robinson . . . . .	19
1.1 Introduction . . . . .	19
1.2 Simultaneous Measurements of O <sub>2</sub> and CO <sub>2</sub> Exchange Using an O <sub>2</sub> /CO <sub>2</sub> Electrode System . . . . .	20
1.3 Photosynthetic O <sub>2</sub> /CO <sub>2</sub> Stoichiometry During C <sub>3</sub> Photosynthesis in Phase IV . . . . .	20
1.4 Photosynthetic O <sub>2</sub> /CO <sub>2</sub> Exchanges During Deacidification in Phase III . . . . .	22
1.5 Photosynthetic O <sub>2</sub> /CO <sub>2</sub> Exchanges During Acidification in Phase I . . . . .	25
1.6 Conclusions . . . . .	28
References . . . . .	28

<b>2</b>	<b>Alternative Carbohydrate Reserves Used in the Daily Cycle of Crassulacean Acid Metabolism</b> C.C Black, J.-Q. Chen, R.L. Doong, M.N. Angelov, and S.J.S. Sung . . . . .	31
2.1	Introduction . . . . .	31
2.2	The Division of CAM Plants into Two Metabolic Groups . . . . .	32
2.3	The Use of Soluble Sugars Versus Polysaccharides as a Carbohydrate Reserve . . . . .	32
2.4	Sequences of Biochemical Reactions in the Daily Use of Hexoses Versus Starch in CAM . . . . .	37
2.5	Bioenergetics in Different Groups of CAM Plants	42
2.6	Conclusions . . . . .	43
	References . . . . .	43
<b>3</b>	<b>Roles of Circadian Rhythms, Light and Temperature in the Regulation of Phosphoenolpyruvate Carboxylase in Crassulacean Acid Metabolism</b> P.J. Carter, C.A. Fewson, G.A. Nimmo, H.G. Nimmo, and M.B. Wilkins . . . . .	46
3.1	Introduction . . . . .	46
3.2	Phosphorylation of PEPC in Intact Tissue . . . . .	47
3.3	Properties and Regulation of PEPC Kinase and Phosphatase . . . . .	48
3.4	Effects of Light and Temperature on PEPC-Kinase Activity . . . . .	50
3.5	Conclusions . . . . .	51
	References . . . . .	52
<b>4</b>	<b>Transport Across the Vacuolar Membrane in CAM Plants</b> J.A.C. Smith, J. Ingram, M.S. Tsiantis, B.J. Barkla, D.M. Bartholomew, M. Bettey, O. Pantoja, and A.J. Pennington . . . . .	53
4.1	Introduction . . . . .	53
4.2	Osmotic and Ionic Relations of the Vacuole . . . . .	54
4.2.1	Osmotic Characteristics . . . . .	54

Contents		XI
4.2.2	Ionic Characteristics . . . . .	54
4.3	Malic Acid Accumulation in the Vacuole . . . . .	58
4.3.1	Primary Active H <sup>+</sup> Transport . . . . .	59
4.3.2	Malate Transport into the Vacuole . . . . .	62
4.3.3	Sodium Chloride Accumulation . . . . .	65
4.4	Malic Acid Remobilization from the Vacuole . . . . .	65
	References . . . . .	67
<b>5</b>	<b>The Tonoplast as a Target of Temperature Effects in Crassulacean Acid Metabolism</b>	
	M. Kluge and M. Schomburg . . . . .	72
5.1	Introduction . . . . .	72
5.2	Possible Implications of the Temperature-Dependent Phase Behaviour of Tonoplast Lipids for CAM . . . . .	72
5.3	Experimental Approaches . . . . .	74
5.4	Outlook . . . . .	75
	References . . . . .	76
<b>6</b>	<b>Regulation of Crassulacean Acid Metabolism in <i>Kalanchoë pinnata</i> as Studied by Gas Exchange and Measurements of Chlorophyll Fluorescence</b>	
	U. Heber, S. Neimanis, and W.M. Kaiser . . . . .	78
6.1	Introduction . . . . .	78
6.2	Control of Photosystem II and of Linear Electron Transport . . . . .	79
6.3	Malate Decarboxylation . . . . .	84
6.4	Photorespiration . . . . .	86
6.5	pH-Sensitivity of Photosynthesis . . . . .	88
6.6	Proton Transport Across the Tonoplast . . . . .	90
6.7	Light-Dependent Cytosolic Alkalinization . . . . .	91
6.8	Metabolic Regulation of CAM . . . . .	91
6.9	Conclusions . . . . .	94
	References . . . . .	95
<b>7</b>	<b>Energy Dissipation and the Xanthophyll Cycle in CAM Plants</b>	
	W.W. Adams III and B. Demmig-Adams . . . . .	97
7.1	Introduction . . . . .	97
7.2	Energy Dissipation and the Xanthophyll Cycle . . . . .	98

7.2.1	Relationship Between Zeaxanthin Accumulation and Energy Dissipation . . . . .	98
7.2.2	Evidence in Support of Zeaxanthin's Role in Energy Dissipation . . . . .	99
7.2.2.1	Dithiothreitol, an Inhibitor of Violaxanthin De-Epoxidase . . . . .	99
7.2.2.2	Energy Dissipation in Lichens . . . . .	99
7.2.2.3	The Reduction State of Photosystem II . . . . .	100
7.2.2.4	Energy Dissipation in the Absence of Excess Energy . . . . .	100
7.3	The Xanthophyll Cycle and the Light Environment . . . . .	101
7.3.1	Diurnal Changes Under Natural Conditions . . . . .	101
7.3.2	Acclimation to Different Light Environments . . . . .	101
7.4	Evidence from CAM Plants . . . . .	102
7.4.1	Energy Dissipation in the Field . . . . .	102
7.4.2	Acclimation . . . . .	105
7.4.2.1	Low Light Versus High Light . . . . .	105
7.4.2.2	Within a Leaf . . . . .	106
7.4.3	Photoinhibition . . . . .	109
7.5	Conclusions . . . . .	111
	References . . . . .	112

**Part B: Environmental and Developmental Control of Crassulacean Acid Metabolism**

Preface . . . . .	117
-------------------	-----

<b>8</b>	<b>Factors Affecting the Induction of Crassulacean Acid Metabolism in <i>Mesembryanthemum crystallinum</i></b> G.E. Edwards, Z. Dai, S.H. Cheng, and M.S.B. Ku . . . . .	119
8.1	Introduction . . . . .	119
8.2	Discovery of Induction of CAM in <i>Mesembryanthemum crystallinum</i> by Water Stress in Controlled Environments . . . . .	119
8.3	Induction of CAM in a Natural Habitat . . . . .	120
8.4	Acceleration of Vegetative and Reproductive Growth Under Long Days . . . . .	120
8.5	Effect of Growth Conditions on Induction of CAM by High Salinity . . . . .	121

8.6	O <sub>2</sub> Evolution from Photosystem II and Net Rates of CO <sub>2</sub> Uptake Before and After Induction of CAM . . . . .	122
8.7	Eventual Induction of CAM Under Well-Watered Conditions . . . . .	124
8.8	Conditions Resulting in Induction of Phosphoenolpyruvate Carboxylase in the Absence of CAM . . . . .	125
8.9	Conditions Resulting in Malate Synthesis in the Light in the Absence of CAM . . . . .	126
8.10	Induction of CAM by Growth Regulators . . . . .	128
	References . . . . .	132
<b>9</b>	<b>Transcriptional Activation of CAM Genes During Development and Environmental Stress</b> J.C. Cushman and H.J. Bohnert . . . . .	<b>135</b>
9.1	Introduction . . . . .	135
9.2	CAM Evolution . . . . .	136
9.3	Life Cycle of <i>Mesembryanthemum crystallinum</i> . . . . .	139
9.4	Requisites for Environmental Stress Tolerance . . . . .	141
9.4.1	Maintaining a Functional Chloroplast . . . . .	141
9.4.2	Osmotic Adjustment . . . . .	142
9.4.3	Magnitude of Stress-Induced Gene Expression . . . . .	142
9.5.	Regulation of CAM Gene Expression . . . . .	143
9.5.1	Transcript Amounts . . . . .	143
9.5.2	Transcription of CAM Genes . . . . .	146
9.5.3	Analysis of Transcription Control . . . . .	148
9.5.4	Transcription and mRNA Stability . . . . .	149
9.6	Transduction Mechanisms of Environmental Stress . . . . .	150
9.7	Genetics and Transformation of <i>Mesembryanthemum crystallinum</i> . . . . .	152
9.8	Perspectives . . . . .	153
	References . . . . .	155
<b>10</b>	<b>Environmental Control of CAM Induction in <i>Mesembryanthemum crystallinum</i> – a Role for Cytokinin, Abscisic Acid and Jasmonate?</b> J.M. Schmitt, B. Fißthaler, A. Sheriff, B. Lenz, M. Bäßler, and G. Meyer . . . . .	<b>159</b>
10.1	Introduction . . . . .	159
10.2	The Concept of Stress . . . . .	162

10.3	Environmental or Developmental Control of CAM Induction? . . . . .	163
10.3.1	CAM Induction in Well-Watered Plants . . . . .	163
10.3.2	Relief from Stress . . . . .	165
10.3.3	Leaf Water Content . . . . .	166
10.3.4	The Role of the Roots . . . . .	166
10.4	Modulation of PEPC and CAM Induction by Growth Regulators . . . . .	167
10.4.1	Abscisic Acid (ABA) . . . . .	167
10.4.2	Cytokinin . . . . .	168
10.4.2.1	Cytokinin Treatment of Shoots . . . . .	168
10.4.2.2	Cytokinin Treatment of Roots . . . . .	169
10.4.3	Jasmonate . . . . .	169
10.4.4	Combinations of Growth Regulators . . . . .	170
	References . . . . .	171
<b>11</b>	<b>Regulation of Crassulacean Acid Metabolism by Water Status in the C<sub>3</sub>/CAM Intermediate <i>Sedum telephium</i></b>	
	N. Smirnoff . . . . .	176
11.1	Introduction . . . . .	176
11.2	Characteristics of the C <sub>3</sub> -CAM Switch in <i>Sedum telephium</i> . . . . .	176
11.3	Regulation of Malate Accumulation by Water Status in <i>Sedum telephium</i> . . . . .	177
11.3.1	Relationship Between Water Status and Malate Accumulation . . . . .	177
11.3.2	Effect of Water Deficit on PEPC and Malic Enzyme Capacity . . . . .	180
11.3.3	Effect of Water Deficit on the Properties of PEPC . . . . .	181
11.4	Conclusions and Speculations . . . . .	187
	References . . . . .	188
<b>12</b>	<b>Putative Causes and Consequences of Recycling CO<sub>2</sub> via Crassulacean Acid Metabolism</b>	
	C.E. Martin . . . . .	192
12.1	Introduction . . . . .	192
12.2	Recycling of Respiratory CO <sub>2</sub> During CAM in <i>Tillandsia</i> . . . . .	195
12.3	Recycling of Respiratory CO <sub>2</sub> During CAM-Cycling in <i>Talinum</i> . . . . .	197

Contents		XV
12.4	Concluding Remarks . . . . .	201
	References . . . . .	201
<b>13</b>	<b>Ontogenetic Development of Crassulacean Acid Metabolism as Modified by Water Stress in <i>Peperomia</i></b>	
	I.P. Ting, A. Patel, S. Kaur, J. Hann, and L. Walling . . . . .	204
13.1	Introduction . . . . .	204
13.2	Experimental Plant Material . . . . .	204
13.3	CAM in <i>Peperomia</i> . . . . .	205
13.3.1	Distribution Among Species . . . . .	205
13.3.2	Ontogenetic Expression of CAM . . . . .	206
13.3.3	Modification of CAM Expression by Water Stress . . . . .	207
13.3.4	Recovery of Full CAM Expression After Rewatering . . . . .	210
13.4	Discussion of Water-Stress-Induced CAM Expression . . . . .	211
13.4.1	General Effects . . . . .	211
13.4.2	PEPC mRNA . . . . .	212
13.4.3	PEPC Activity . . . . .	213
13.4.4	Reversibility of the Water-Stress Response . . . . .	213
13.5	Concluding Remarks . . . . .	213
	References . . . . .	214
<b>14</b>	<b>Crassulacean Acid Metabolism in Leaves and Stems of <i>Cissus quadrangularis</i></b>	
	A. Virzo De Santo and G. Bartoli . . . . .	216
14.1	Introduction . . . . .	216
14.2	Main Characteristics of Leaf and Stem . . . . .	216
14.3	Gas Exchange . . . . .	217
14.3.1	Stem Gas Exchange . . . . .	217
14.3.2	Stem Gas Exchange Under Water Shortage . . . . .	220
14.3.3	Leaf Gas Exchange . . . . .	221
14.3.4	Leaf Gas Exchange Under Water Shortage . . . . .	222
14.4	Nocturnal Accumulation of Malic Acid in Leaf and Stem . . . . .	224
14.4.1	Nocturnal Accumulation of Malic Acid and Water Shortage . . . . .	225



14.4.2	Plant Growth and Recovery from Water Stress	227
14.5	The Value of the Leaf	227
	References	228
<b>15</b>	<b>Variations in the Phases of Crassulacean Acid Metabolism and Regulation of Carboxylation Patterns Determined by Carbon-Isotope-Discrimination Techniques</b>	
	A.M. Borland and H. Griffiths	230
15.1	Introduction	230
15.2	Phases II and IV: General Characteristics	230
15.2.1	Expression of Phases II and IV	230
15.2.2	Physiological Regulation of Phases II and IV	233
15.2.3	Regulation of C <sub>3</sub> /C <sub>4</sub> Carboxylation During Phases II and IV	234
15.3	Regulation of Daytime Photosynthesis in Facultative CAM Plants	234
15.3.1	<i>Mesembryanthemum crystallinum</i>	235
15.3.2	<i>Sedum telephium</i>	235
15.3.3	<i>Clusia minor</i>	236
15.4	Balance of C <sub>3</sub> /C <sub>4</sub> Carboxylation in Facultative CAM Plants	238
15.5	Instantaneous Discrimination of Carbon Isotopes	239
15.5.1	General Principles	239
15.5.2	On-Line Discrimination in <i>Tillandsia utriculata</i>	239
15.5.3	On-Line Discrimination in <i>Sedum telephium</i>	240
15.5.4	On-Line Discrimination in <i>Clusia minor</i>	242
15.5.5	Carbon-Isotope Discrimination in <i>Mesembryanthemum crystallinum</i>	243
15.6	Implications of Carbon Flow During Phases II and IV for C <sub>3</sub> /CAM Intermediates	245
	References	246
<b>Part C:</b>	<b>Ecophysiology and Evolution of Crassulacean Acid Metabolism</b>	
	Preface	253

<b>16</b>	<b>High Productivity of Certain Agronomic CAM Species</b>	
	P.S. Nobel . . . . .	255
16.1	Introduction . . . . .	255
16.2	Experimental Design for High Productivity . . . . .	257
16.3	Productivity of Certain CAM Plants . . . . .	259
16.4	Gas Exchange and Biochemical Variations Among Photosynthetic Pathways . . . . .	261
16.5	Conclusions . . . . .	263
	References . . . . .	264
<b>17</b>	<b>Features of Roots of CAM Plants</b>	
	P.S. Nobel and G.B. North . . . . .	266
17.1	Introduction . . . . .	266
17.2	Anatomy and Morphology . . . . .	266
17.2.1	Monocotyledons – Agaves and Orchids . . . . .	267
17.2.2	Dicotyledons – Cacti . . . . .	267
17.3	Distribution in Soil . . . . .	269
17.4	Root: Shoot Ratios . . . . .	270
17.5	Respiration and Carbon Costs . . . . .	271
17.6	Water Uptake . . . . .	272
17.6.1	Root Hydraulic Conductivity . . . . .	273
17.6.2	Axial Conductivity . . . . .	274
17.6.3	Radial Conductivity . . . . .	275
17.6.4	Root Initiation and Abscission . . . . .	277
17.7	Conclusions . . . . .	277
	References . . . . .	278
<b>18</b>	<b>Aquatic CAM Photosynthesis</b>	
	J.E. Keeley . . . . .	281
18.1	Introduction . . . . .	281
18.2	Evidence of CAM Photosynthesis . . . . .	281
18.3	Distribution of Aquatic CAM Plants . . . . .	283
18.3.1	Aquatic CAM Species . . . . .	284
18.3.2	Ecological Distribution of Aquatic CAM Plants . . . . .	286
18.3.3	Questionable Aquatic CAM Species . . . . .	287
18.4	Adaptive Significance of CAM in the Aquatic Environment . . . . .	288
18.4.1	Seasonal Pool CAM Species . . . . .	288
18.4.2	Lacustrine CAM Species . . . . .	290

18.5	Aquatic CAM Plants in an Aerial Environment . . . . .	291
18.6	Carbon-Isotope Discrimination . . . . .	292
18.7	Conclusions . . . . .	293
	References . . . . .	294
<b>19</b>	<b><i>Clusia</i>: Plasticity and Diversity in a Genus of C<sub>3</sub>/CAM Intermediate Tropical Trees</b>	
	U. Lüttge . . . . .	296
19.1	Diversity . . . . .	296
19.2	Plasticity . . . . .	297
19.2.1	Gas Exchange . . . . .	297
19.2.1.1	Availability of Water and Leaf-to-Air Water-Vapour Pressure Difference . . . . .	297
19.2.1.2	Irradiance and Availability of Water . . . . .	298
19.2.1.3	Temperature . . . . .	299
19.2.1.4	Survey of <i>Clusia</i> Species . . . . .	299
19.2.2	Metabolism . . . . .	300
19.2.2.1	Carbohydrates . . . . .	301
19.2.2.2	Organic Acids . . . . .	301
19.3	The Ecophysiological Significance of Plasticity in <i>Clusia</i> . . . . .	304
19.3.1	Ecological Amplitude of <i>Clusia</i> : Habitats and Life Forms . . . . .	304
19.3.2	CO <sub>2</sub> Acquisition . . . . .	304
19.3.3	Accumulation of Organic Acids . . . . .	305
19.4	Regulation of Plastic Responses . . . . .	309
19.5	Plasticity and Diversity . . . . .	309
	References . . . . .	310
<b>20</b>	<b>Seasonal Changes in Daytime Versus Nighttime CO<sub>2</sub> Fixation of <i>Clusia uvitana</i> In Situ</b>	
	G. Zotz and K. Winter . . . . .	312
20.1	Introduction . . . . .	312
20.2	Seasonal Changes in the Expression of CAM . . . . .	313
20.3	Short-Term Changes in the Expression of CAM . . . . .	317
20.4	The Effect of Leaf Ontogeny . . . . .	319
20.5	Correlation Between $A_{\max}$ and 24-h Carbon Gain . . . . .	319
20.6	Summary and Conclusions . . . . .	321
	References . . . . .	322

<b>21</b>	<b>Crassulacean Acid Metabolism in the Genus <i>Kalanchoë</i>: Ecological, Physiological and Biochemical Aspects</b> M. Kluge and J. Brulfert . . . . .	324
21.1	Introduction . . . . .	324
21.2	Results of $\delta^{13}\text{C}$ Surveys . . . . .	325
21.2.1	CAM in Relation to Intragenic Taxonomy and Growth Forms . . . . .	325
21.2.2	Ecological Aspects . . . . .	326
21.2.3	CAM Evolution in the Genus <i>Kalanchoë</i> . . . . .	327
21.3	Experimental Approaches . . . . .	327
21.3.1	Comparison of CAM Behaviour . . . . .	327
21.3.2	Regulation of CAM: Studies with Epiphytic Species . . . . .	330
21.4	Conclusions . . . . .	333
	References . . . . .	334
<b>22</b>	<b>Carbon-and Hydrogen-Isotope Discrimination in Crassulacean Acid Metabolism</b> H. Ziegler . . . . .	336
22.1	Introduction . . . . .	336
22.2	Basic Principles . . . . .	336
22.3	Correlations Between $\delta^{13}\text{C}$ and $\delta\text{D}$ Values? . . . . .	339
22.4	Differences in $\delta^{13}\text{C}$ and $\delta\text{D}$ Values Between Different Organs and Tissues . . . . .	339
22.5	$\delta^{13}\text{C}$ and $\delta\text{D}$ Values of Parasites on CAM Plants . . . . .	342
22.5.1	Holoparasites . . . . .	342
22.5.2	Hemiparasites . . . . .	344
22.5.3	The Isotopic Fate of Deuterium in Parasites . . . . .	346
22.6	$\delta^{13}\text{C}$ and $\delta\text{D}$ Values of Nectar . . . . .	346
22.7	Conclusions . . . . .	346
	References . . . . .	347
<b>23</b>	<b>Evolutionary Aspects of Crassulacean Acid Metabolism in the Crassulaceae</b> E.A.H. Pilon-Smits, H. 't Hart, and J. van Brederode . . . . .	349
23.1	Introduction . . . . .	349
23.2	Taxonomy of the Crassulaceae . . . . .	349

23.3	Evolutionary Studies of CAM in the Crassulaceae	351
23.4	Evolution of CAM in <i>Sedum</i> and <i>Aeonium</i> . . . .	352
23.4.1	<i>Sedum</i> . . . . .	353
23.4.2	<i>Aeonium</i> . . . . .	354
23.5	Conclusions . . . . .	356
	References . . . . .	357

**24 The Evolution of Crassulacean Acid Metabolism**  
 J.A. Raven and R.A. Spicer . . . . . 360

24.1	Introduction . . . . .	360
24.2	Selective Significance of CAM Traits in Terrestrial Plants in the Context of Climates and Palaeoclimates . . . . .	360
24.3	Selective Significance of CAM Traits in Aquatic Plants in the Context of Climates and Palaeoclimates . . . . .	370
24.4	Mechanistic Considerations of the Evolution of CAM . . . . .	373
	References . . . . .	380

**Part D**

**25 Crassulacean Acid Metabolism:  
 Current Status and Perspectives**  
 K. Winter and J.A.C. Smith . . . . . 389

25.1	Biochemistry and Energetics . . . . .	389
25.1.1	Dark CO <sub>2</sub> Fixation and Vacuolar Storage . . . .	389
25.1.2	Mitochondrial Metabolism and Carbon Fluxes in Phase III . . . . .	391
25.2	Environmental and Developmental Control . . .	399
25.2.1	<i>Mesembryanthemum crystallinum</i> . . . . .	399
25.2.2	<i>Kalanchoë blossfeldiana</i> . . . . .	401
25.2.3	C <sub>3</sub> to CAM Shifts in Other Species . . . . .	402
25.2.4	Field Studies . . . . .	403
25.3	Growth and Productivity . . . . .	404
25.3.1	Potential Productivity . . . . .	404
25.3.2	Elevated CO <sub>2</sub> . . . . .	404
25.3.3	Light-Use and Energetics of the 24-h CAM Cycle	406

Contents		XXI
25.3.4	CAM versus C <sub>3</sub> : Costs and Benefits . . . . .	416
25.4	Evolutionary Origins . . . . .	416
	References . . . . .	420
<b>26</b>	<b>Taxonomic Distribution of Crassulacean Acid Metabolism</b>	
	J.A.C. Smith and K. Winter . . . . .	427
	References . . . . .	434
<b>Subject Index</b>	. . . . .	<b>437</b>