

Forschungszentrum Karlsruhe

in der Helmholtz-Gemeinschaft

Wissenschaftliche Berichte

FZKA 7174

**A Biomimetic Approach for Synthesizing
Artificial Light-Harvesting Systems
using Self-Assembly**

Anil Dnyanoba Bhise

Institut für Nanotechnologie

von der Fakultät für Chemie und Biowissenschaften
der Universität Karlsruhe (TH) genehmigte Dissertation

Forschungszentrum Karlsruhe GmbH, Karlsruhe

2005

Contents

Chapter 1 Introduction

1.1	Photosynthesis	1
1.2	The Photosynthetic Unit/Reaction Centres	1
1.3	Natural Photosynthesis	2
1.3.1	Stages of Photosynthesis	3
1.4	Photosynthetic Pigments	3
1.4.1	Chlorophylls	3
1.4.1.1	Chlorophyll- <i>a</i>	3
1.4.1.2	Chlorophyll- <i>b</i>	4
1.4.1.3	Chlorophyll- <i>c</i>	5
1.4.2	Bacteriochlorophylls	6
1.4.2.1	Bacteriochlorophylls <i>a</i>	6
1.4.2.2	Bacteriochlorophylls <i>b</i>	6
1.4.2.3	Bacteriochlorophylls- <i>c</i> , <i>d</i> , and <i>e</i>	6
1.4.2.4	Bacteriochlorophylls <i>g</i>	6
1.4.3	Carotenoids	6
1.5	Self-Assembly and Self-Aggregation	7
1.6	Supramolecular Chemistry and its importance	8
1.7	Supramolecular Interactions in Bacteriochlorophyll Models	9
1.8	Current Status of Research	11
1.8.1	Light Harvesting Systems Constructed by a Covalent Bonding Approach	11
1.8.2	Optimization of the Photophysical Properties	12
1.8.2.1	Maximization of Absorbance Properties: With Windmill Like Porphyrin Arrays	12
1.8.2.2	Maximization of Energy Transfer- Properties with Niphaphyrins	13
1.8.3	Maximization of Spectral Coverage	13
1.8.3.1	Maximization of Spectral Coverage: With Star-Shaped Porphyrins- Phthalocyanine Pentad Array	14

1.8.4 Increase of the Charge Separated State Lifetime	14
1.8.4.1 Increase of the Charge Separated State Lifetime with Multiporphyrinic Rotaxanes	15
1.8.4.2 Increasing the Charge Separated State Lifetimes with Dyads, Triads, Tetrads, and Pentads	15
1.8.4.2.1 Triad	16
1.8.5 Light Harvesting System by Non-Covalent Bonding/Supramolecular Approach	18
1.8.5.1 Metal Ligation	19
1.8.5.2 Hydrogen Bonding	21
1.8.5.3 Cooperative Interactions between Porphyrinic-Chromophores Using Metal ligation and Hydrogen Bonding	22

Chapter 2 Original Contribution

2.1 10,20-Di-(3,5-di-<i>t</i>-butylphenyl)porphinato copper (28)	24
2.2 Synthesis of (<i>rac</i>)-3,13-bis-acetyl-10,20-bis-(3,5-di-<i>t</i>-butylphenyl)-porphinato zinc (35) and (<i>rac</i>)-3,17-diacetyl-10,20-bis-(3,5-di-<i>t</i>-butylphenyl)porphinato zinc (36)	24
2.3 Synthesis of 5-formyl-15-hydroxymethyl-10,20-bis(3,5-di-<i>t</i>-butylphenyl)porphinato zinc (40)	26
2.4 Synthesis of 3-acetyl-15-hydroxymethyl-10,20-bis (3,5-di-<i>t</i>-butylphenyl)porphinato zinc (45)	27
2.5 Synthesis of (<i>rac</i>)-10,20-bis(3,5-di-<i>tert</i>-butylphenyl)-15-formyl-3-(hydroxyethyl)porphynato zinc (49)	28
2.6 Synthesis of Long Chain compounds (74-81)	29
2.7 Synthesis of 3,17-di-palmitoyl-10,20-bis (3,5-di-<i>t</i>-butylphenyl)porphinato zinc (79) and 3,13-di-palmitoyl-10,20-bis(3,5-di-<i>t</i>-butylphenyl)porphinato zinc (83)	34
2.8 Discussion	35
2.9 Characterization	42

Chapter 3

3.1	Detection of Self-assembly	51
3.2	Detection of Self-Assembly with the Long Alkyl Chain Compounds	53
3.3	Comparison between isomers 81 and 85	56
3.4	Absorption Properties of Self-Assembled 45 and 49	57
3.5	Comparison between the Wavelength Difference of the Aggregate Bands and Those of Zn-Methanol Adducts	58
3.6	Temperature Effect on the Aggregation of 49	59
3.7	CD-Spectroscopy and the Supramolecular Chirality of the Self-Assemblies	60
3.7.1	CD-Spectroscopy and the Supramolecular Chirality of 35 and 36 - Self-Assemblies	63
3.8	X-ray	65
3.9	Confocal Fluorescence Microscopy, Atomic Force Microscopy and Transmission Electron Microscopy of the Self-assemblies	66
3.9.1	Confocal Fluorescence Measurements	66
3.9.2	Atomic Force Microscopy (AFM) Measurements	69
3.9.3	Transmission Electron Microscopy (TEM) Observations	70
3.10	A New Synthetic Approach to Self-Assembled Chromophores	72
3.11	Factors Responsible for Self-Assembly	73
3.12	π -Stacking and the Nature of π - π Interactions in the Novel Porphyrins	74
3.13	Geometry Estimations of the Aggregates Based on Semiempirical Calculations	76
3.14	Outlook	77
3.14.1	Application of Self-Assembled Chromophores for Photovoltaic Cells	77
3.14.2	Silicon Cells	77
3.14.3	Thin Film Solar Cells	77
3.15	Conclusions	79

Chapter 4 Experimental Section

4.1	General Remarks	81
4.2	10,20-Di-(3,5-di- <i>t</i> -butylphenyl)-21,23 <i>H</i> -porphyrin [27]	82
4.3	10,20-Di-(3,5-di- <i>t</i> -butylphenyl)-porphyrinato copper [28]	82

4.4	3,13-Diacetyl-10,20-bis(3,5-di- <i>t</i> -butylphenyl)porphinato copper and 3,17-diacetyl-10,20-bis(3,5-di- <i>t</i> -butylphenyl)porphinato copper [29 and 30]	82
4.5	3,13-Diacetyl-10,20-bis(3,5-di- <i>t</i> -butylphenyl)-21,23 <i>H</i> -porphyrin [31]	83
4.6	3,17-Diacetyl-10,20-bis(3,5-di- <i>t</i> -butylphenyl) -21,23 <i>H</i> -porphyrin [32]	84
4.7	3-Acetyl-13-(1-hydroxyethyl)-10,20-bis(3,5-di- <i>t</i> -butylphenyl) -21,23 <i>H</i> -porphyrin [33]	85
4.8	3-Acetyl-17-(1-hydroxyethyl)-10,20-bis(3,5-di- <i>t</i> -butylphenyl) -21,23 <i>H</i> -porphyrin [34]	86
4.9	3-Acetyl-13-(1-hydroxyethyl)-10,20-bis(3,5-di- <i>t</i> -butylphenyl) porphinato zinc [35]	87
4.10	3-Acetyl-17-(1-hydroxyethyl)-10,20-bis(3,5-di- <i>t</i> -butylphenyl) porphinato zinc [36]	88
4.11	5,15-Diformyl-10,20-bis(3,5-di- <i>t</i> -butylphenyl)-porphinato copper [37]	88
4.12	5,15-Diformyl-10,20-bis(3,5-di- <i>t</i> -butylphenyl)-21,23 <i>H</i> -porphyrin [38]	89
4.13	5-Formyl-15-hydroxymethyl-10,20-bis(3,5-di- <i>t</i> -butylphenyl) -21,23 <i>H</i> -porphyrin [39]	90
4.14	5-Formyl-15-hydroxymethyl-10,20-bis-(3,5-di- <i>t</i> -butylphenyl) porphinato zinc [40]	91
4.15	5-Formyl-10,20-bis(3,5-di- <i>t</i> -butylphenyl)porphinato copper [41]	91
4.16	3-Acetyl-15-formyl-10,20-bis(3,5-di- <i>t</i> -butylphenyl) porphinato copper [42]	92
4.17	3-Acetyl-15-formyl-10,20-bis(3,5-di- <i>t</i> -butylphenyl) -21,23 <i>H</i> -porphyrin [43]	93
4.18	3-Acetyl-15-hydroxymethyl-10,20-bis(3,5-di- <i>t</i> -butylphenyl) -21,23 <i>H</i> -porphyrin [44]	94
4.19	3-Acetyl-15-hydroxymethyl-10,20-bis(3,5-di- <i>t</i> -butylphenyl) porphinato zinc [45]	95
4.20	3-Acetyl-10,20-bis(3,5-di- <i>tert</i> -butylphenyl) -15-(5,5-dimethyl-1,3-dioxan-2-yl)-porphyrin [46]	96
4.21	10,20- Bis(3,5-di- <i>tert</i> -butylphenyl) -15-(5,5-dimethyl-1,3-dioxan-2yl)-3(1-hydroxyethyl)-porphyrin [47]	97

4.22	10,20- Bis(3,5-di- <i>tert</i> -butylphenyl) -15-formyl-3-(1-hydroxyethyl)-porphyrin [48]	98
4.23	10,20- Bis(3,5-di- <i>tert</i> -butylphenyl) -15-formyl-3-(1-hydroxyethyl)-porphyrinato zinc [49]	99
4.24	General procedure for the synthesis of 3,17-diacyl-10,20-bis(3,5-di- <i>t</i> -butylphenyl) porphyrinato copper [50-57]	100
	4.24.1 3,17-Diacyl-10,20-bis(3,5-di- <i>t</i> -butylphenyl) -21,23 <i>H</i> -porphyrin [58-65]	101
4.25	General procedure for the synthesis of 3-acyl-17-(1-hydroxyacyl)-10,20-bis(3,5-di- <i>t</i> -butylphenyl) -21,23 <i>H</i> -porphyrin [66-73]	102
4.26	General procedure for the synthesis of 3-acyl-17-(1-hydroxyacyl)-10,20-bis(3,5-di- <i>t</i> -butylphenyl) porphyrinato zinc [74-81]	103
4.27	3,17-Dibutyroyl-10,20-bis(3,5-di- <i>t</i> -butylphenyl) -21,23 <i>H</i> -porphyrin [58]	104
4.28	3,17-Divaleroyl-10,20-bis(3,5-di- <i>t</i> -butylphenyl) -21,23 <i>H</i> -porphyrin [59]	104
4.29	3,17-Dihexanoyl-10,20-bis(3,5-di- <i>t</i> -butylphenyl) -21,23 <i>H</i> -porphyrin [60]	105
4.30	3,17-Diheptanoyl-10,20-bis(3,5-di- <i>t</i> -butylphenyl) -21,23 <i>H</i> -porphyrin [61]	106
4.31	3,17-Dioctanoyl-10,20-bis(3,5-di- <i>t</i> -butylphenyl) -21,23 <i>H</i> -porphyrin [62]	107
4.32	3,17-Dilauroyl-10,20-bis(3,5-di- <i>t</i> -butylphenyl) -21,23 <i>H</i> -porphyrin [63]	108
4.33	3,17-Dimyristoyl-10,20-bis(3,5-di- <i>t</i> -butylphenyl) -21,23 <i>H</i> -porphyrin [64]	109
4.34	3,17-Dipalmitoyl-10,20-bis(3,5-di- <i>t</i> -butylphenyl) -21,23 <i>H</i> -porphyrin [65]	110
4.35	3-Butyroyl-17-(1-hydroxybutyl) -10,20-bis(3,5-di- <i>t</i> -butylphenyl)-21,23 <i>H</i> -porphyrin [66]	110

4.36	3-Valeroyl-17-(1-hydroxypentyl) -10,20-bis(3,5-di- <i>t</i> -butylphenyl)-21,23 <i>H</i> -porphyrin	[67]	111
4.37	3-Hexanoyl-17-(1-hydroxyhexyl) -10,20-bis(3,5-di- <i>t</i> -butylphenyl)-21,23 <i>H</i> -porphyrin	[68]	112
4.38	3-Heptanoyl-17-(1-hydroxyheptyl) -10,20-bis(3,5-di- <i>t</i> -butylphenyl)-21,23 <i>H</i> -porphyrin	[69]	113
4.39	3-Octanoyl-17-(1-hydroxyoctyl) -10,20-bis(3,5-di- <i>t</i> -butylphenyl)-21,23 <i>H</i> -porphyrin	[70]	114
4.40	3-Lauroyl-17-(1-hydroxydodecyl) -10,20-bis(3,5-di- <i>t</i> -butylphenyl)-21,23 <i>H</i> -porphyrin	[71]	115
4.41	3-Myristoyl-17-(1-hydroxytetradecyl) -10,20-bis(3,5-di- <i>t</i> -butylphenyl)-21,23 <i>H</i> -porphyrin	[72]	116
4.42	3-Palmitoyl-17-(1-hydroxyhexadecyl) -10,20-bis(3,5-di- <i>t</i> -butylphenyl)-21,23 <i>H</i> -porphyrin	[73]	117
4.43	3-Butyroyl-17-(1-hydroxybutyl) -10,20-bis(3,5-di- <i>t</i> -butylphenyl)porphinato zinc	[74]	118
4.44	3-Valeroyl-17-(1-hydroxypentyl) -10,20-bis(3,5-di- <i>t</i> -butylphenyl)porphinato zinc	[75]	118
4.45	3-Hexanoyl-17-(1-hydroxyhexyl) -10,20-bis(3,5-di- <i>t</i> -butylphenyl)porphinato zinc	[76]	119
4.46	3-Heptanoyl-17-(1-hydroxyheptyl) -10,20-bis(3,5-di- <i>t</i> -butylphenyl)-porphinato zinc	[77]	120
4.47	3-Octanoyl-17-(1-hydroxyoctyl) -10,20-bis-(3,5-di- <i>t</i> -butylphenyl)porphinato zinc	[78]	120
4.48	3-Lauroyl-17-(1-hydroxydodecyl) -10,20-bis(3,5-di- <i>t</i> -butylphenyl)porphinato zinc	[79]	121
4.49	3-Myristoyl-17-(1-hydroxytetradecyl) -10,20-bis(3,5-di- <i>t</i> -butylphenyl)porphinato zinc	[80]	122
4.50	3-Palmitoyl-17-(1-hydroxyhexadecyl) -10,20-bis(3,5-di- <i>t</i> -butylphenyl)porphinato zinc	[81]	122
4.51	3,13-Dipalmitoyl-10,20-bis(3,5-di- <i>t</i> -butylphenyl) -21,23 <i>H</i> -porphyrin	[83]	123
4.52	(<i>Rac</i>)-3-(1-hydroxydecyl)13-palmitoyl -10,20-bis(3,5-di- <i>t</i> -butylphenyl)-21,23 <i>H</i> -porphyrin	[84]	124

4.53 3-(1-Hydroxyhexadecyl)-13-palmitoyl- -10,20-bis(3,5-di- <i>t</i> -butylphenyl)porphinato zinc [85]	125
--	-----

References	126
-------------------	-----