

Fortschritt-Berichte VDI

Reihe 2

Fertigungstechnik

Dipl. Masch.-Ing. ETH Sergio Bossoni,
Zürich

Nr. 672

Geometric and Dynamic Evaluation and Optimization of Machining Centers

IWF
inspire

Zürcher Schriften zur Produktionstechnik

Institut für Werkzeugmaschinen und Fertigung
Institute of Machine Tools and Manufacturing

AG für mechatronische Produktionssysteme
und Fertigungstechnik

Contents

Symbols and abbreviations	X
Abstract	XIII
Zusammenfassung	XV
1 Introduction	1
1.1 Outline of the thesis	1
1.1.1 Part I	1
1.1.2 Part II	2
2 State of the art in evaluation of the geometric properties of 5-axis machining centers	4
2.1 Workpieces	4
2.2 Measuring techniques	8
2.3 Current research	10
2.4 Historic background of 5-axis machine tools	10
2.5 Deficiencies of the state of the art	11
3 Test piece for testing simultaneous 5-axis machining	13
3.1 Goals and requirements of the test piece	13
3.2 Geometry of the test piece	14
3.3 Calculation of the tool path	15
3.3.1 Analyzed machine setups	15

3.3.2	Parameters of a right circular cone	16
3.3.3	Parameters of an inclined right circular cone	18
3.3.4	General transformation for 5-axis machines	19
3.3.5	Rotary machine axes	20
3.3.6	Linear machine axes	23
3.4	Interpretation of the movements of the rotary axes	31
3.4.1	Cone angle α larger than inclination angle β	32
3.4.2	Cone angle α smaller than inclination angle β	33
3.4.3	Cone angle α equal to inclination angle β	37
3.4.4	Interpretation of the velocities of the rotary axes for constant feed f	40
3.5	Interpretation of the movements of the linear machine axes	43
3.5.1	Machines with both rotary axes on the tool side	43
3.5.2	Machines with rotary axes on the tool and on the workpiece side	45
3.5.3	Machines with both rotary axes on the workpiece side	48
3.6	Proposed test piece parameters for specific machine designs	49
3.6.1	Recommended angular parameters	49
3.6.2	Machines with both rotary axes on the tool side	49
3.6.3	Machines with rotary axes on the tool and on the workpiece side	50
3.6.4	Machines with both rotary axes on the workpiece side	51
3.7	Modeling of location errors	62
3.7.1	Orientation errors	62
3.7.2	Position errors	62
3.7.3	Modeling of orientation errors	63
3.8	Modeling of component errors	63
3.8.1	Straightness error motions	63
3.8.2	Positioning errors	66
3.8.3	Tilt error motions	66
3.8.4	Radial error motions of the rotary axes	70
3.8.5	Axial error motions of the rotary axes	71

3.9	Theoretical influence of geometric machine errors on a workpiece	72
3.10	Effects of single geometric machine errors on the cone form	72
3.10.1	Components of the normal direction	73
3.10.2	Radial representation of the position of the machine axes	74
3.10.3	Resulting cone forms	74
3.10.4	Typical cone form deviations	79
3.10.5	Geometric errors with negligible effects on an end milled cone form	80
3.10.6	Summary of results of errors with an influence on an end milled cone surface	81
3.11	Effects of combinations of geometric machine errors on the cone form	83
3.12	Verification of the presented calculations and assumptions	85
3.13	Summary	95
4	Conclusion of part I	98
5	State of the art in evaluation of the dynamic behavior of machining centers	100
5.1	Experimental evaluation of the dynamic behavior of machining centers	100
5.2	Finite Element Method (FEM)	101
5.3	Rigid Body Simulation	102
5.4	Combination of Rigid Body and Finite Element Method	103
5.5	Uncertainty of the stiffness and damping parameters	103
5.6	Simulation of movements	104
5.7	Axes Construction Kit (ACK)	104
5.8	Simulation in the early development stage	105
5.9	Deficiencies of the state of the art	106
6	Exemplary evaluation of dynamic behavior of a machining center	108
6.1	Modeling of the machining center	108
6.1.1	Bodies	108

6.1.2	Connecting elements	110
6.2	Discussion and comparison of calculation and measurement results	114
6.2.1	Frequency-Response Function (FRF)	114
6.2.2	Mode shapes	117
6.2.3	Cross-talk in FRF	118
6.3	Summary	124
7	Relative evaluation of alternative configurations of a dynamic machine tool using rigid body simulation	125
7.1	Machine configurations	125
7.1.1	Original version	125
7.1.2	Alternative configuration	126
7.2	Flexible bodies	127
7.3	Dynamic load case	127
7.4	Visual analysis of the effect of accelerations	128
7.4.1	Acceleration in X-direction	128
7.4.2	Acceleration in Y-direction	129
7.4.3	Acceleration in Z-direction	131
7.5	Numerical results	132
7.5.1	Position 1	132
7.5.2	Influence of the axes position	134
7.6	Schematic comparison	136
7.7	Summary	137
8	Conclusion of part II	139
	Appendix	142
A	Practical aspects of cutting a Test Piece on a specific machine type	142
A.1	Test piece fixture	142
A.2	Top and bottom position	143

A.3	Manufacturing process	144
A.3.1	Approach	144
A.3.2	Further geometric elements	144
A.3.3	Feed rate	145
A.3.4	Stock allowance	145
A.3.5	Tool	146
A.4	Measurement of the test piece	146
A.4.1	Workpiece coordinate system	146
A.4.2	Different aspects of measuring devices	147
A.5	Encountered difficulties for face milling	148
A.5.1	End mills in CAM systems	149
A.5.2	Hollow cut of end mills	149
A.5.3	Approach	150
A.5.4	Tool offset	152
A.6	Concluded suggestions for manufacturing	153

Bibliography		155
---------------------	--	------------