

# Genetic Response of Forest Systems to Changing Environmental Conditions

*Edited by*

Gerhard Müller-Starck

*Technical University of Munich,  
Faculty of Forest Science, Section of Forest Genetics, Germany*

and

Roland Schubert

*Technical University of Munich,  
Faculty of Forest Science, Section of Forest Genetics, Germany*



**KLUWER ACADEMIC PUBLISHERS**

DORDRECHT / BOSTON / LONDON

# Contents

CONTRIBUTORS.....	XI
-------------------	----

## PART 1: VERIFICATION OF RESPONSE TO STRESS

Stress responses in Scots pine ( <i>Pinus sylvestris</i> L.). Cloning and characterisation of an ozone-inducible pinosylvin methyltransferase <i>H. Chiron, A. Drouet, D. Treutter, W. Heller, D. Ernst and H. Sandermann.....</i>	1
Screening of Sitka spruce genotypes for resistance to the White Pine Weevil in British Columbia <i>J. N. King and R.I. Alfaro .....</i>	11
Genetic variation in two heavily polluted stands of Norway spruce ( <i>Picea abies</i> [L.] Karst.) as indicated by nuclear and organelle DNA markers <i>R. Riegel, R. Schubert, G. Müller-Starck, D.F. Karnosky and L. Paule .....</i>	21
Effects of extreme SO <sub>2</sub> -air pollution in winter 1995/96 on vitality and growth of SO <sub>2</sub> -tolerant Norway spruce ( <i>Picea abies</i> [L.] Karst.) clones in the Ore mountains <i>H. Wolf.....</i>	35
Variation in adaptation and growth as indicated by provenance trial <i>Platycladus orientalis</i> (L.) Franco <i>X. Shen and X. Chen.....</i>	51
Influence of nursery environment and pollution on alders <i>L. Mejnartowicz.....</i>	63

## PART 2: GENETIC VARIATION UNDER DIVERSE ENVIRONMENTAL CONDITIONS

Small scale spatial genetic structure of six tropical tree species in French Guiana <i>B. Degen, H. Caron, E. Bandou, C. Dutech, P. Breyne, M. van Montagu, L. Maggia and A. Kremer.....</i>	75
---	----

## VIII

Genetic variation in natural populations of *Araucaria angustifolia* (Bert.) O. Kuntze in Brazil

*V.A. Sousa and H.H. Hattemer* ..... 93

Microsatellite DNA markers and their usefulness in poplars, and conservation of microsatellite DNA loci in Salicaceae

*O.P. Rajora and M.H. Rahman*..... 105

PCR-RFLP analysis of introns of nuclear genes in *Populus* and *Prunus*

*B. Heinze*..... 117

Genetic types in white oak populations north of the Alps and in the Danube valley

*U.M. Csaikl and A.O. König*..... 129

Highly polymorphic uniparentally inherited DNA markers for spatial genetic analysis of silver fir (*Abies alba* Mill.) populations

*B. Ziegenhagen, B. Degen, R.J. Petit, M. Anzidei, A. Madaghiale, F. Scholz and G.G. Vendramin*..... 139

Levels of genetic differentiation in *Pinus halepensis* Mill. in Spain using quantitative traits, isozymes, RAPDs and cp-microsatellites

*R. Alía, A. Gómez, M.D. Agúndez, M.A. Bueno and E. Notivol* ..... 151

Geographical variation of gene diversity of *Pinus pinaster* Ait. in the Iberian Peninsula

*S.C. González-Martínez, L. Salvador, D. Agúndez, R. Alía and L. Gil*..... 161

Is autochthony an operational concept?

*F.N. Schoppa and H.-R. Gregorius*..... 173

### PART 3: GENETIC RESOURCES, REPRODUCTION, MANAGEMENT

Molecular markers in sustainable management, conservation, and restoration of forest genetic resources

*O.P. Rajora and A. Mosseler*..... 187

Sustainable treatment of resources: The genetic basis <i>H.-R. Gregorius</i> .....	203	←
Genetic diversity and differentiation of individual effective pollen clouds in trees <i>H.H. Hattemer, M. Ziehe, R. Finkeldey and M. Fromm</i> .....	223	←
Microsatellite analysis of small anonymous seedlot samples from pedunculate oak ( <i>Quercus robur</i> ): a promising approach to monitor the number of different seed parents and pollen donors <i>C. Lexer, B. Heinze, S. Gerber, S. Macalka-Kampfer, H. Steinkellner, B. Ziegenhagen, A. Kremer and J. Glössl</i> .....	239	←
Fructification and genetic structures of <i>Fagus sylvatica</i> mixed stands in upper regions of the Harz mountains <i>D. Krabel, R. Hartz and S. Herzog</i> .....	251	
Dispersal of seed and effective pollen in small stands of European beech ( <i>Fagus sylvatica</i> L.) <i>K. Wang and H.H. Hattemer</i> .....	259	
Patterns of seed dispersal in a scattered forest tree species ( <i>Sorbus torminalis</i> ) based on multi-scale investigation of population genetic structure for chloroplast DNA <i>S. Oddou-Muratorio, D. Guesnet, E. Ozdemir, R.J. Petit and B. Demesure</i> .....	271	
Gene flow and mating system in a seedling seed orchard and a natural stand of <i>Pinus merkusii</i> Jungh. et de Vriese in Indonesia <i>I.Z. Siregar and H.H. Hattemer</i> .....	281	
The pattern of genetic variation in <i>Pinus nigra</i> subspecies <i>pallasiana</i> natural populations from the Kazdağı and Bolkar mountains, Turkey: Implications for <i>in situ</i> gene conservation <i>Z. Kaya, A.A. Tolun, B.N. Çengel, E. Velioglu and G. Tolun</i> .....	293	←
Genetic variation of silver fir ( <i>Abies alba</i> ) in unevenaged forests („Plenter“ forest) in comparison with evenaged forests (Altersklassenwald) <i>M. Konnert and E. Hussendörfer</i> .....	307	←

**PART 4: TREE BREEDING FOR UNCERTAIN FUTURE ENVIRONMENTS**

Multiple population breeding for uncertain climatic futures with <i>Alnus rubra</i> : ecological genetics and selection experiments <i>A. Hamann, G. Namkoong and M.P. Koshy</i> .....	321
Early growth characteristics of some <i>Abies</i> hybrids <i>A. Kormuřak and B. Vooková</i> .....	331
Field testing of model populations of Norway spruce ( <i>Picea abies</i> [L.] Karst.) with different genetic structures for reforestation in air polluted regions <i>H. Hertel and M. Paul</i> .....	339
Provenance-environment interactions of Norway spruce ( <i>Picea abies</i> [L.] Karst.) on German and Hungarian test sites <i>M. Liesebach, A. O. König and E. Ujvári-Jármay</i> .....	353