

Continuum Models for Biologically Inspired Tactile Sensors

Theory, Numerics and Experiments

Dissertation

zur Erlangung des akademischen Grades

Doktoringenieur
(Dr.-Ing.)

vorgelegt der
Fakultät für Maschinenbau der
Technischen Universität Ilmenau

von Herrn
M. Sc. Christoph Will

- Gutachter:
1. Herr PD Dr.-Ing. habil. Dipl.-Math. Carsten Behn
(Technische Universität Ilmenau)
 2. Herr Univ.-Prof. Dipl.-Ing. Dr. med. (habil.) Hartmut Witte
(Technische Universität Ilmenau)
 3. Herr Univ.-Prof. Dr.-Ing. habil. Andreas Müller
(Johannes Kepler Universität Linz)

vorgelegt am:

10. November 2017

Tag der wissenschaftlichen Aussprache (öffentlicher Teil): 23. März 2018

Contents

1	Introduction	1
1.1	Sensors	1
1.2	Tactile sensing	3
2	State of the art	7
2.1	Biology and anatomy of the paragon	7
2.1.1	Mystacial pad of rats	9
2.1.2	Function: Tactile sensing	15
2.1.3	Hair classification	17
2.2	Modeling of tactile sensors	19
2.2.1	Linear models	19
2.2.2	Non-linear models	22
2.3	Robots, prototypes and experimental setups	27
3	Critical résumé and intended goals	33
4	Modeling	37
4.1	Bending of the sinus hair	37
4.2	Model	38
4.3	Mathematical description	39
5	Scanning using cylindrical rods	43
5.1	Scanning using a straight rod with constant cross section and clamping	43
5.1.1	Generation of observables	44
5.1.1.1	Phase A: Contact at the tip	44
5.1.1.2	Phase B: Tangential contact	48
5.1.2	Reconstruction	50
5.1.3	Simulations	51
5.1.3.1	Circular object	52
5.1.3.2	Parabola object	54
5.1.3.3	Object composed of two polynomials	56
5.1.4	Extreme low objects	57
5.2	Model refinement: Support	59
5.2.1	Generation of observables	59
5.2.1.1	Phase A: Contact at the tip	60
5.2.1.2	Phase B: Tangential contact	61
5.2.2	Reconstruction and simulation	62
5.2.2.1	Scanning a circular object	62

Contents

5.2.2.2	Scanning a parabolic object	65
5.2.2.3	Scanning a polynomial object	67
6	Experimental verification	71
6.1	Experimental setup	71
6.2	Scanning of strictly convex objects	75
6.2.1	Scanning of a circular object	75
6.2.2	Scanning of a parabolic object	77
6.3	Scanning of strictly convex objects using elastically supported rods	78
7	Model refinement: Sinus hair	81
7.1	Scanning with conically shaped, one-side clamped rods	81
7.1.1	Phase A: Tip contact	83
7.1.2	Phase B: Tangential contact	83
7.1.3	Reconstruction	84
7.1.4	Simulation	85
7.1.5	Rods with linearly decreasing diameter	85
7.1.6	Rods with exponentially decreasing diameter	88
7.2	Scanning with conically shaped, elastically supported rods	91
7.2.1	Generation of observables and reconstruction	91
7.2.2	Simulations	91
7.2.2.1	Rods with linearly decreasing diameter	92
7.2.2.2	Rods with exponentially decreasing diameter	94
8	Model refinement: Object - scanning of convex objects	95
8.1	Analytical framework	95
8.2	Simulations	96
8.3	Experimental verification	101
9	Finite Element Method	107
9.1	The geometrically exact C^0 rod element	107
9.2	Simulation and reconstruction	110
9.2.1	Scanning using one-sided clamped rods with constant cross section	110
9.2.2	Scanning using elastically supported rods with constant cross section	115
9.2.3	Scanning using one-sided clamped, conical rods	117
9.2.4	Scanning using pre-curved rods	120
9.2.5	Scanning of arbitrary objects using straight, one-side clamped rods with constant cross section	127
9.2.6	Object scanning using elastically supported, pre-curved, conical rods	129
9.3	Experimental verification for the scanning of an arbitrary shaped object	131
10	Conclusion and outlook	135
10.1	Conclusion and evaluation	135
10.2	Outlook	140
10.2.1	The geometrically exact C^1 rod element	140
10.2.2	Improved contact handling in the FE algorithm	140

10.2.3 Friction	141
10.2.4 Dynamics	141
10.2.5 Scanning using a field of sinus hairs	142
10.2.6 Spatial sensors	144
References	145
A Biological paradigm	159
B Representations by Standard Elliptic Integrals	161