

# Quantum Wells

---

## Physics and Electronics of Two-Dimensional Systems

**A. Shik**

*Tech. Univ. of St-Petersburg, Russia*

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>General ideas</b>	<b>3</b>
2.1	Size quantization . . . . .	3
2.2	Conditions for quantum size effects . . . . .	5
<b>3</b>	<b>Structures with two-dimensional electron gas</b>	<b>9</b>
3.1	Thin films . . . . .	9
3.2	MOS-structures . . . . .	10
3.3	Single heterojunctions . . . . .	12
3.4	Quantum wells and superlattices . . . . .	14
3.5	Technology of quantum heterostructures . . . . .	16
3.6	Delta-layers and <i>nipi</i> -superlattices . . . . .	18
<b>4</b>	<b>Energy spectrum and carrier statistics</b>	<b>23</b>
4.1	Density of states . . . . .	23
4.2	Carrier statistics . . . . .	25
4.3	Energy spectrum of superlattices . . . . .	27
4.4	Impurity states and excitons in two-dimensional systems . . . . .	28
<b>5</b>	<b>Optical properties of two-dimensional systems</b>	<b>33</b>
5.1	Interband absorption . . . . .	33
5.2	Interlevel transitions . . . . .	35
5.3	Optical ionization of quantum wells . . . . .	37
5.4	Depolarization effects . . . . .	40
<b>6</b>	<b>Kinetic phenomena in two-dimensional systems</b>	<b>43</b>
6.1	Relaxation time and mobility . . . . .	43
6.2	Scattering mechanisms . . . . .	45
6.2.1	Scattering by ionized impurities. . . . .	45
6.2.2	Phonon scattering. . . . .	46
6.2.3	Alloy scattering. . . . .	47
6.2.4	Surface (interface) scattering. . . . .	47
6.3	Modulation doping . . . . .	49

6.4	Interlevel scattering . . . . .	51
<b>7</b>	<b>High magnetic field phenomena</b>	<b>55</b>
7.1	Energy spectrum of two-dimensional systems in a magnetic field	55
7.1.1	Longitudinal magnetic field. . . . .	56
7.1.2	Normal magnetic field. . . . .	57
7.2	Kinetic phenomena in strong magnetic fields . . . . .	59
7.3	Quantum Hall effect and its applications . . . . .	62
7.4	Localization effects and their role in the quantum Hall effect . . .	63
7.5	Fractional quantum Hall effect . . . . .	68
<b>8</b>	<b>Vertical transport in a system of quantum wells</b>	<b>71</b>
8.1	Field ionization of a single well . . . . .	71
8.2	Resonant tunneling . . . . .	73
8.3	Current-voltage characteristic of a superlattice . . . . .	75
8.3.1	Low fields: $eFd \ll \Delta_N$ . . . . .	76
8.3.2	High fields: $eFd > 2\Delta_N$ . . . . .	77
<b>9</b>	<b>Device applications of two-dimensional systems</b>	<b>81</b>
9.1	Quantum well lasers . . . . .	81
9.2	Optical modulators . . . . .	82
9.3	Photosensitive <i>nipi</i> -structures . . . . .	83
9.4	Quantum well photodetectors . . . . .	85
9.5	Avalanche photodiodes . . . . .	89
9.6	High electron mobility transistors . . . . .	90
	<b>Appendix: Numerical values of relevant physical quantities</b>	<b>93</b>
	<b>Bibliography</b>	<b>95</b>