

Plasma-assisted synthesis of hydrogenated TiO₂ for energy storage and conversion

Yong Yan



Universitätsverlag Ilmenau

2015

Contents

Abstract	V
Zusammenfassung	VII
Acknowledgements	IX
Contents	XI
List of Figures	XV
1. Introduction	1
2. Experiments and Methods	5
2.1 Synthesis of black anatase H-TiO ₂ nanoparticles for lithium storage	5
2.2 Synthesis of P25 H-TiO ₂ nanoparticles with different hydrogenation degrees for photocatalysis	6
2.3 Synthesis of black P25 H-TiO ₂ nanoparticles for cancer photothermal therapy	7
2.4 Fabrication of N-doped TiO ₂ coatings on nanoporous Si nanopillar arrays	10
2.5 Characterization of TiO ₂ samples	11
3. Fast lithium storage performance of black anatase H-TiO₂ nanoparticles	13
3.1 State of the art	13
3.2 Results and Discussions	14
3.2.1 Optical and microstructure properties of black anatase H-TiO ₂ nanoparticles	14
3.2.2 Lithium storage performance of black anatase H-TiO ₂ nanoparticles	19

3.2.3 The mechanism analysis for the fast lithium storage performance of black anatase H-TiO ₂ nanoparticles	22
3.3 Conclusion.....	28
4. Slightly hydrogenated TiO₂ with enhanced photocatalytic performance	29
4.1 State of the art.....	29
4.2 Results and Discussions	31
4.2.1 Optical and microstructure properties of H-TiO ₂ nanoparticles with different hydrogenation degrees	31
4.2.2 Photocatalytic performance of H-TiO ₂ nanoparticles with different hydrogenation degrees	41
4.2.3 Photogenerated charge properties of H-TiO ₂ with different hydrogenation degrees.....	44
4.3 Conclusion.....	50
5. Hydrogenated black TiO₂ nanoparticles as agent for cancer photothermal therapy.....	53
5.1 State of the art.....	53
5.2 Results and Discussions	54
5.2.1 Optical absorption, defects, and photothermal principle of black H-TiO ₂	54
5.2.2 Photothermal conversion efficiency of black H-TiO ₂	56
5.2.3 Cytotoxicity and intracellular localization of black H-TiO ₂ nanoparticles	60
5.2.4 Photothermal therapeutic efficacy of H-TiO ₂ -PEG on cancer cells <i>in vitro</i>	61
5.2.5 Toxicity and bio-distribution of H-TiO ₂ -PEG <i>in vivo</i>	63
5.2.6 Photothermal therapy <i>in vivo</i> by using of H-TiO ₂ -PEG agent	64

5.3 Conclusion	67
6. Fabrication of N-doped TiO₂ coatings on nanoporous Si nanopillar arrays through biomimetic mineralization.....	69
6.1 State of the art	69
6.2 Results and Discussions.....	71
6.3 Conclusion	80
7. Summary and Perspective.....	81
References	85
Own Publications	95