

Safe Disposal of Radionuclides in
Low-Level Radioactive-Waste
Repository Sites:
Low-Level Radioactive-Waste
Disposal Workshop,
U.S. Geological Survey, July 11–16, 1987,
Big Bear Lake, Calif., Proceedings

Edited by MARION S. BEDINGER and PETER R. STEVENS

Hydrologic studies of the performance of existing low-level radioactive repository sites in the United States provide lessons that can be used to guide siting and design of future low-level radioactive waste repositories

U.S. GEOLOGICAL SURVEY CIRCULAR 1036

UB/TIB Hannover 89
111 982 480



CONTENTS

Introduction 1

Topic summaries 2

Topic I—Induced changes in hydrology at low-level radioactive-waste repository sites, *by David E. Prudic and Kevin F. Dennehy* 2

Topic II—Siting and design of low-level radioactive-waste repositories in varied geohydrologic and climatic environments, *by William D. Nichols and Daniel J. Goode* 4

Topic III—Characterizing and monitoring low-level radioactive-waste repository sites, *by Kenneth L. Kipp and Richard W. Healy* 6

Papers

Surface hydrology at the low-level radioactive-waste repository site near Sheffield, Illinois, *by John R. Gray* 8

Results of some geohydrologic studies at the low-level radioactive-waste repository site near Sheffield, Illinois, *by Richard W. Healy* 13

Burial grounds for low-level radioactive waste at Oak Ridge National Laboratory, Tennessee, *by David A. Webster* 16

Induced changes in the hydrology at the low-level radioactive-waste burial grounds near West Valley, New York, *by Allan D. Randall* 24

Results of recent geohydrologic studies at the Maxey Flats low-level radioactive-waste disposal site, Fleming County, Kentucky, *by Mark A. Lyverse* 31

Geohydrology of the low-level radioactive-waste repository site near Barnwell, South Carolina, *by Peter B. McMahon and Kevin F. Dennehy* 36

Radioactive gases at low-level radioactive-waste repository sites, *by Robert G. Striegl* 40

Leachate geochemistry at low-level radioactive-waste repository sites—Effects of site geohydrology on nature and production of leachates, *by Mark Fuhrmann and Peter Colombo* 44

Mixed-waste leachates in ground water at low-level radioactive-waste repository sites, *by Daniel J. Goode* 49

Geohydrology of the near-surface unsaturated zone adjacent to the disposal site for low-level radioactive waste near Beatty, Nevada, *by Jeffrey M. Fischer* 57

Some preliminary model studies of capillary barriers, *by Joe E. Reed* 61

Trench-cover systems for manipulating water balance on low-level radioactive-waste repository sites, *by Thomas E. Hakonson, Leonard J. Lane, John W. Nyhan, Fairley J. Barnes, and Gerald L. DePoorter* 73

Hydrogeologic information needs for low-level radioactive-waste disposal sites, *by Michael F. Weber* 80

U.S. Department of Energy's perspective on disposal of low-level radioactive waste, *by Scott T. Hirschberger* 85

Low-level radioactive-waste disposal technologies—Current concepts, *by William F. Schwarz* 88

Difficulties with above water-table disposal of low-level radioactive waste in areas having rapid accretion rates, *by Vernon T. Ichimura* 98

Thoughts on geohydrologic characterization for prospective low-level radioactive-waste repository sites, *by Edwin P. Weeks* 104

Burial of low-level radioactive waste in the humid northeastern United States, *by David E. Prudic* 106

- Chemical modeling of regional aquifer systems—Implications for chemical modeling of low-level radioactive-waste repository sites, by Donald C. Thorstenson 110
- Test drilling, sampling procedures, and monitoring installations for characterization of a low-level radioactive-waste site, by Warren E. Teasdale 113
- Borehole geophysical methods applicable to characterization of a low-level radioactive-waste site, by Frederick L. Paillet 117
- Surface geophysical methods applicable to characterization of low-level radioactive-waste sites, by Gary R. Olhoeft 119
- Regional screening and selection of candidate sites for California's low-level radioactive-waste disposal facility, by Greg Hamer and Eric G. Lappala 121

FIGURES

1. Map showing location of commercially operated and major Federally operated low-level radioactive-waste repository sites in the United States 2
2. Photograph of low-level radioactive-waste repository site near Sheffield, Ill., 1985 9
3. Map showing topography and surface drainage divides: *A*, at the low-level radioactive-waste repository site; and *B*, in the undisturbed basin near Sheffield, Ill., 1982 10
4. Map showing location of collapse cavities relative to burial-trench and site boundaries at the low-level radioactive-waste repository site near Sheffield, Ill., October 1978 through September 1985 11
5. Graph showing cumulative number and volume of collapse cavities at the low-level radioactive-waste repository site near Sheffield, Ill., October 1978 through September 1985 12
6. Map showing location of low-level radioactive-waste repository site near Sheffield, Ill., ground-water basins, and areas where tritium concentrations in ground water are greater than background concentrations 14
7. Map and section showing bedrock geology of the Oak Ridge area, Tenn., and location of burial grounds for low-level radioactive waste near the Oak Ridge National Laboratory, Tenn. 19
8. Photograph of steel cylinders used for burial of low-level beta/gamma-contaminated waste 20
9. Graph showing radionuclide concentrations near burial ground 3, Oak Ridge National Laboratory, Tenn.: *A*, location map; *B*, concentration of cesium-137 in core of well 41, October 1980; and *C*, concentration of strontium-90 in discharge of the northwest tributary of Whiteoak Creek, January 18, 1979 21
10. Map showing depth to water at burial ground 4, Oak Ridge National Laboratory, Tenn., June 1, 1978 22
11. Photograph showing discharge from trench in burial ground 4, Oak Ridge National Laboratory, Tenn., April 1974 23
12. Map showing location of Western New York Nuclear Service Center near West Valley, N.Y., in the town of Ashford, Cattaraugus County, N.Y., and physiographic regions 24
13. Map showing surficial geology of area where low-level radioactive-waste burial grounds are located in the valley of Buttermilk Creek, near West Valley, N.Y. 26
14. Lithologic section across the valley of Buttermilk Creek and through the burial grounds near West Valley, N.Y. 27

15. Hydrographs showing water level in trench 5 in relation to precipitation at burial grounds near West Valley, N.Y.; hydrograph of water level corrected to remove effects of barometric fluctuations in May through September, 1975; and January through July 1976 29
16. Graph showing pressure changes in trench 11 and atmosphere, February 9, 1978, at burial grounds near West Valley, N.Y. 30
17. Map showing location and topography of the radioactive-waste repository site at Maxey Flats, Ky. 32
18. Geologic section through part of the hill on which the low-level radioactive-waste repository site is located at Maxey Flats, Ky. 33
- 19–21. Maps showing location of:
 19. Trenches, observation wells, and outline of contaminated area at the radioactive-waste burial site, Maxey Flats, Ky. 35
 20. The low-level radioactive-waste repository site near Barnwell, S.C. 37
 21. Burial trenches, monitoring sites, and meteorology station at the low-level radioactive-waste repository site near Barnwell, S.C. 37
22. Profiles showing altitude of potentiometric surface for four water-yielding zones during August 1977 at the low-level radioactive-waste repository site near Barnwell, S.C. 38
23. Diagram showing typical post-1976 burial trench at the low-level radioactive-waste repository site near Barnwell, S.C. 39
24. Cross-sectional view showing simulated, total hydraulic-head distributions and flow directions at experimental trenches 1 and 2 on March 31, 1984, at the low-level radioactive-waste repository site near Barnwell, S.C. 40
25. Map of low-level radioactive-waste repository site near Sheffield, Ill., showing location of unsaturated-zone study areas, burial trenches, and data-collection instruments 42
26. Geologic section showing lithology and location of soil-gas piezometers at the low-level radioactive-waste repository site near Sheffield, Ill. 42
- 27–29. Graphs showing:
 27. Percentage of strontium-85 precipitated by various sodium hydroxide concentrations for reduced and oxidized burial-trench leachates from burial trench 27, low-level radioactive-waste repository site, Maxey Flats, Ky. 46
 28. Internal profile of the potassium to magnesium ratio in a leached cement specimen; profile is attributed to a single process 47
 29. Internal profile of the potassium to magnesium ratio in a leached cement specimen after drying; profile is attributed to several processes 47
30. Map showing location of ground-water sampling sites for nonradiological hazardous waste in and near the low-level radioactive-waste repository site near Sheffield, Ill. 50
31. Graph showing relation of total organic carbon to tritium for samples from the low-level radioactive-waste repository site near Sheffield, Ill. 52
32. Graph showing relation of 1,1,1-trichloroethane to tritium for samples from the low-level radioactive-waste repository site near Sheffield, Ill. 52
- 33–35. Maps showing:
 33. Distribution of tritium and organic-chemical contamination in and near the low-level radioactive-waste repository site near Sheffield, Ill. 53
 34. Location of wells sampled at the low-level radioactive-waste repository site near Barnwell, S.C. 54
 35. Location of study site near the low-level radioactive-waste repository site near Beatty, Nev. 58

36. Graph showing comparison of moisture content and water potential with depth at the study site near the low-level radioactive-waste repository site near Beatty, Nev. 60
37. Graph showing relation of relative hydraulic conductivity and water content to moisture tension for three hypothetical examples of porous media, sand, silty sand, and clay 63
- 38-46. Cross-sectional models showing:
 38. Unsaturated hydraulic conductivity, flow lines, and lines of equal hydraulic head for simulated results with four different boundary moisture tensions 64
 39. Water content, flow lines, and lines of equal hydraulic head for simulated results with four different boundary moisture tensions 65
 40. Unsaturated hydraulic conductivity, water content, flow lines, and lines of equal hydraulic head for a boundary moisture tension of 4 meters and a vertical thickness of 37 meters 66
 41. Unsaturated hydraulic conductivity, flow lines, and lines of equal hydraulic head in model 6 and model 7 67
 42. Water content, flow lines, and lines of equal hydraulic head in model 6 and model 7 68
 43. Unsaturated hydraulic conductivity, flow lines, and lines of equal hydraulic head for infiltration of 76 and 0.76 millimeter per year for silty sand and clay, respectively in model 8 and model 6 69
 44. Water content, flow lines, and lines of equal hydraulic head for infiltration of 38 and 0.38 millimeter per year for silty sand and clay, respectively in model 8 and model 6 70
 45. Unsaturated hydraulic conductivity, flow lines, and lines of equal hydraulic head for infiltration of 76 and 0.76 millimeter per year for silty sand and clay, respectively in model 9 and model 7 71
 46. Water content, flow lines, and lines of equal hydraulic head for infiltration of 76 and 0.76 millimeter per year for silty sand and clay, respectively in model 9 and model 7 72
47. Schematic cross section of a waste burial trench showing flow components that can affect the integrity of low-level radioactive-waste repository sites 73
48. Photograph of the four field plots of trench-cover demonstration used in the Low-Level Integrated Systems Test Project at the Los Alamos National Laboratory, N.M. 74
49. Diagram of conventional trench-cover design on the integrated systems test plots at the Los Alamos National Laboratory, N.M. 75
50. Diagram of improved trench-cover design on the integrated systems test plots at the Los Alamos National Laboratory, N.M. 75
- 51-53. Graphs showing:
 51. Moisture content of topsoil at various depths from the land surface in the integrated systems test plots with the improved trench-cover design at the Los Alamos National Laboratory, N.M., August 1984-March 1986 77
 52. Moisture content of topsoil at various depths from the land surface in the integrated systems test plots with the conventional trench-cover design at the Los Alamos National Laboratory, N.M., August 1984-March 1986 78
 53. Worker doses caused by various waste-management activities 86
- 54-65. Diagrams showing:
 54. Tumulus being constructed at the Oak Ridge National Laboratory, Tenn. 89
 55. Three cover designs being considered for the tumulus being constructed at the Oak Ridge National Laboratory, Tenn. 90

56. An improved burial-trench concept and detail of trench cover 91
57. An augured hole used for burial of low-level radioactive waste 92
58. A conceptual layout for disposal of low-level radioactive waste in a mined cavity in limestone or salt 92
59. An earth-mounded concrete bunker 93
60. An above-ground vault 94
61. A below-ground vault 94
62. Ontario Hydro's above-ground storage vault, the Quadricell 95
63. The SUREPAK module, lid designs, and filled modules 96
64. The Store/Monitor/Retrieve double-walled canister 97
65. The Store/Monitor/Retrieve unit 97
66. Block diagram showing potential site for burial of low-level radioactive waste above the water table and boundary-condition definition 100
67. Graph showing relation of the slope of theoretical water table to hydraulic conductivity for different accretion rates 101
68. Diagram showing development of a ground-water mound under a pond of infinite length and width $2L$ 101
69. Graph showing example of time rate of water-table rise caused by accretion in porous media having different values of n_e 102
70. Hydrologic section showing lithology and saturation of units and relative magnitude and direction of water movement at the low-level radioactive-waste repository site near West Valley, N.Y. 107
71. Diagrammatic section showing a possible method of burying low-level radioactive waste in a fine-grained till at the repository site near West Valley, N.Y. 108
72. Graph showing predicted tritium concentrations in water beneath burial trench 5 after 10 and 100 years, low-level radioactive-waste repository site near West Valley, N.Y. 108
73. Graph showing cumulative percentage of pore-opening diameters of a till sample from test hole G at the low-level radioactive-waste repository site near West Valley, N.Y. 109
74. Photomicrograph of an unweathered till sample collected at the low-level radioactive-waste repository site near West Valley, N.Y. 109
75. Diagram showing cable-tool drill drive-sampling apparatus 115
76. Photograph of well-defined televiewer log of high-angle fracture in shale 118
77. Photographs of televiewer log showing probable location of fracture in borehole wall and core sample with fracture 118
78. Schematic diagrams showing geologic and hydrologic features of potential site areas 123

TABLES

1. Summary of burial-ground data, Oak Ridge National Laboratory, Tenn. 17
2. Average hydraulic-conductivity values for the regolith of burial grounds 4, 5, and 6, and the bedrock of burial ground 5, Oak Ridge National Laboratory, Tenn. 17
3. Average distribution coefficients of local clay minerals for cesium-137, cobalt-60, and strontium-85, Oak Ridge National Laboratory, Tenn. 18
4. Time-weighted mean partial pressure of carbon-14 dioxide in the unsaturated-zone atmosphere at the low-level radioactive-waste repository site near Sheffield, Ill. 43
5. Time-weighted mean partial pressure of methane in the unsaturated-zone atmosphere at the low-level radioactive-waste repository site near Sheffield, Ill. 43

6. Selected analytical data for burial-trench leachates from three low-level radioactive-waste repository sites 45
7. Chemical changes induced by oxidation of burial-trench leachates from the low-level radioactive-waste repository site, Maxey Flats, Ky. 45
8. Chemical changes induced by oxidation and pH adjustment of burial-trench leachates from the low-level radioactive-waste repository site, Maxey Flats, Ky. 46
9. Concentrations of volatile organic compounds in water from wells in and near the low-level radioactive-waste repository site near Sheffield, Ill., 1985 51
10. Radiation and concentrations of selected radionuclides and of organic-contamination indicators in water from wells sampled at the low-level radioactive-waste repository site near Barnwell, S.C. 54
11. Concentrations of organic compounds in water from wells sampled in 1982–83 at the low-level radioactive-waste repository site near Barnwell, S.C. 55
12. Drainage from integrated systems test plots at the Los Alamos National Laboratory, N.M., May 1984 through April 1987 76
13. Plant biomass on the trench covers of the integrated systems test plots at the Los Alamos National Laboratory, N.M., August 1986 78
14. Compliance demonstrations relevant to hydrogeologic-information needs specified in the U.S. Code of Federal Regulations, Title 10, Part 61 81
15. Potential cross-referencing of hydrogeologic information needed to demonstrate compliance with the U.S. Code of Federal Regulations, Title 10, Part 61 82
16. Lost-time worker injuries and fatal-accident risk during 30 years 86
17. Peak annual doses for scenarios after the institutional-control period 86
18. Comparison of cost estimates for six conceptual isolation facilities 87
19. Qualitative assessment of disposal technologies for meeting regulatory standards 87