



SPIE—The International Society for Optical Engineering

PROCEEDINGS

Advances in Resist Technology and Processing IX

Anthony E. Novembre
Chair/Editor

9–10 March 1992
San Jose, California

Sponsored and Published by
SPIE—The International Society for Optical Engineering



Volume 1672

SPIE (The Society of Photo-Optical Instrumentation Engineers) is a nonprofit society dedicated to the advancement of optical and optoelectronic applied science and technology.

Contents

- ix *Conference Committee*
xi *Introduction*

SESSION 1 CHEMICALLY AMPLIFIED RESISTS

- 2 **Effects of polymer end groups on chemical amplification [1672-01]**
H. Ito, W. P. England, S. B. Lundmark, IBM Almaden Research Ctr.
- 15 **Toward the development of a stable chemically amplified DUV positive photoresist [1672-02]**
J. W. Thackeray, D. L. Canistro, M. Denison, J. J. Ferrari, R. Hemond, D. Medeiros,
G. W. Orsula, E. K. Pavelchek, M. M. Rajaratnam, R. F. Sinta, Shipley Co. Inc.
- 24 **Quantitation of airborne chemical contamination of chemically amplified resists using radiochemical analysis [1672-03]**
W. D. Hinsberg, S. A. MacDonald, N. J. Clecak, C. D. Snyder, IBM Almaden Research Ctr.
- 33 **Critical process parameters of an acetal-based deep-UV photoresist [1672-04]**
H. Röschert, K. J. Przybilla, W. Spiess, H. Wengenroth, G. Pawlowski, Hoechst AG (FRG).
- 46 **Deep-UV resists with improved delay capabilities [1672-05]**
D. J. Funhoff, H. Binder, R. Schwalm, BASF AG (FRG).
- 56 **Characteristics of a chemically amplified silicone-based negative resist in KrF excimer laser lithography [1672-06]**
Y. Kawai, A. Tanaka, H. Ban, J. Nakamura, T. Matsuda, NTT/LSI Labs. (Japan).
- 66 **Alicyclic polymer for ArF and KrF excimer resist based on chemical amplification [1672-07]**
Y. Kaimoto, K. Nozaki, S. Takechi, N. Abe, Fujitsu Ltd. (Japan).
- 74 **Acid diffusion, standing waves, and information theory: a molecular-scale model of chemically amplified resist [1672-08]**
P. Trefonas III, M. T. Allen, Shipley Co. Inc.
- 94 **Acid generation and acid diffusion in photoresist films (Poster Paper) [1672-33]**
D. R. McKean, R. D. Allen, P. H. Kasai, U. P. Schaedeli, S. A. MacDonald, IBM Almaden Research Ctr.
- 104 **Analysis of photosensitive salt distribution in polymer films by ¹⁹F multiple-quantum NMR (Poster Paper) [1672-34]**
B. E. Scruggs, K. K. Gleason, Massachusetts Institute of Technology.
- 114 **Postexposure bake characteristics of a chemically amplified deep-ultraviolet resist (Poster Paper) [1672-36]**
J. Sturtevant, S. J. Holmes, P. Rabidoux, IBM Corp.
- 125 **New positive-acting chemically amplified resist system for electron-beam lithography (Poster Paper) [1672-37]**
H. Koyanagi, S. Umeda, S. Fukunaga, T. Kitaori, K. Nagasawa, Nippon Kayaku Co., Ltd. (Japan).

(continued)

- 141 **Effect of humidity, residual solvent, and adventitious clean-room contaminants on the performance of AZ-PN (Poster Paper) [1672-38]**
M. Padmanaban, H. Endo, Y. Inoguchi, Y. Kinoshita, T. Kudo, S. Masuda, Y. Nakajima, Hoechst Japan Ltd. (Japan); G. Pawlowski, Hoechst AG (FRG).
- 149 **Quarter-micron KrF excimer laser lithography with a chemically amplifying negative resist (Poster Paper) [1672-39]**
A. Oikawa, S. Miyata, K. Maeda, H. Tanaka, K. Nakagawa, Fujitsu Ltd. (Japan).
- 157 **DN 21, DN 41: negative-tone photoresists for deep-UV lithography (Poster Paper) [1672-40]**
H. Röscher, Hoechst AG (FRG); R. Dammel, Hoechst Celanese Corp.; C. Eckes, Hoechst AG (FRG); K. Kamiya, Hoechst Japan Ltd. (Japan); W. Meier, K. J. Przybilla, W. Spiess, G. Pawlowski, Hoechst AG (FRG).
- 172 **Lithographic evaluation and characterization of a negative deep-UV resist system for the next generation of DRAMs (Poster Paper) [1672-41]**
D. Suh, S. R. Palmer, Texas Instruments Inc.; S. Chatterjee, H. Merrem, R. C. Haltom, Hoechst Celanese Corp.

SESSION 2 NOVOLAC-BASED RESISTS

- 184 **tert-Butoxycarbonylated novolac resins as chemically amplified imaging materials [1672-09]**
A. S. Gozdz, J. A. Shelburne III, Bell Communications Research.
- 194 **Novel chemical amplification positive-resist material for EB lithography [1672-10]**
N. Kihara, T. Ushirogouchi, T. Tada, T. Naito, S. Saito, O. Sasaki, Toshiba Research and Development Ctr. (Japan).
- 204 **Percolation view of novolak dissolution and dissolution inhibition [1672-12]**
T. Yeh, H. Shih, A. Reiser, Polytechnic Univ.
- 214 **Influence of sensitizer spatial distribution on the dissolution mechanism in diazonaphthoquinone resists [1672-13]**
V. Rao, Stanford Univ.; W. D. Hinsberg, IBM Almaden Research Ctr.; C. W. Frank, R. F. Pease, Stanford Univ.
- 231 **Design of PACs for high-performance photoresists (I): role of di-esterified PACs having hindered -OH groups [1672-14]**
R. Hanawa, Y. Uetani, M. Hanabata, Sumitomo Chemical Co., Ltd. (Japan).
- 242 **Study of photosensitizer for i-line lithography [1672-15]**
T. Kitaori, S. Fukunaga, H. Koyanagi, S. Umeda, K. Nagasawa, Nippon Kayaku Co., Ltd. (Japan).
- 262 **Selectively DNQ-esterified PAC for high-performance positive photoresists [1672-16]**
K. Uenishi, S. Sakaguchi, Y. Kawabe, T. Kokubo, Fuji Photo Film Co., Ltd. (Japan); M. A. Toukhy, A. T. Jeffries III, S. G. Slater, R. J. Hurditch, OCG Microelectronic Materials, Inc.
- 273 **Novel DNQ PACs for high-resolution i-line lithography [1672-66]**
W. R. Brunsvold, N. K. Eib, C. F. Lyons, S. S. Miura, M. Plat, IBM General Technology Div.; R. Dammel, C. Evans, M. D. Rahman, D. N. Khanna, S. Jain, P. Lu, S. A. Ficner, Hoechst Celanese Corp.

- 286 **Experimental investigation of a novel dissolution model (Poster Paper) [1672-42]**
M. A. Toukhy, S. G. Hansen, R. J. Hurditch, OCG Microelectronic Materials, Inc.; C. A. Mack, FINLE Technologies.
- 297 **Studies of dissolution inhibition mechanism of DNQ novolak resists: part III—secondary inhibition with quaternary ammonium salts in development process (Poster Paper) [1672-43]**
K. Honda, B. T. Beauchemin, Jr., R. J. Hurditch, A. J. Blakeney, OCG Microelectronic Materials, Inc.; T. Kokubo, Fuji Photo Film Co., Ltd. (Japan).
- 305 **Structural effects of NQD PAC and novolak resin on resist performance (Poster Paper) [1672-44]**
H. Nemoto, K. Inomata, T. Ota, Y. Yumoto, T. Miura, H. Chawanya, Japan Synthetic Rubber Co., Ltd. (Japan).
- 317 **Lithographic performance and dissolution behavior of novolac resins for various developer surfactant systems (Poster Paper) [1672-46]**
G. E. Flores, OCG Microelectronics Materials, Inc.; J. E. Loftus, Union Carbide Corp.
- 335 **Improving resist performance by PROMOTE processing (Poster Paper) [1672-47]**
H. J. Dijkstra, Philips Research Labs. (Netherlands).
- 347 **Nature and degree of substitution patterns in novolaks by carbon-13 NMR spectroscopy (Poster Paper) [1672-67]**
M. A. Khadim, M. D. Rahman, D. L. Durham, Hoechst Celanese Corp.

SESSION 3 DRY-DEVELOPABLE MATERIALS AND PROCESSES

- 362 **Liquid phase silylation for the DESIRE process [1672-17]**
K. Baik, K. Ronse, L. Van den hove, Interuniv. Microelectronics Ctr. (Belgium); B. Roland, UCB-JSR Electronics (Belgium).
- 377 **Ester degradation in the DESIRE process [1672-18]**
J. P. O'Neil, K. I. Arshak, Univ. of Limerick (Ireland); R. J. Visser, Philips Research Labs. (Netherlands).
- 385 **Surface-imaged silicon polymers for 193-nm excimer laser lithography [1672-19]**
R. R. Kunz, M. W. Horn, R. B. Goodman, Lincoln Lab./MIT; P. A. Bianconi, D. A. Smith, J. R. Eshelman, The Pennsylvania State Univ.; G. M. Wallraff, R. D. Miller, E. J. Ginsburg, IBM Almaden Research Ctr.
- 394 **Evolution of MIMMI: a novel surface imaging resist based on metallic surface imaging of organic photoresists [1672-20]**
K. J. Radigan, S. Liddicoat, National Semiconductor Corp.
- 403 **Equipment, materials, and process interactions in a surface-imaging process: part II [1672-21]**
C. M. Garza, Sr., E. J. Solowiej, M. A. Boehm, Texas Instruments Inc.
- 415 **Effective parameters of DESIRE process for controlling resist performance at subhalf to quarter-micron rule [1672-22]**
K. Kato, K. Taira, T. Takahashi, K. Yanagihara, Japan Synthetic Rubber Co., Ltd. (Japan).
- 429 **Electron cyclotron resonance etching of silylated resist [1672-23]**
B. Lynch, Univ. of California/Berkeley; S. Das, Intel Corp.; M. A. Lieberman, Univ. of California/Berkeley; D. W. Hess, Lehigh Univ.

(continued)

- 441 **Dry development of resist patterns using RIE based on different electrical conductivity** [1672-24]
J. Bargon, Univ. of Bonn (FRG); R. Baumann, Technische Hochschule Leipzig (FRG); P. Boeker, Univ. of Bonn (FRG).
- 448 **Comparison of etching tools for resist pattern transfer (Poster Paper)** [1672-48]
M. W. Horn, M. A. Hartney, R. R. Kunz, Lincoln Lab./MIT.
- 461 **In-situ IR study of the kinetics of silylation (Poster Paper)** [1672-49]
D. V. Nicolau, G. Jinescu, F. Fulga, ICCE and Polytechnic Institute Bucharest (Romania).
- 472 **Quarter-micron deep-UV lithography with silylation process (Poster Paper)** [1672-50]
M. Endo, T. Matsuo, K. Hashimoto, M. Sasago, N. Nomura, Matsushita Electric Industrial Co., Ltd. (Japan).
- 477 **Poly(*p*-trimethylgermylstyrene sulfone)s as a high-resolution electron-beam resist (Poster Paper)** [1672-51]
S. Kim, Korea Kumho Petrochemical Co., Ltd. (South Korea); B. Park, Electronics and Telecommunications Research Institute (South Korea); H. Lee, Korea Research Institute of Chemical Technology (South Korea).
- 486 **Silylation processes for 193-nm lithography using acid-catalyzed resists (Poster Paper)** [1672-53]
M. A. Hartney, Lincoln Lab./MIT; J. W. Thackeray, Shipley Co. Inc.

SESSION 4 ADVANCED RESIST MATERIALS/PROCESS MODELING AND CHARACTERIZATION

- 500 **Hexafluoroacetone in resist chemistry: a versatile new concept for materials for deep-UV lithography** [1672-25]
K. J. Przybilla, H. Röscher, G. Pawlowski, Hoechst AG (FRG).
- 513 **High-speed aqueous-developing negative resist based on triflic-acid-catalyzed epoxy polymerization** [1672-26]
R. D. Allen, IBM Almaden Research Ctr.; W. E. Conley, IBM East Fishkill Facility; J. D. Gelorme, IBM Thomas J. Watson Research Ctr.
- 526 **Comparative study of deep-UV resist processes for 0.35- μ m technology** [1672-27]
F. Vinet, T. Mourier, O. P. Joubert, M. Heitzmann, C. Le Cornec, CEA/LETI (France); M. J. Pons, CNET (France); J. W. Thackeray, G. W. Orsula, Shipley Co. Inc.
- 540 **Modeling of postexposure bake and surface inhibition effects in positive photoresist using absolute thickness data** [1672-28]
S. A. Robertson, J. T. Stevenson, R. J. Holwill, Univ. of Edinburgh (UK); S. G. Hansen, C. E. Ebersole, OCG Microelectronic Materials, Inc.; M. Thirsk, I. S. Daraktchiev, OCG Microelectronic Materials NV (Belgium).
- 553 **Pattern transfer capabilities of CAMP deep-UV resist** [1672-30]
I. S. Daraktchiev, D. Goossens, P. Matthijs, M. Thirsk, OCG Microelectronic Materials NV (Belgium); A. J. Blakeney, OCG Microelectronic Materials, Inc.; O. Nalamasu, M. Cheng, AT&T Bell Labs.
- 561 **Dry development of silylated resist: influence of substrate temperature** [1672-31]
O. P. Joubert, R. Claude, LETI/CEA (France); M. J. Pons, A. P. Weill, P. J. Paniez, CNET-CNS (France).

- 573 **Correlation of Si wafer FTIR spectra with wafer temperatures and resist durability variations in plasma etching processes [1672-32]**
G. Luckman, C. P. Babcock, H. L. Maynard, C. J. Gamsky, J. W. Taylor, Univ. of Wisconsin/Madison.
- 586 **Novel resist patterning strategies for the definition of high resolution via holes in polyimide interlayer dielectric (Poster Paper) [1672-55]**
B. Martin, N. Harper, GEC-Plessey Semiconductors Ltd. (UK).
- 597 **Photoresist formulation optimization through the use of statistical design of experimentation (Poster Paper) [1672-57]**
K. L. Bell, N. A. Acuna, S. S. Dixit, R. M. Lazarus, G. Talor, Jr., Morton International/Dynachem Electronic Materials Corp.
- 611 **Charge transfer approach to negative resists (Poster Paper) [1672-58]**
R. Baumann, Univ. of Bonn and Technische Hochschule Leipzig (FRG); J. Bargon, Univ. of Bonn (FRG).
- 616 **Limitation of removal particles in positive photoresist (Poster Paper) [1672-60]**
S. Asami, M. Furuta, A. Yokota, Tokyo Ohka Kogyo Co., Ltd. (Japan).
- 623 **Physical description of lithographic processes: correlation between bake conditions and photoresist contrast (Poster Paper) [1672-61]**
P. J. Paniez, G. Festes, J. E. Chollet, CNET-CNS/France Telecom (France).
- 638 **Enhancement of deep-UV patterning integrity and process control using antireflective coating (Poster Paper) [1672-62]**
B. W. Dudley, S. K. Jones, C. R. Peters, D. A. Koester, Microelectronics Ctr. of North Carolina; G. A. Barnes, T. Flaim, J. E. Lamb III, Brewer Science, Inc.
- 647 **Diazonaphthoquinone-sensitized deep-UV resist materials (Poster Paper) [1672-63]**
S. Fukunaga, T. Kitaori, H. Koyanagi, S. Umeda, K. Nagasawa, Nippon Kayaku Co., Ltd. (Japan).
- 660 **Fabrication of ultrahigh-quality vertical structures in GaAs (Poster Paper) [1672-65]**
M. Hagberg, B. Jonsson, A. G. Larsson, Chalmers Univ. of Technology (Sweden).
- 670 **Efficient approach for experimental characterization of resist profile in electron-beam-exposed resists (Poster Paper) [1672-64]**
N. A. Madjarova, Institute of Microelectronics (Bulgaria).
- 682 *Addendum*
683 *Author Index*