

PROCEEDINGS OF THE 19TH EARSeL SYMPOSIUM ON REMOTE SENSING IN THE 21ST
CENTURY/VALLADOLID/SPAIN/31 MAY – 2 JUNE 1999


Remote Sensing in the 21st Century

Economic and Environmental Applications

Edited by

José Luis Casanova

University of Valladolid, Spain



A.A. BALKEMA/ROTTERDAM/BROOKFIELD/2000

Table of contents

Preface	XIII
<i>Keynote lectures</i>	
The future ESA Earth-Observation Strategy and ESA's 'Living Planet' programme <i>D.J.Southwood</i>	3
The Council of Europe's EUR-OPA Major Hazards Agreement <i>J.P.Massué & C.Negru</i>	7
 1 <i>Agriculture and forestry</i>	
Space-vegetation software: A remote sensing tool for environmental applications at regional level <i>C.Carmona-Moreno, J.-A.Moreno-Ruiz, E.Bartholome & T.Negre</i>	13
Unsupervised classification's optimization <i>C.Pinilla, F.J.Ariza & M.Sánchez de la Orden</i>	19
A methodological approach for agricultural statistics by remote sensing <i>D.Yousfi</i>	23
The role of TM thermal band in describing the state/stress of vegetation <i>S.K.A.Panah & R.Goossens</i>	31
Drought monitoring of Spanish forests using Landsat TM satellite images <i>A.Vázquez, J.M.Cuevas, F.González-Alonso, A.Calle & J.L.Casanova</i>	37
Monitoring of forest change by using multi-temporal satellite data <i>N.Musaoglu & C.Örmeçi</i>	41
Integration of NOAA-AVHRR and meteorological data in a GIS – Application for vegetation monitoring in Castilla y León, Spain <i>P.Illera, J.A.Delgado, A.F.Unzueta & A.A.F.Manso</i>	47
Crop spatial characterization in the 18th aquifer, Spain <i>J.García-Consuegra, F.Abad & G.Cisneros</i>	55
The use of satellite remote sensing imagery for detection of secondary forests on post-agricultural soils: A case study of Tuchola Forest, Northern Poland <i>M.Kunz, A.Nienartowicz & M.Deptula</i>	61

The application of aerial photographs for analysis of landscape diversity in Reserve Grzedy, Biebrza National Park, Poland <i>M. Falencka-Jablonska, M. Kunz & A. Nienartowicz</i>	67
Drought monitoring based on thermal and microwave satellite data <i>K. Dabrowska-Zielinska, A. Ciolkosz, M. Gruszczynska, W. Kowalik & F. Kogan</i>	75
Irrigated crop identification and surface estimation with Landsat TM imagery in La Mancha oriental region, Spain <i>C. M. Beltrán, A. C. Belmonte, J. R. R. Gallardo & J. S. García</i>	79
The integration of satellite images and GIS for Omerli Water Basin land use changes <i>C. Goksel & H. Turkoglu</i>	87
Geographical analysis using GIS of agrarian land use in the Province of Valladolid in 1997 with own classification on multiband satellite images <i>F. J. Tapiador & J. L. Casanova</i>	93
Application of remote sensing to the study of oak decline in Aragón, Spain <i>S. Ait-Bachir, E. G. Pelegrín & B. Lacaze</i>	99
Modelisation of the NDVI temporal evolution in forestry of Castilla y León, Spain using climatic data <i>A. A. F. Manso, P. Illera, J. A. Delgado & A. F. Unzueta</i>	103
 2 Meteorology	
Consequences of spatial resolution transformations for land-use classification <i>U. Fehrenbach & D. Scherer</i>	113
Validation of cloud detection algorithms <i>F. Sospedra, V. Caselles, C. di Bella, C. Coll, E. Valor & E. Rubio</i>	119
Measurements of CO ₂ fluxes in Central Spain using the eddy correlation technique: Preliminary results <i>M. L. Sánchez, R. Rodríguez, S. Martínez, M. Ozores & M. J. López</i>	125
Selecting a clear-sky model to accurately map solar radiation from satellite images <i>G. Rigollier & L. Wald</i>	131
Radiative Bowen ratio to estimate daily fluxes from satellite images <i>M. Ibáñez, V. Caselles & P. Pérez</i>	139
Investigation of surface characteristics by the synergy of ground observations and NOAA/AVHRR satellite measurements <i>J. Kerényi, Á. Merza, G. Gutman & I. Csiszár</i>	145
Meteorological radar data processing software <i>D. D. Rancic, M. S. Smiljanic, S. Djordjevic-Kajan, P. M. Eferica, P. D. Vukovic & A. T. Kostic</i>	149
Evaluation and behavior of the aerosol ϵ Ångström coefficient from spectral solar irradiance measurements in the Gulf of Cádiz (Huelva, Spain) to assess ocean color atmospheric correction <i>V. E. Cachorro, R. Vergaz, A. & A. M. De Frutos</i>	157

Calculation and analysis of erythematic irradiance using experimental data and TOMS ozone data <i>A.Calle, A.M.Pérez & J.L.Casanova</i>	165
3 Hydrology	
Wetland monitoring by the integration of remotely sensed data in a G.I.S. tool <i>S.Castaño, M.F.Mejuto, A.Vela & A.Quintanilla</i>	175
The use of Earth Observation for monitoring snowmelt runoff from non-alpine basins <i>R.G.Caves, O.C.Turpin, C.D.Clark, R.I.Ferguson, S.Quegan & B.Johansson</i>	183
Three years of mapping irrigation water in the Flumen irrigation district, Spain <i>T.Martín-Ordóñez, Ma.A.Casterad & J.Herrero</i>	191
Satellite monitoring in Amudarya river basin hydrology <i>V.E.Chub</i>	195
Application of mathematical functions for the monitoring of the small water bodies <i>V.E.Chub, N.E.Gorelkin & S.V.Myagkov</i>	199
4 Methodology	
Generation and integration of thematic documents from satellite images and ground sensors for environmental analysis and management <i>S.Ormeño & I.Molina</i>	203
Accurate geodetic positioning of satellite laser ranging stations using a short arc geometric solution <i>M.Catalán-M, P.Villares & M.Catalán-PU</i>	209
Remote sensed image rectification in an automatic way <i>A.Martínez, F.J.Abad & J.D.García-Consuegra</i>	215
Architecture of a new generation of remote sensing ground segments <i>K.Seidel & M.Datcu</i>	223
‘Supervised ART-II’ neural network for Landsat TM image classification <i>K.R.Al-Rawi, C.Gonzalo & E.Martínez</i>	229
Mode of spectral angular distribution function extraction <i>A.Nekrassov</i>	237
Correction of the sea wave height measuring results in airborne dual-frequency scatterometer measurement <i>A.Nekrassov</i>	239
Shaping a field of acoustic parametric array in periodic structure with diffuse borders <i>M.Y.Georgi & N.P.Zagrai</i>	241
Quality and quantity of ground control points in the orthorectifying process <i>M.C.S.Trigo & J.V.G.Cervera</i>	245
Tool for integration and bi-directional conversion of remote sensing data <i>A.Arquero, C.Gonzalo, E.Martínez & O.Gordo</i>	251

Self-organized criticality in the environment and remotely sensed data <i>L.N.Vasiliev</i>	255
ECEP-ECHO: Extraction and classification of edge pixels in an ECHO approach <i>J.García-Consuegra, A.Martínez & G.Cisneros</i>	261
An adaptive soft thresholding method for Speckle noise reduction in Synthetic Aperture Radar images <i>A.Vidal-Pantaleoni, D.Martí & M.Ferrando</i>	267
2-D phase unwrapping in Synthetic Aperture Radar interferometry <i>A.Vidal-Pantaleoni, R.Oviol & M.Ferrando</i>	275
Radiometric characterisation of the olive tree crops <i>C.Pinilla, F.J.Ariza & M.Sánchez</i>	283
Adjustment of the satellite image to the three-dimensional relief model <i>L.N.Borovikova, S.V.Myagkov & I.Durdina</i>	289
Textural classification using textural signatures <i>A.Kourgli & A.Belhadj-Aissa</i>	293
The MPNA algorithm for atmospheric correction of satellite imagery <i>M.Ouarzeddine & A.Belhadj-Aissa</i>	299
An automatic method to calibrate Meteosat visible images <i>M.Lefèvre, O.Bauer, A.Iehle & L.Wald</i>	305
Education and research in remote sensing in Algeria <i>Y.Smara & A.Belhadj-Aissa</i>	311
 5 Forest fires	
Forest and fire monitoring with NOAA AVHRR imagery in the Central African Republic <i>I.El Ghazzawi</i>	319
Building-up a Burned Area Monitoring System based on Earth Observation data <i>J.U.Paúl, M.R.Caetano & T.Santos</i>	325
Remote sensing estimation of fuel moisture content <i>E.Chuvienco, P.J.Vaughan, D.Riaño & D.Cocero</i>	329
Ground-based infrared characterization of fires in the 3-5 μm spectral window <i>A.J.de Castro, J.M.Aranda, S.Briz & F.López</i>	337
Analysis of the environmental factors in forest wildfires in Aznalcóllar and Sierra Bermeja <i>A.S.Redondo & J.V.G.Cervera</i>	343
Temperature maps obtained from satellite images for a forest wildfire temporal evolution analysis <i>A.S.Redondo & J.V.G.Cervera</i>	349
Automatic mapping of large scale forest fires in Spain using Landsat-TM images <i>E.Quintano, J.A.Delgado, A.Fernández & P.Illera</i>	357

An operational system for the forest fire risk assessment by means of NOAA images <i>A.Calle, J.L.Casanova, A.Romo & F.González-Alonso</i>	363
 6 Yield estimation	
Estimation of cereal yields combining crop growth models and remotely sensed vegetation indices <i>B.J.Denore, J.L.Meilán, J.M.Williams, M.Cole, K.J.de Koeijer, J.J.Colls & C.Trigueros</i>	371
Integration of satellite data and administrative information in crop yield monitoring <i>R.Kuittinen, L.Matikainen, V.Keskisarja, E.Parmes & V.Perdigao</i>	379
Operational use of NOAA data for crop condition assessment in Poland <i>Z.Bochenek</i>	387
 7 Hazards	
Monitoring the distribution of shallow landslide-prone areas using remote sensing, DTM and GIS: A case study from the tropical Andes of Venezuela <i>H.Gómez, R.P.Bradshaw & P.M.Mather</i>	395
Towards an operational monitoring of drought conditions in Spain using satellite images <i>F.González-Alonso, A.Vázquez, J.M.Cuevas, A.Calle & J.L.Casanova</i>	403
Land degradation assessment in a semi-arid environment through the use of spectral indices and spectral unmixing <i>D.Haboudane, F.Bonn, A.Royer, S.Sommer & W.Mehl</i>	407
A study on deposit and erosion phenomena along the southern coast of Sicily using satellite remote sensing <i>A.L.Geraci, F.F.Landolina & A.O.Trovato</i>	415
 8 Oceanography	
A mean sea level variation in the Mediterranean using Topex-Poseidon, ERS-1 and ERS-2 altimeter observations <i>M.Catalán-PU, P.Villares, M.Bruno, J.J.Alonso, A.Ruiz-Cañavate & M.Catalán-M</i>	421
Red tides GIS monitoring the Galician Coast <i>P.C.Pardo, M.M.S.Cuadrado, J.M.Herrero & J.M.T.Palenzuela</i>	427
Location of tuna-fish banks in the Mediterranean Sea using NOAA images <i>A.Romo, J.L.Casanova & A.Calle</i>	433
Developing and testing of an atmospheric correction model for water leaving radiance retrieval in the area of the Gulf of Cádiz based on experimental measurements <i>V.E.Cachorro, R.Vergaz, A.Berjón, A.M.De Frutos & J.Morales</i>	441
The use of Topex-Poseidon, ERS-1 and ERS-2 altimeters to detect meddies <i>P.Villares, M.Bruno, J.J.Alonso, A.Ruiz-Cañavate, M.Catalán-PU, M.Catalán-M</i>	449
Environmental study in the estuary of river Miño <i>I.B.Villar, J.M.Herrero, J.M.T.Palenzuela & L.F.Fernandes</i>	455

Applications of SAR images in the western Mediterranean Sea <i>J.J.M.Benjamin, J.M.Redondo, J.Jorge & A.Platonov</i>	461
Pressure ridges extraction using Radarsat fine beam mode <i>E.Hudier</i>	467
9 <i>Geology</i>	
A GIS for the Natural Resources Authority, Amman, Jordan <i>H.J.Baxendale & L.A.Abu Saad</i>	477
Developing a technical computing facility at the Geological Commission in Guyana <i>A.P.Marchant & J.R.Gibson</i>	483
A remote sensing based approach for the restoration of an open-cast coal mine site in Spain <i>J.F.Llorens, J.L.Fernández-Turiel, C.Banninger & A.Almer</i>	491
Discrimination of active alluvial sedimentary surfaces in TM images based on laboratory reflectance spectroscopy <i>E.García-Meléndez, A.Riaza & M.Suárez</i>	497
Lithological and geomorphological large-scale mapping using remotely sensed data, GIS and terrain analysis <i>E.Wolk-Musial & B.Zagajewski</i>	501
Geomorphological-geological evaluation of the Gazikoy-Saros section of Northern Anatolian Fault zone using remotely sensed data <i>S.Kaya & O.Muftuoglu</i>	509
10 <i>Radar and hyperspectral techniques</i>	
Optical indices as bioindicators of forest condition from hyperspectral CASI data <i>P.J.Zarco-Tejada, J.R.Miller, G.H.Mohammed, T.L.Noland & P.H.Sampson</i>	517
Metric relations in INSAR topographic modelling <i>G.Brandstätter & A.I.Sharov</i>	523
Advanced polarimetric SAR data classification for cartographic information extraction <i>M.F.Buchroithner, E.Kraetzschmar & M.Hellmann</i>	533
A model for atmospheric correction of DAIS hyperspectral imager sensor based on experimental optical measurements <i>V.E.Cachorro, R.Vergaz & A.M.De Frutos</i>	541
Refined adaptive speckle filtering for SAR images <i>D.Cherifi & Y.Smara</i>	549
Textural classification using textural signatures <i>A.Kourgli & A.Belhadj-Aissa</i>	557
SAR imagery in urban area <i>L.Basly, F.Cauneau, T.Ranchin & L.Wald</i>	563
Scale evolution due to hydrodynamic modulation of SAR imaging <i>I-F.Shen, M.-J.Liou & Y.Li</i>	569

A unified approach to change analysis and despeckle of multitemporal ERS-1 573
L.Alparone, S.Baronti, M.Falugi & A.Garzelli

Miscellaneous

List of participants 583

Author index 591

Colour plates 593