

**Berichte aus dem
Institut für Eisenhüttenkunde**



**IEHK
RWTH Aachen**

Ulrich Riedel

**Analysis of the Effect of Inclusions
in Metal Forming by means of
the Finite Element Method**

Herausgeber:

Prof. Dr.-Ing. W. Bleck
Prof. Dr.rer.nat. Dr.-Ing.e.h. W. Dahl
Prof. Dr.-Ing. T. El Gammal
Prof. Dr.-Ing. H.W. Gudenhau

Band 11/2000

Shaker Verlag
D 82 (Diss. RWTH Aachen)

TABLE OF CONTENTS	I
ABSTRACT IN ENGLISH	III
ABSTRACT IN GERMAN	VI
NOTATION	IX
1. INTRODUCTION AND OBJECTIVE OF INVESTIGATION	1
2. THEORETICAL BACKGROUND	3
2.1 THE FUNDAMENTALS OF ROD AND WIRE DRAWING	3
2.2 CERAMICS	7
2.2.1 Fundamentals	7
2.2.2 Strength and Strength Measurement	7
2.2.3 Deformation Behaviour in Ceramics	14
2.2.4 Fracture Statistics	14
2.3 INCLUSIONS	17
2.3.1 Fundamentals	18
2.3.2 Influence of Inclusions on the Material Properties	21
2.3.3 Influence of Inclusions in Metal Forming	23
2.4 THE METHOD OF FINITE ELEMENT ANALYSIS	25
2.4.1 Fundamentals	25
2.4.2 The Finite Element Program LS-DYNA	26
2.4.3 The Plasticity Law Employed	27
2.5 APPLICATION OF FINITE ELEMENT ANALYSIS TO THE SIMULATION OF WIRE OR ROD DRAWING	31
3. CERAMICS EXPERIMENTS	35
3.1 MATERIAL	35
3.1.1 Pure Al₂O₃	35
3.1.2 Porous Al₂O₃	37
3.1.3 High Density Boron Nitride (HDBN)	37
3.2 SPECIMEN PRODUCTION	38
3.2.1 Tensile and Four-Point Bending Test Specimens, Pure Al₂O₃	38
3.2.2 Cylindrical Specimen	38
3.2.3 Spherical Specimen	39
3.3 EXPERIMENTAL STRENGTH MEASUREMENT	40
3.3.1 Tensile Strength of Pure Al₂O₃	41
3.3.2 Four-Point Bending Test	41
3.3.3 Compressive Strength	42
3.3.4 Compressive Fracture of Spheres	45
4. ROD DRAWING EXPERIMENTS WITH ARTIFICIAL INCLUSION	53
4.1 ROD DRAWING SAMPLE CONFIGURATION	53
4.1.1 Rod Material	53
4.1.2 Sample Production	55
4.2 EXPERIMENTAL PROCEDURE	57
4.3 EXPERIMENT EVALUATION	58
4.4 RESULTS	59

5. METHOD OF SIMULATING THE FRACTURING OF CERAMIC INCLUSIONS USING FINITE ELEMENT ANALYSIS	65
5.1 DESCRIPTION OF THE METHOD	65
5.2 FINITE ELEMENT MODEL	67
5.2.1 <i>Fracture Criteria and Contact</i>	67
5.2.2 <i>Material Properties</i>	69
5.2.3 <i>Model Geometry and Mesh</i>	70
5.3 CALIBRATION	77
5.3.1 <i>Pure Al₂O₃</i>	78
5.3.2 <i>Porous Al₂O₃</i>	82
5.3.3 <i>High Density Boron Nitride</i>	85
5.4 VERIFICATION WITH SPHERE CRUSHING	89
5.4.1 <i>Pure Al₂O₃</i>	89
5.4.2 <i>Porous Al₂O₃</i>	90
5.4.3 <i>High Density Boron Nitride</i>	90
6. FINITE ELEMENT SIMULATION OF ROD DRAWING WITH ARTIFICIAL INCLUSION	91
6.1 FINITE ELEMENT MODEL	91
6.1.1 <i>General Model Information</i>	92
6.1.2 <i>Rod Drawing with Non-Fracturing (pure-Al₂O₃) Artificial Inclusion</i>	93
6.1.3 <i>Rod Drawing with Fracturing (porous-Al₂O₃) Artificial Inclusion</i>	95
6.2 RESULTS	96
6.2.1 <i>Rod Drawing with Non-Fracturing (pure-Al₂O₃) Artificial Inclusion</i>	97
6.2.2 <i>Rod Drawing with Fracturing (porous-Al₂O₃) Artificial Inclusion</i>	100
7. DISCUSSION	109
7.1 CERAMICS	109
7.1.1 <i>Ceramics Experiments</i>	109
7.1.2 <i>Finite Element Simulation of Fracturing Ceramics</i>	110
7.2 ROD DRAWING WITH ARTIFICIAL INCLUSION	113
7.2.1 <i>Rod Drawing Experiments with Artificial Inclusion</i>	113
7.2.2 <i>Finite Element Simulation of Rod Drawing with Artificial Inclusion</i>	115
8. CONCLUSIONS AND RECOMMENDATIONS	119
REFERENCES	121