

PROCEEDINGS OF THE 2ND INTERNATIONAL CONFERENCE ON BUILDING PHYSICS  
14-18 SEPTEMBER 2003, ANTWERPEN, BELGIUM


*[i.e. Leuven]*

# Research in Building Physics

*Edited by*


J. Carmeliet, H. Hens & G. Vermeir

*K.U. Leuven, Laboratory of Building Physics, Belgium*



A.A. BALKEMA PUBLISHERS LISSE / ABINGDON / EXTON (PA) / TOKYO

# Table of Contents



Preface	XIII
Organisation	XV
<i>1 Keynotes</i>	
The overall energy issue <i>W.D. D'haeseleer</i>	3
Advances in daylighting and artificial lighting <i>J.-L. Scartezzini</i>	11
Building science in the US: personal reflections and recommendations <i>W.B. Rose</i>	19
<i>2 Building materials</i>	
<i>2.1 Hygro-thermal properties</i>	
Thermal and hygric properties of lime plasters with pozzolonic admixtures for historical buildings <i>R. Černý, J. Drchalová, A. Kunca, V. Tydlitát &amp; P. Rovnaníková</i>	27
Variations in the hygrothermal properties of several wood-based building products <i>M.K. Kumaran, J.C. Lackey, N. Normandin, F. Tariku &amp; D. van Reenen</i>	35
Quantifying time dependent moisture storage and transport properties <i>R. Peuhkuri</i>	43
Microstructural changes of plasters due to carbonation and their influence to the moisture transport influence <i>O. Koronhalyova &amp; P. Matiasovsky</i>	53
Application of ANN in hygro-thermal modelling of building materials <i>D. Gawin &amp; M. Lefik</i>	59
Diffusion of some MVOCs through building moisture barriers <i>J. Komulainen, X. Lu, H. Hakkarainen, A. Weckström, M. Viljanen &amp; S. Liukkonen</i>	71
Material development and optimisation supported by numerical simulation for a capillary-active inside insulation material <i>G. Scheffler &amp; J. Grunewald</i>	77
Validation of measurement techniques and the determination of data required for thermal modelling of moist masonry walls <i>R.G. Williams &amp; R.P. Tye</i>	87
<i>2.2 Thermal properties</i>	
High temperature behavior of cement based composites <i>J. Toman, J. Drchalová, J. Poděbradská, R. Černý &amp; P. Rovnaníková</i>	101
Determination of thermal parameters of the composite building materials solid phase <i>P. Matiasovsky &amp; O. Koronhalyova</i>	109

A procedure to determine the design value of thermal conductivity of thermal insulation materials <i>C. Rode &amp; C. Rudbeck</i>	115
Calculation of thermal conductivity of foamed material <i>M.H. Spitzner &amp; R. Jeschar</i>	127
<i>2.3 Hygric properties</i>	
Weather-resistive barriers: assessment of their performance <i>M. Bomberg, M. Pazera, J. Zhang &amp; F. Haghghat</i>	135
Measuring and simulating moisture uptake in fractured porous building materials <i>S. Roels, K. Vandersteen &amp; J. Carmeliet</i>	143
X-ray attenuation technique for the analysis of moisture flow in porous building materials <i>S. Roels, T. van Besien, J. Carmeliet &amp; M. Wevers</i>	151
New indirect estimation technique for the determination of the moisture diffusivity from transient moisture content profiles measured by means of X-ray radiography <i>J. Carmeliet, T. van Besien &amp; S. Roels</i>	159
Moisture transport in wood exposed to a temperature gradient – results from experiments <i>I. Segerholm</i>	169
A modified cup-method for lightweight and highly permeable materials <i>K. Svennberg &amp; L. Wadsö</i>	177
Do standardised plaster systems also show standardised hygric behaviour? <i>M. Krus &amp; A. Holm</i>	183
Sorption processes and moisture deformations in building materials <i>R. Miniotaite</i>	189
Water retention transfer functions of ceramic bricks of the Dresden building stock <i>R. Plagge &amp; A. Teutsch</i>	197
Water vapour transport through perforated foils <i>W. van der Spoel</i>	207
Hygric material properties of porous building materials <i>P. Häupl &amp; H. Fechner</i>	217
Experimentally establishing local convection film coefficients for a standard metal curtain wall system <i>H. Ge &amp; P. Fazio</i>	225
Determination of moisture surface transfer coefficients under transient conditions <i>T. Bednar &amp; J. Dreyer</i>	233
Towards an engineering model of material characteristics for input to HAM transport simulations <i>J. Grunewald &amp; M. Bomberg</i>	237
Alternative methods for measuring moisture transfer coefficients of building materials <i>G.H. Galbraith, D.J. Kelly &amp; R.C. McLean</i>	249
<i>2.4 Durability</i>	
Freezing-thawing processes in a brick wall in relatively warm area of Japan <i>C. Iba &amp; S. Hokoi</i>	257
Assessment of the durability of marble cladding by laboratory exposure compared to natural exposure <i>K.K. Hansen, H. Leksø &amp; B. Grelk</i>	267
Determination of the ion diffusion coefficient of cracked porous media <i>A.-S. Poupeleer, J. Carmeliet, S. Roels &amp; D. Van Gemert</i>	273

Deterioration mechanism of stone and earthen walls in historical village of Hokkaido <i>T. Ishizaki, M. Takami, J. Grunewald, R. Plagge &amp; H. Fechner</i>	283
Hydrophobic treatments – effect on wetting and soiling of surfaces <i>E.B. Møller</i>	291
A laboratory study of the efficiency of a hydrophobic treatment of cracked porous building materials <i>T. van Besien, S. Roels &amp; J. Carmeliet</i>	301
 <b>3 Building enclosures</b>	
<b>3.1 Enclosures in general</b>	
Building enclosure performance in a more severe climate <i>K.R. Lisø, B. Time, T. Kvande &amp; E.J. Førland</i>	309
Hygrothermal enclosure models: comparison with field data <i>J.F. Straube &amp; C.J. Schumacher</i>	319
The rise of the diffusion paradigm in the US <i>W.B. Rose</i>	327
Building-plant interaction: a parameter to optimize the distribution of thermal resistance and heat capacity in external walls of buildings <i>M. Ciampi, F. Leccese &amp; G. Tuoni</i>	335
 <b>3.2 Enclosures in general, floors and walls, rising damp</b>	
Moisture behavior of slab-on-ground structures <i>J. Rantala &amp; V. Leivo</i>	345
A method to determine the moisture buffering effect of structures during diurnal cycles of indoor air moisture loads <i>T. Ojanen &amp; M. Salonvaara</i>	353
Two-dimensional transient heat and moisture simulations of rising damp with WUFI <sup>2d</sup> <i>A. Holm &amp; H.M. Künzle</i>	363
Rising damp in historical buildings <i>M.I.M. Torres &amp; V. Peixoto de Freitas</i>	369
 <b>3.3 Walls</b>	
Envelope air pressure design load: an approach for hygrothermal analysis of retrofitted high-rise masonry wall assemblies <i>R. Djebbar, D. van Reenen, M.K. Kumaran &amp; H. Ruan</i>	379
Hygrothermal testing of building envelopes in semi-scale conditions <i>Z. Pavlík, J. Maděra, M. Jiříčková &amp; R. Černý</i>	389
Heat loss dynamics of walls: analysis and optimizing based on the theory of dynamic thermal networks <i>E.-L. Wentzel &amp; J. Claesson</i>	397
Dynamic thermal networks: a methodology to account for time-dependent heat conduction <i>J. Claesson</i>	407
Application of hygrothermal analyses to optimise exterior wall design <i>P. Mukhopadhyaya, K. Kumaran, M. Rousseau, F. Tariku, D. van Reenen &amp; A. Dalgliesh</i>	417

Assessing the hygrothermal response of wood sheathing and combined membrane-sheathing assemblies to steady-state environmental conditions <i>W. Maref, M.A. Lacasse &amp; D. Booth</i>	427
Condensation on façades – influence of construction type and orientation <i>W. Zillig, K. Lenz, K. Sedlbauer &amp; M. Krus</i>	437
Hygrothermal performance of a masonry wall retrofitted with interior insulation <i>M.N.A. Saïd, R.G. Demers &amp; L.L. McSheffrey</i>	445
Development of an experimental methodology for the simulation of wetting due to rain infiltration for building envelope testing <i>A. Teasdale-St-Hilaire, D. Derome &amp; P. Fazio</i>	455
Inside thermal insulation for historical facades <i>P. Häupl, K. Jurk &amp; H. Petzold</i>	463
Moisture movements in render on brick wall <i>K.K. Hansen, T.A. Munch, P.S. Thorsen, C. Villumsen &amp; L.C. Bentzon</i>	471
Ventilation drying in wall systems <i>C. Schumacher, X. Shi, D. Davidovic, E. Burnett &amp; J. Straube</i>	479
Energy performance evaluation of an innovative active envelope: results from a year round field monitoring <i>S.P. Corgnati, M. Perino &amp; V. Serra</i>	487
Double skin façades: two case studies <i>J. Hraska, M. Janak, R. Rabenseifer &amp; R. Strigner</i>	497
Comparison of the energy demand of multiple-skin facades <i>D. Saelens &amp; H. Hens</i>	503
A simulation tool for predicting the energy implications of advanced façades <i>M.A. Lehar &amp; L.R. Glicksman</i>	513
Experimental and numerical study of a mechanically ventilated glass double façade with integrated shading device <i>H. Manz &amp; H. Simmler</i>	519
Influence of the external dynamic wind pressure on the ventilation of double facades <i>C. Ziller &amp; B. Döring</i>	527
Risk management of moisture in exterior wall systems <i>K.C. Day</i>	535
Settling and acceptable size of gaps in loose-fill thermal insulation in walls <i>J. Cammerer, M.H. Spitzner, G. Treiber, H. Schmitt &amp; S. Heinz</i>	545
<b>3.4 Roofs</b>	
Does performance based design impacts traditional solutions? Metal roofs as an example <i>H. Hens, R. Zheng &amp; A. Janssens</i>	557
Measurement of moisture conditions in cellulose insulated walls and roofs with or without PE-vapour barriers in 32 occupied Danish dwellings <i>G. Christensen &amp; T. Bunch-Nielsen</i>	565
The influence of roofing systems on the corrosion of zinc sheeting in highly insulated zinc roofs – a laboratory study <i>R. Zheng, J. Carmeliet, H. Hens &amp; W. Bogaerts</i>	571
Convection in horizontal loose-fill insulation below an air layer <i>M. Serkitjis</i>	579

<b>3.5 Windows</b>	
The effect of deflection of double glazing panes on sound insulation and heat transfer <i>B. Samajauskiene, R. Samajauskas, V. Dikavicius &amp; J. Ramanauskas</i>	589
Influence of sealing on the acoustic performance of PVC windows <i>J. Nurzyński</i>	595
Application of risk assessment technique to moisture problems in buildings <i>K. Pietrzyk, K. Kurkinen &amp; C.-E. Hagentoft</i>	605
Determination of total energy transmittance of glazing systems at the building site <i>T. Bednar</i>	613
<b>4 Whole buildings</b>	
<b>4.1 Buildings and energy</b>	
The limitation to the practical use of building heat loss coefficient in building energy certification <i>O. Belindzeva-Korkla &amp; A. Kreslins</i>	619
Application of the theory of dynamic thermal networks for energy balances of a building with three-dimensional heat conduction <i>E.-L. Wentzel</i>	625
Determination of building envelope and operation period of heating system according to life cycle cost <i>G. Manioğlu</i>	633
German energy conservation regulation – basics and examples <i>K. Höttinger, A. Maas &amp; G. Hauser</i>	637
A study of effective energy conservative strategies for subtropical residence <i>N.T. Chao</i>	645
Optimal forward temperature in retrofitted buildings <i>F. Kalmár</i>	649
About simplification assumptions for the evaluation of building thermal performance <i>V. Corrado</i>	657
The scientific and technological challenges of buildings regulations in relation to a correct performance assessment of the energy performance and indoor climate in buildings <i>P. Wouters, D. Van Orshoven, L. Vandaele &amp; J. Schietecart</i>	665
New ways towards increased efficiency in the utilization of energy flows in buildings <i>D. Schmidt &amp; M. Shukuya</i>	671
Numerical solution of TIM-PCM solar thermal storage system with ESP-r <i>D. Heim &amp; P. Klemm</i>	683
Building energy standards and prospective assessment tools in the central Europe <i>R. Rabenseifer</i>	691
Optimal supply air temperature with respect to energy use in a constant air volume system <i>D. Johansson</i>	699
<b>4.2 Air leakage</b>	
Porosity effect in the prediction of wind-induced ventilation for the tropics <i>A.M. Ismail</i>	711
Modeling of the flow resistance of the stairwell on the ventilation network calculation <i>N. Katsumichi</i>	719

The influence of air transport in and around the building envelope on energy efficiency of the building <i>A.S. Kalagasidis &amp; C.-E. Hagentoft</i>	729
A stochastic ventilation model regarding leakage and user behaviour <i>J. Maeyens &amp; A. Janssens</i>	737
Influence on energy efficiency due to airflow through crack distributions and porous insulation materials in building envelopes <i>B. Mattsson</i>	749
Methodology for measuring infiltration heat recovery for concentrated air leakage <i>A. Janssens</i>	759
Passive solar gains versus ventilation by opening windows <i>P. Matiasovsky &amp; O. Koronthalyova</i>	765
Unsteady pressurization method to measure the airtightness of the building envelope <i>T. Nishioka, Q. Chen, N. Arai, K. Fujiwara, N. Umemiya &amp; R. Okura</i>	771
<i>4.3 Monumental buildings</i>	
Optimal setpoint operation of the climate control of a monumental church <i>A.W.M. van Schijndel, D. Neilen, H.L. Schellen &amp; M.A.P. van Aarle</i>	777
Moisture behavior within the cupola of the "Church of Our Lady" in Dresden, Germany <i>P. Häupl &amp; H. Fechner</i>	785
Characterizing and comparing monumental churches and their heating performance <i>D. Neilen, H.L. Schellen &amp; M.A.P. van Aarle</i>	793
Damage to a monumental organ due to wood deformation caused by church heating <i>H.L. Schellen, A.W.M. van Schijndel, D. Neilen &amp; M.A.P. van Aarle</i>	803
<i>4.4 Various topics</i>	
A computational environment for performance-based building enclosure design and operation <i>A. Mahdavi &amp; P. Mahattanatawe</i>	815
Performance-guided explorations in the thermal design space <i>B. Gurtekin &amp; A. Mahdavi</i>	825
Design of earth-air heat exchangers <i>A. Janssens &amp; M. De Paepe</i>	835
Performance indicator tool vs simulation tool <i>V. Yverås</i>	843
Redesign of a South African RDP-dwelling <i>B. Hazebroek, R.M.J. Bokel &amp; M. van der Voorden</i>	851
Integrated hygrothermal analysis of ecological buildings <i>C. Rode, M. Salonvaara, T. Ojanen, C. Simonson &amp; K. Grau</i>	859
Classroom acoustics in Belgian schools: requirements, analysis, design <i>G. Vermeir &amp; J. Van den Bergh</i>	869
<i>5 Usability, comfort, indoor air quality</i>	
<i>5.1 Acoustics and lighting</i>	
Expressing legal demands in acoustical quantities; is the reverberation time a good predictor for the speech intelligibility in a sports hall? <i>L. Nijs &amp; A. Schuur</i>	879

A daylight system for a transportable museum pavilion <i>G.J. de Bruin-Hordijk, P. Jutten &amp; M. van der Voorden</i>	889
The vibration reduction index $K_{ij}$ : laboratory measurements versus predictions EN 12354-1 <i>C. Crispin, M. Blasco, B. Ingelaere &amp; M. Van Damme</i>	899
 <i>5.2 Indoor air quality</i>	
Emissions from whole building structures – transport mechanisms and effects on indoor air quality <i>H.M. Salonvaara &amp; J.S. Zhang</i>	909
A new model for mould prediction and its application in practice <i>K. Sedlbauer &amp; M. Krus</i>	921
Upgrading energy efficiency, comfort and air quality in an Israeli school <i>R. Becker &amp; M. Paciuk</i>	929
Air exchange rates, energy losses and indoor air quality due to the application of the Belgian ventilation standard <i>J. Maeyens &amp; A. Janssens</i>	937
Environmental comfort in university classrooms – thermal, acoustic, visual and air quality aspects <i>A. Astolfi, S.P. Corgnati &amp; V.R.M. Lo Verso</i>	945
Prediction and validation of indoor environment by means of a checklist <i>B.J.M. Slot</i>	959
 <i>6 Urban physics</i>	
<i>6.1 Wind, wind driven rain</i>	
Validation of the microclimate load obtained by transformation of weather parameters <i>B. Adl-Zarrabi &amp; A. Högberg</i>	967
Effect of windbreak on the wind flow in a small existing urban structure <i>K. Klemm &amp; M. Jablonski</i>	973
A numerical study of wind nuisance for a high-rise building group <i>B. Blocken, S. Roels &amp; J. Carmeliet</i>	981
<i>6.2 Wind driven rain, comfort</i>	
Validation of the potential flow model for driving rain estimations <i>C.-E. Hagentoft &amp; A. Högberg</i>	993
Qualitative and quantitative criteria for comfortable urban public spaces <i>S. Reiter &amp; A. De Herde</i>	1001
Numerical study of facade disfigurement by driving rain <i>B. Blocken, W. Desadeleer &amp; J. Carmeliet</i>	1011
Author index	1019