



Healthy Buildings 2003

Energy-Efficient Healthy Buildings

Proceedings of ISIAQ 7th International Conference

7th – 11th December 2003
Singapore

Editors

Tham Kwok Wai

Chandra Sekhar

David Cheong

Jointly Organised by



Department of Building
National University of Singapore

and



International Society of Indoor Air Quality and
Climate (ISIAQ)

Sponsored by



U.S. Environmental
Protection Agency
(USEPA)



Your Essential Connection
American Industrial
Hygiene Association
(AIHA)

Volume 1



Contents for Volume 1

	Page
Foreword	<i>iii</i>
Organising Committee	<i>iv</i>
International Coordinators	<i>v</i>
International Scientific Committee	<i>vi</i>
Acknowledgements	<i>vii</i>
Brief Contents for Volume 2 and Volume 3	<i>viii</i>
 KEYNOTES	
Providing Indoor Air of High Quality: Challenges and Opportunities	1
<i>P. O. Fanger</i>	
Designing for People: What Do Building Occupants Really Want?	11
<i>H. Levin</i>	
Healthy Buildings—From Science to Practice	29
<i>O. Seppänen</i>	
Evaluating IAQ effects on People	51
<i>D. P. Wyon</i>	
Ecospace: Healthy, Comfortable, Safe, Smart and Sustainable Spaces for the People of Europe	61
<i>P. M. Bluyssen, O. C. G. Adan, W. Bakens</i>	
SARS and the City—Emerging Health Concerns in the Built Environment	73
<i>P. L. Ooi, S. Lim, K. W. Tham</i>	
How can Land and Urban Development Make Houses Healthier?	81
<i>L. Morawska</i>	
Productivity and Fatigue	98
<i>S. Tanabe</i>	
International Standards for the Indoor Environment: Where are we and do they apply to Asian Countries?	104
<i>B. W. Olesen</i>	
The Global Burden of Disease from Unhealthy Buildings: Preliminary Results from Comparative Risk Assessment	118
<i>K. R. Smith</i>	
Indoor Environments and Health: Moving into the 21st Century	127
<i>J. D. Spengler, J. M. Samet</i>	

(1A) CHEMICAL POLLUTANTS

Measurements of Saturation Vapor Pressure for Estimating Biocide Concentrations in Indoor Air	136
<i>T. Salthammer, E. Uhde, M. G. Müller, H. K. Cammenga</i>	
Emission of Phosphorus Organic and Polybrominated Flame Retardants From Consumer Products and Building Materials	142
<i>S. Kemmlein, O. Hahn, O. Jann, S. Kalus, D. Stolle</i>	
Measurements of Indoor Concentrations of Aldehydes, VOCs and Fungi in Newly-built Apartment Houses in Tokyo	148
<i>Y. Sekine, T. Iwata, D. Okagaki</i>	
Aldehydes and VOCs in Newly-built Unoccupied Houses in Tokyo	154
<i>T. Iwata, H. Tsukahara, M. Hori</i>	
Release of Primary Compounds and Reaction Products From Oriented Strand Board (OSB)	160
<i>T. Salthammer, C. Boehme, B. Meyer, N. Siwinski</i>	
Sorption/Desorption Behavior of Polyurethane Foam	166
<i>D. Zhao, J. C. Little, S. S. Cox</i>	
Flame Retardants in the Indoor Environment. Part V: Measurement and Exposure Evaluation of Organophosphate Esters From Automobile Interiors	172
<i>M. Wensing, J. Pardemann, W. Schwampe</i>	
A New Model for Analyzing the Influence of Initial Concentration in Building Materials on VOC Emission Characteristics	178
<i>Y. Zhang, Y. Xu</i>	
Emissions from Adhesives and Floor Coverings on Aggressive Substrates	184
<i>J. Alexanderson</i>	
Indoor Air Pollution in Museum Display Cases	189
<i>M. Ryhl-Svendsen</i>	
SPME-GC/MS Analysis of Organic Acids in Indoor Museum Environments	193
<i>M. Ryhl-Svendsen, J. Glastrup</i>	
Determining Coefficients for Mass-transfer Models for Volatile Organic Compound Emissions From Architectural Coatings	198
<i>D. Won, C. Y. Shaw</i>	
Material Emissions in New Buildings	204
<i>H. Jarnstrom, K. Saarela</i>	
Distributions of Indoor and Outdoor Air Pollutants in Downtown Rio De Janeiro City, Brazil	210
<i>F. P. Carneiro, C. Y. M. Santos, F. R. A. Neto</i>	
Investigation of Indoor Air Quality and Ventilation Rate for Sick Houses in Japan	217
<i>T. Mitamura, H. Yoshino, H. Osawa, Y. Kuwasawa</i>	
Measurements of Primary and Secondary Emissions with Ozone by Using a Small-scale Chamber	224
<i>T. Nakagawa, R. Funaki, H. Tanaka, S. Tanabe</i>	
A Pilot Study on VOCs and Carbonyl Compounds in Chinese Residences	230
<i>Y. Ni, K. Kumagai, H. Yoshino, Y. Yanagisawa</i>	
The Emissions of Terpen-Type VOC From Cedarwood in an Eco House and the Chemical Reaction Between the Sesqui-Terpenes and Ozone	236
<i>G. Iwashita</i>	

A Method of Apportioning Indoor Radon Concentration to the Constituent Building Components	242
<i>T. C. W. Tung, J. L. Niu, J. O. W. Lau</i>	
Impact of Ozone on Indoor Air Quality: A Preliminary Field Study	247
<i>M. Nicolas, O. Ramalho, F. Maupetit</i>	
A Comprehensive VOC Emission Database for Commonly-used Building Materials	253
<i>D. Won, R. J. Magee, E. Lusztyk, G. Nong, J. P. Zhu, J. S. Zhang, J. T. Reardon, C. Y. Shaw</i>	
The Development of Indoor Air Quality During the First Year in New, Residential Buildings	259
<i>H. Jarnstrom, K. Saarela</i>	
Measurements of Aldehydes and VOCs in a Newly-constructed Multi-family Residential Building Using Passive Methods	265
<i>M. Asai, J. Matsumoto, S. Tanabe</i>	
Measurement of VOCs Emission Rates for Evaporation-Controlled Materials by Using an Inner Chamber	271
<i>H. Tanaka, S. Tanabe, R. Funaki, T. Nakagawa</i>	
Sampling of Volatile Terpenes in Indoor Air	277
<i>E. Uhde</i>	
High PCB-Contaminated Schools Due to PCB-Containing Roughcast	283
<i>N. Weis, M. Köhler, C. Zorn</i>	
VOC and SVOC Contribution of Papers for Hardcopy Devices to Indoor Air Pollution	289
<i>O. Wilke, O. Jann, D. Brödner</i>	
The Application of Semiconductor-based Odour Sensors Capable of Measuring and Evaluating Indoor Air Quality	295
<i>M. Yamaguchi, K. Tomioka</i>	
Indoor Chemistry and Health: Where are We Going?	301
<i>A. C. Rohr</i>	
Draft on KHNC's Criteria of HCHO for Building Materials	308
<i>W. Jo, H. Kim, J. Jeon, D. Kang</i>	
Investigation of Indoor Air Quality in a Residence Using Natural Materials	313
<i>N. Marumoto, N. Suzuki, S. Tanabe</i>	
Measurements of Aldehydes and VOCs From Electronic Appliances by Using a Small Chamber	319
<i>R. Funaki, H. Tanaka, T. Nakagawa, S. Tanabe</i>	
What is Behind TVOC in New Buildings	325
<i>K. Saarela, H. Jarnstrom, T. Tirkkonen, K. Villberg</i>	
Integrated Impacts of the Indoor Temperature on the Characteristics of VOC Emissions From Local Paints in Taiwan—Solvent-based Paints as Example	331
<i>W. C. Shao, C. M. Chiang, T. Y. Chen, Y. C. Chen</i>	
On Diffusive Badges and VOC Sampling in IAQ Investigations	337
<i>S. Rastan, A. Horton, F. Murray, J. P. Farant, F. Haghghat</i>	
Experimental Study of Reactions between Ozone and Building Products	343
<i>M. Nicolas, O. Ramalho, F. Maupetit</i>	
French Permanent Survey on Indoor Air Quality—Microenvironmental Concentrations of Volatile Organic Compounds in 90 French Dwellings	349
<i>S. Kirchner, S. Gauvin, F. Golliot, O. Ramalho, A. Pennequin</i>	

VOV Source and Sink Behaviour of Porous Building Materials: Part I—Model Development and Assessment	355
<i>C. S. Lee, W. S. Ghaly, F. Haghghat</i>	
VOC Source and Sink Behaviour of Porous Building Materials: Part II—Effects of Reynolds Number and Temperature	361
<i>C. S. Lee, W. S. Ghaly, F. Haghghat</i>	
Do Particleboards Produced with Recycled Wood Contribute to Indoor Air Pollution with Biocides?	367
<i>W. Horn, O. Hahn, O. Jann, S. Kalus</i>	
Effects of Building Material on Levels of Volatile Organic Compounds in Taiwan's Typical Office Buildings	373
<i>Y. Y. Li, C. M. Chiang, C. S. Lee, N. T. Chen, H. J. Su</i>	
Current Asthma and Respiratory Symptoms Among Pupils in Shanghai Schools, in Relation to Indoor Mould Growth and Exposure to Traffic Exhausts in the Schools	379
<i>Y. Mi, D. Norbäck, J. Tao, Y. Mi, M. Ferm</i>	
Concentrations and Emission Rates of Indoor VOCs—A Comparative Study Between Singapore and European Office Buildings	385
<i>M. S. Zuraimi, C. A. Roulet, S. C. Sekhar, K. W. Tham, K. W. Cheong, N. H. Wong, H. K. Lee</i>	
Study on Measurement of Formaldehyde Emitted from Medium Density Fibreboards and Televisions under Simulated Room Conditions	391
<i>Q. Zhu, S. Kato, Y. Ataka</i>	
Investigations of VOC, Ozone and Dust Emissions from Hardcopy Devices (Laser Printers, Copiers and Multifunctional Devices) in Test Chambers—Development of a Test Method	397
<i>J. Rochstroh, O. Jann, O. Wilke, R. Noske, D. Brödner, U. Schneider, W. Horn</i>	
Emissions of Diisocyanates in Indoor Air	404
<i>Y. Katsuyama, N. Shinohara, K. Kumagai, M. Fujii, Y. Yanagisawa</i>	
Indoor and Outdoor Nitrogen Dioxide Concentration in Residential Houses in Australia . . .	409
<i>C. He, L. Morawska, J. Hitchins, D. Gilbert</i>	
Adsorption/Desorption of Volatile Organic Compounds by Uncoated Cork Parquet	414
<i>G. V. Silva, E. O. Fernandes, M. T. S. D. Vasconcelos, A. M. Santos</i>	
Influence of UV Wavelength, Light Intensity and Humidity on Photocatalytic Degradation of Toluene by Using Hybrid Titania-Based Film	420
<i>R. Yang, Y. P. Zhang, R. Y. Zhao</i>	
Contributions of Outdoor, Indoor and Other Sources to Personal VOC Exposure in Five European Cities	427
<i>V. Ilacqua, M. Jantunen</i>	
A Pilot Study to Identify Semi-Volatile Organic Pollutants in Residential House Dust	433
<i>J. Zhu, B. Aikawa</i>	
Potted-Plant/Growth Media Interactions and Capacities For Removal of Volatiles From Indoor Air	439
<i>R. A. Wood, R. L. Orwell, J. Tarran, F. Torpy, M. Burchett</i>	
A Study on Emission Characteristics of VOCs With the Lightweight Panel Finishing Material Composition	446
<i>J. Y. Sohn, Y. K. Baik, S. K. Pang, H. Cho</i>	
Indoor and Outdoor Organophosphorus Pesticides in Agricultural Area in Japan	452
<i>J. Kawahara, Y. Yanagisawa</i>	
Combined Air, Heat, Moisture and VOC Transport in Whole Buildings	456
<i>H. M. Salonvaara, J. S. Zhang, A. N. Karagiozis</i>	

An Integrated Zonal Model for Predicting Airflow and VOC Concentration Distributions in a Room	462
<i>H. Huang, F. Haghghat, H. Yoshino</i>	
Chemical Emission Rates from Personal Computers	468
<i>T. Nakagawa, P. Wargocki, S. Tanabe, C. J. Weschler, S. Baginska, Z. Bakó-Biró, P. O. Fanger</i>	
Measurement of SVOCs Emitted from Building Materials and Electric Appliances Using Thermal Desorption Test Chamber Method	474
<i>K. Hoshino, S. Ogawa, S. Kato, Q. Zhu, Y. Ataka</i>	
A New Method to Measure the Emission Rate of VOCs with Passive Flux Sampler and Evaluation of PFS with Reference Emission Material	480
<i>Y. Kai, M. Fujii, K. Kumagai, N. Shinohara, Y. Yanagisawa</i>	
A Preliminary Cancer Health Risk Assessment of a Population of Inner-City Teenagers in New York City	486
<i>S. S. Ramstrom, S. Chillrud, P. Kinney, J. Spengler</i>	
Survey on the VOCs Concentration in Hospitals Using a Passive Sampler Method	493
<i>M. Shiotsu, K. Ikeda</i>	
A Field Study of the Distribution of Degraded Flooring Components in a Concrete Floor ...	499
<i>C. Engström, T. Hall, A. Sjöberg</i>	
Role of Volatile Organic Compounds in Residential Interior Air Pollution: A Study	505
<i>D. Sanyal</i>	
Application of Langmuir-Cheng Model for Photocatalytic Degradation of Multi-VOCs in Air	511
<i>T. Cheng, Y. Jiang, R. Yang, Y. Zhang</i>	
Dimensioning of Soil Depressurisation System for Radon Remediation in Existing Buildings	517
<i>B. Collignan, P. O' Kelly</i>	
The New European Information System (EIS-CHEMRISKS) for Assessing Exposures from Consumers Products in the Indoor Environment	524
<i>D. Schwela, P. Hakkinen, D. Papameletiou</i>	
Identifying and Quantifying VOC Emissions From Brazilian Paints: Methodology	530
<i>K. L. Uemoto, V. Agopyan</i>	
Paint Lead Levels in Singapore	536
<i>C. K. Chen, C. S. Clark, P. S. Succop</i>	
Phthalates in Indoor Air of Canadian Residences	542
<i>J. Zhu, Y. L. Feng, S. MacDonald, R. Newhook, L. Marro</i>	
Improvement of IAQ by Coating of Chemical Adsorptive Polymer: Formaldehyde-Adsorption Characteristics of the Material and Evaluation in its Application	548
<i>M. Hori, T. Ohkawara, T. Shimonosono, S. Handa</i>	
Field Measurement of Formaldehyde in Government Offices	554
<i>H. Osawa, M. Yasuhiro, B. Kazuaki, S. Hironori</i>	
(1B) MICROBIALS	
Detection of an Aflatoxin-Like Substance in an Office Building	560
<i>W. Lorenz, C. Trautmann, I. Dill, M. Gareis</i>	
MVOC Out of New Materials	566
<i>L. Virnich, W. Lorenz, C. Trautmann</i>	
Materials' Microbiology in Different Elements of Building	572
<i>M. Reiman, L. Kujanpää, R. Kujanpää</i>	

Amoebae and Other Protozoa in Moisture-Damaged Building Materials	578
<i>T. Yli-Pirilä, J. Kusnetsov, S. Haatainen, P. Jalava, M. Hänninen, M. R. Hirvonen, M. Reiman, M. Seuri, A. Nevalainen</i>	
Dampness in Dwellings and Sick Building Symptoms Among Adults. A Cross-Sectional Study on 8918 Swedish Homes	582
<i>C. G. Bornehag, J. Sundell, L. Hägerhed</i>	
Actinomycetes in Building Materials	583
<i>W. Lorenz, R. M. Kroppenstedt, C. Trautmann, E. Stackebrandt, I. Dill</i>	
Building Related Microbes Before and After the Repair of Moisture Damage	590
<i>L. Kujanpää, M. Reiman, R. Kujanpää</i>	
Isolation and Identification of Filamentous Fungi From HVAC System	595
<i>M. Butala, M. Črnigoj, P. Zalar, V. Butala</i>	
Moulds, Bacteria and MVOC in Classroom and Outdoor Air, and Microbial Components in Settled Dust From Schools in Shanghai, China	600
<i>D. Norbäck, Y. Mi, L. Larsson, L. Wady, J. Tao, Y. Mi</i>	
S-520 Mold Remediation Standard	607
<i>R. G. Baker</i>	
Measurements on Mite allergens in Houses of Allergy Patients in Japan	613
<i>F. Shinohara, H. Miyazawa, T. Iwata, H. Yasueda, Y. Nagase</i>	
Validation of Questionnaire Data With Inspections on Dampness Indications in 390 Swedish Dwellings—DBH Step 2	619
<i>L. Hägerhed, C. G. Bornehag, J. Sundell</i>	
Health Effects of Flooding: Changes of Symptoms, Tear Film Stability and Biomarkers in Nasal Lavage After Re-Exposure to a Damp Office Building	625
<i>G. Wieslander, D. Norbäck, P. Venge</i>	
Comparison of Air Samplers for Fungal Exposure Assessment	631
<i>T. Iwata, F. Shinohara, C. Sano, Y. Kowashi</i>	
Experimental Study on Activities of the Virus in Low Humidity Indoor Environments	637
<i>K. Ikeda, T. Ibamoto, T. Komatsu, M. Saito, M. Nakayama, K. Saito, S. Yamadera, M. Kinomoto, Y. Tsubota</i>	
Development of a Performance Indicator for Mold Growth Risk Avoidance in Buildings ...	643
<i>H. J. Moon, G. Augenbroe</i>	
Fungal Index in Dwelling Environments	649
<i>K. Abe, S. Nakai, Y. Yanagisawa</i>	
Development of Novel Air Purification Technology Using Ions Generated by Discharge Plasma (i) Physical Background and Biological Effect on Indoor Air Quality	655
<i>H. Nojima, K. Nishikawa, Y. Shimizu, B. Schwartz, K. Senkpiel, H. Ohgke</i>	
Development of Novel Air Purification Technology Using Ions Generated by Discharge Plasma (ii) Inactivation of Influenza Virus in Air	660
<i>K. Nishikawa, H. Nojima, M. Aoki, Y. Kuroda</i>	
Biohygrothermal Method for the Prediction of Mould Growth; Procedure and Healthy Aspects	666
<i>K. Sedlbauer, M. Krus, K. Breuer</i>	
(1 → 3)-β-D-Glucan In Indoor Environment	673
<i>Y. W. Liu, P. C. Wu, C. H. Chang, B. F. Gi, H. J. Su</i>	
A Comparative Study of Qualitative Sampling Methods for the Analysis of the Indoor Air Molds	679
<i>W. Y. Chan, K. M. Law, L. L. P. Vrijmoed</i>	

Health Risks by Microbial Cell Wall Agents Indoors	685
<i>R. Rylander</i>	
Characterization of Ambient Bioaerosols in Singapore	689
<i>I. V. N. Rathnayake, R. Balasubramanian</i>	
Organic Peroxides—The New Generation of Highly Effective Disinfectants for Remediation of Mouldy Buildings	695
<i>F. Langvad</i>	
Home Characteristics Are Associated With Indoor Microbial Exposures in Subtropical Homes	700
<i>C. H. Chang, P. F. Chi, Y. W. Liu, P. C. Wu, H. J. Su</i>	
Are Microbial Volatile Organic Compounds (MVOC) Useful Predictors For a Hidden Mould Damage?	706
<i>H. Schleibinger, C. Brattig, M. Mangler, D. Laußmann, D. Eis, P. Braun, D. Marchl, A. Nickelman, H. Rueden</i>	
The Medical Relevance of Methods to Sample Indoor Air Microbial Pollution	711
<i>L. Beijer, R. Rylander</i>	
Indoor Air Climate and Microbiological Contamination in Dental Clinics	715
<i>M. Popa, D. M. Sîrbu, A. R. Sîrbu</i>	
Brassicasterol: A Specific Biomarker Sterol in Humidifier Sediments in Indoor Pollution	721
<i>S. Maayoufi, C. Chasseur, N. Nolard, G. Lognay, M. Marlier</i>	
Study of the Effects of Essential Oils on Microbes Present in Ventilation Systems	729
<i>M. C. Pibiri, C. Seigne, C. A. Roulet</i>	
Inter-Laboratory Trials for Proficiency Testing of Mycological Laboratories	735
<i>R. Szewzyk, U. Weidner, T. Gabrio, H. P. Seidl</i>	
(1C) THERMAL COMFORT	
Practical Thermal Sensing Measurement and Neural-Thermal Comfort Index	739
<i>S. Athajariyakul, T. Leephakpreeda</i>	
A New Dutch Adaptive Thermal Comfort Guideline	743
<i>A. C. Boerstra, A. K. Raue, S. R. Kurvers, A. C. van der Linden, J. J. N. M. Hogeling, R. J. de Dear</i>	
PMV-derived Productivity Model as a Tool to Assess Productivity Loss	749
<i>R. Kosonen, F. Tan</i>	
Thermal Comfort Conditions in Semi-Outdoor Environments For Short-Term Occupancy	755
<i>J. Nakano, S. Tanabe</i>	
The Effect of Temperature and Air Velocity Change on Human Sensation	761
<i>L. N. Huda, H. Hiroshi, N. Matsubara, C. Phonesavanh, Y. Shoko</i>	
Research on the Effect of Air Velocity on Thermal Comfort Based on the Ramp Changing Transient Environment	768
<i>Y. Ji, G. Tu, X. Wang</i>	
Impact of Non-Isothermal Task Conditioning System on Thermal Comfort	776
<i>T. Akimoto, S. J. Lee, N. Iesaki, T. Yokota, J. Hayashi, S. Tanabe</i>	
Thermal Preference of Task Environment and Its Influence on Productivity	783
<i>J. Hayashi, T. Akimoto, S. J. Lee, N. Iesaki, T. Yokota, S. Tanabe</i>	
Thermal Indoor Climate Evaluated on the Basis of a Snapshot	791
<i>B. Kvisgaard</i>	

A Fuzzy Logic Approach in Thermal Comfort Modelling for Naturally Ventilated House in Tropics	798
<i>H. Feriadi, N. H. Wong, S. C. Sekhar, K. W. D. Cheong</i>	
Indoor Conditions in Ultra-lightweight Structures: A Case Study	804
<i>L. Marletta, F. Sicurella, G. Evola</i>	
Adaptive Comfort Theory Applied to Office Buildings	809
<i>K. J. McCartney</i>	
Behavioral Adaptation in Semi-Outdoor Environment	815
<i>J. Nakano, S. Tanabe</i>	
Thermal Environment and Behavioral Adaptation in Semi-Outdoor Cafeteria	822
<i>T. Shimoda, M. Noguchi, J. Nakano, S. Tanabe</i>	
Development of Human Thermoregulation Model JOS Applicable to Different Types of Human Body, Sex and Age	828
<i>T. Sato, L. Xu, K. Ogawa, S. Tanabe</i>	
Transient Thermal Sensation and Comfort Resulting From Adjustment of Clothing Insulation	835
<i>T. Goto, J. Toftum, P. O. Fanger, H. Yoshino</i>	
Prediction of Indoor Sol-Air Temperature in an Atrium Space with a Vertical Distribution	841
<i>J. S. Park, J. Y. Sohn, S. M. Lee, M. K. Sung</i>	
Thermal Diary—Records of Temperature Exposures during a 24-h Period	847
<i>C. Chun, A. Kwok, T. Mitamura, N. Miwa, M. Lee, A. Tamura</i>	
Thermal Response of Korean College Students in a Thermal Environment Chamber	854
<i>G. N. Bae, M. Kim, Y. Kim</i>	
Author Index	861
Author Index for Volume 2	I
Author Index for Volume 3	IV