

Functionalized Inorganic Fluorides

Synthesis, Characterization & Properties of
Nanostructured Solids

Edited by

ALAIN TRESSAUD

*Research Director CNRS (Emeritus), ICMCB–CNRS,
Bordeaux University, France*

 **WILEY**

A John Wiley and Sons, Ltd., Publication

Contents

<i>Preface</i>	xvii
<i>List of Contributors</i>	xxi
1 Sol-Gel Synthesis of Nano-Scaled Metal Fluorides – Mechanism and Properties	1
<i>Erhard Kemnitz, Gudrun Scholz and Stephan Rüdiger</i>	
1.1 Introduction	1
1.1.1 Sol-Gel Syntheses of Oxides – An Intensively Studied and Widely Used Process	1
1.1.2 Sol-Gel Syntheses of Metal Fluorides – Overview of Methods	2
1.2 Fluorolytic Sol-Gel Synthesis	4
1.2.1 Mechanism and Properties	5
1.2.2 Insight into Mechanism by Analytical Methods	8
1.2.3 Exploring Properties	27
1.2.4 Possible Fields of Application	29
References	35
2 Microwave-Assisted Route Towards Fluorinated Nanomaterials	39
<i>Damien Dambournet, Alain Demourgues and Alain Tressaud</i>	
2.1 Introduction	39
2.2 Introduction to Microwave Synthesis	40
2.2.1 A Brief History	40
2.2.2 Mechanisms to Generate Heat	40
2.2.3 Advantages of Microwave Synthesis	41
2.2.4 Examples of Microwave Experiments	41
2.3 Preparation of Nanosized Metal Fluorides	42
2.3.1 Aluminium-based Fluoride Materials	42
2.3.2 Microwave-assisted Synthesis of Transition Metal Oxy-Hydroxy-Fluorides	61

2.4	Concluding Remarks	64
	Acknowledgements	64
	References	65
3	High Surface Area Metal Fluorides as Catalysts	69
	<i>Erhard Kemnitz and Stephan Rüdiger</i>	
3.1	Introduction	69
3.2	High Surface Area Aluminium Fluoride as Catalyst	71
3.3	Host-Guest Metal Fluoride Systems	74
3.4	Hydroxy(oxo)fluorides as Bi-acidic Catalysts	78
3.5	Oxidation Catalysis	84
3.6	Metal Fluoride Supported Noble Metal Catalysts	88
3.6.1	Hydrodechlorination of Monochlorodifluoromethane	90
3.6.2	Hydrodechlorination of Dichloroacetic Acid (DCA)	94
3.6.3	Suzuki Coupling	95
	References	97
4	Investigation of Surface Acidity using a Range of Probe Molecules	101
	<i>Alexandre Vimont, Marco Daturi and John M. Winfield</i>	
4.1	Introduction	101
4.1.1	Setting the Scene: Metal Fluorides versus Metal Oxides	102
4.1.2	Some Examples of the Application of FTIR Spectroscopy to the Study of Surface Acidity in Metal Oxides	103
4.1.3	A Preview	107
4.2	Characterization of Acidity on a Surface: Contrasts with Molecular Fluorides	108
4.2.1	Molecular Brønsted and Molecular Lewis Acids	108
4.2.2	A Possible Benchmark for Solid Metal Fluoride, Lewis Acids: Aluminium Chlorofluoride	109
4.3	Experimental Methodology	110
4.3.1	FTIR Spectroscopy	110
4.3.2	Characteristic Reactions and the Detection of Adsorbed Species by a Radiotracer Method	112
4.4	Experimental Studies of Surface Acidity	117
4.4.1	Using FTIR Spectroscopy	118
4.4.2	Using HCl as a Probe with Detection via [³⁶ Cl]-Labelling	123
4.4.3	Metal Fluoride Surfaces that Contain Surface Hydroxyl Groups: Aluminium Hydroxy Fluorides with the Hexagonal Tungsten Bronze Structure	129
4.4.4	Possible Geometries for HCl Adsorbed at Metal Fluoride Surfaces: Relation to Oxide and Oxyfluoride Surfaces	135
4.5	Conclusions	136
	References	137

5	Probing Short and Medium Range Order in Al-based Fluorides using High Resolution Solid State Nuclear Magnetic Resonance and Parameter Modelling	141
	<i>Christophe Legein, Monique Body, Jean-Yves Buzaré, Charlotte Martineau and Gilles Silly</i>	
5.1	Introduction	141
5.2	High Resolution NMR Techniques	142
5.2.1	Fast MAS and High Magnetic Field	142
5.2.2	^{27}Al NMR	145
5.2.3	High Resolution Correlation NMR Techniques	148
5.3	Application to Functionalized Al-Based Fluorides with Catalytic Properties	153
5.3.1	Crystalline Aluminium Fluoride Phases	153
5.3.2	^{19}F Isotropic Chemical Shift Scale in Octahedral Aluminium Environments with Oxygen and Fluorine in the First Coordination Sphere	153
5.3.3	Fluorinated Aluminas and Zeolites, HS AlF_3	157
5.3.4	Aluminium Chlorofluoride and Bromofluoride	158
5.3.5	Pentahedral and Tetrahedral Aluminium Fluoride Species	158
5.3.6	Nanostructured Aluminium Hydroxyfluorides and Aluminium Fluoride Hydrate with Cationic Vacancies	159
5.3.7	δ_{iso} Scale for ^{27}Al and ^{19}F in Octahedral Aluminium Environments with Hydroxyl and Fluorine in the First Coordination Sphere	160
5.4	Alkali and Alkaline-earth Fluoroaluminates: Model Compounds for Modelling of NMR Parameters	160
5.4.1	^{19}F NMR Line Assignments	161
5.4.2	^{27}Al Site assignments, Structural and Electronic Characterizations	164
5.5	Conclusion	167
	References	168
6	Predictive Modelling of Aluminium Fluoride Surfaces	175
	<i>Christine L. Bailey, Sanghamitra Mukhopadhyay, Adrian Wander, Barry Searle and Nicholas Harrison</i>	
6.1	Introduction	175
6.2	Methodology	176
6.2.1	Density Functional Theory	176
6.2.2	Surface Free Energies	177
6.2.3	Molecular Adsorption	178
6.2.4	Kinetic Monte Carlo Simulations	179
6.3	Geometric Structure of α and β - AlF_3	180
6.3.1	Bulk Phases	180
6.3.2	Surfaces	180

6.4	Characterization of AlF_3 Surfaces	185
6.5	Surface Composition under Reaction Conditions	188
6.5.1	The $\alpha\text{-AlF}_{3-x}$ (01–12) Termination	189
6.5.2	The $\alpha\text{-AlF}_3$ (0001) Termination	192
6.6	Characterization of Hydroxylated Surfaces	193
6.7	Surface Catalysis	196
6.7.1	Molecular Adsorption	197
6.7.2	Reaction Mechanisms and Barriers	198
6.7.3	Analysing the Kinetics of the Reaction	200
6.8	Conclusions	201
	Acknowledgements	203
	References	203
7	Inorganic Fluoride Materials from Solvay Fluor and their Industrial Applications	205
	<i>Placido Garcia Juan, Hans-Walter Swidersky, Thomas Schwarze and Johannes Eicher</i>	
7.1	Introduction	205
7.2	Hydrogen Fluoride	205
7.2.1	Anhydrous Hydrogen Fluoride, AHF	206
7.2.2	Hydrofluoric Acid	206
7.3	Elemental Fluorine, F_2	207
7.3.1	Fluorination of Plastic Fuel Tanks	207
7.3.2	Finishing of Plastic Surfaces	207
7.3.3	F_2 Mixtures as CVD-chamber Cleaning Gas	208
7.4	Iodine Pentafluoride, IF_5	208
7.5	Sulfur Hexafluoride, SF_6	209
7.5.1	SF_6 as Insulating Gas for Electrical Equipment	209
7.5.2	SF_6 Applications in Metallurgy	209
7.6	Ammonium Bifluoride, NH_4HF_2	210
7.7	Potassium Fluorometalates, KZnF_3 and K_2SiF_6	210
7.8	Cryolite and Related Hexafluoroaluminates, Na_3AlF_6 , Li_3AlF_6 , K_3AlF_6	211
7.9	Potassium Fluoroborate, KBF_4	212
7.10	Fluoboric Acid, HBF_4	212
7.11	Barium Fluoride, BaF_2	213
7.12	Synthetic Calcium Fluoride, CaF_2	213
7.13	Sodium Fluoride, NaF	213
7.14	Sodium Bifluoride, NaHF_2	213
7.15	Potassium Bifluoride, KHF_2	214
7.16	Potassium Fluoroaluminate, KAIF_4	214
7.17	Fluoroaluminate Fluxes in Aluminium Brazing	214
7.17.1	Flux Composition	214
7.17.2	Flux and HF	216
7.17.3	Flux Particle Size	217

7.17.4	Flux Melting Range	219
7.17.5	Current Status of Aluminium Brazing Technology	220
7.17.6	Cleaning and Flux Application	221
7.17.7	Wet Flux Application	221
7.17.8	Dry/Electrostatic Flux Application	222
7.17.9	Post Braze Flux Residue	222
7.17.10	Filler Metal Alloys	222
7.17.11	Flux Precoated Brazing Sheet/Components	223
7.17.12	Clad-less Brazing	223
7.17.13	Furnace Conditions	224
7.18	Summary	224
	References	225
8	New Nanostructured Fluorocompounds as UV Absorbers	229
	<i>Alain Demourgues, Laetitia Sronek and Nicolas Penin</i>	
8.1	Introduction	229
8.2	Synthesis of Tetravalent Ce and Ti-based Oxyfluorides	231
8.2.1	Preparation of Ce-Ca-based Oxyfluorides	231
8.2.2	Preparation of Ti-based Oxyfluorides	232
8.3	Chemical Compositions and Structural Features of Ce and Ti-based Oxyfluorides	233
8.3.1	Elemental Analysis	233
8.3.2	Magnetic Measurements	233
8.3.3	About the Chemical Composition of $Ce_{1-x}Ca_xO_{2-x}$ and $Ce_{1-x}Ca_xO_{2-x-y/2}F_y$ Series	234
8.3.4	About the Structure and Local Environment of Fluorine in $Ce_{1-x}Ca_xO_{2-x-y/2}F_y$ Series	237
8.3.5	Composition and Structure of Ti-based Hydroxyfluoride	252
8.4	UV Shielding Properties of Divided Oxyfluorides	263
8.4.1	The Ce-Ca-based Oxyfluorides Series and UV-shielding Properties	264
8.4.2	Ti Hydroxyfluoride and UV-shielding Properties	266
8.5	Conclusion	267
	Acknowledgement	269
	References	269
9	Oxyfluoride Transparent Glass Ceramics	273
	<i>Michel Mortier and Géraldine Dantelle</i>	
9.1	Introduction	273
9.2	Synthesis	274
9.2.1	Synthesis by Glass Devitrification	275
9.2.2	Transparency	277
9.3	Different Systems	279
9.3.1	Glass-Ceramics with CaF_2 as their Crystalline Phase	281
9.3.2	Glass-Ceramics with β - PbF_2 as their Crystalline Phase	281

9.3.3	Glass-Ceramics with CdF ₂ /PbF ₂ as their Crystalline Phase	281
9.3.4	Glass-Ceramics with LaF ₃ as their Crystalline Phase	282
9.4	Thermal Characterization	282
9.4.1	Kinetics of Phase-change/Devitrification	288
9.4.2	Thakur's Method	288
9.5	Morphology of the Separated Phases	289
9.6	Optical Properties of Glass-Ceramics	293
9.6.1	Influence of the Devitrification on the Spectroscopic Properties of Ln ³⁺	293
9.6.2	Effect of High Local Ln ³⁺ Concentration in Crystallites	295
9.6.3	Comparison of the Optical Properties of Glass-Ceramics and Single-Crystals	297
9.6.4	Multi-doped Glass-Ceramics	299
9.7	Conclusion	301
	References	302
10	Sol-Gel Route to Inorganic Fluoride Nanomaterials with Optical Properties	307
	<i>Shinobu Fujihara</i>	
10.1	Introduction	307
10.2	Principles of a Sol-Gel Method	308
10.2.1	Metal Oxide Materials	308
10.2.2	Metal Fluoride Materials	308
10.3	Fluorinating Reagents and Method of Fluorination	309
10.4	Control of Shapes and Microstructures	313
10.5	Optical Properties	317
10.5.1	Low Refractive Index and Anti-Reflection Effect	317
10.5.2	Luminescence	322
10.6	Concluding Remarks	326
	References	326
11	Fluoride Glasses and Planar Optical Waveguides	331
	<i>Brigitte Boulard</i>	
11.1	Introduction	331
11.2	Rare Earth in Fluoride Glasses	332
11.2.1	Fundamentals	333
11.2.2	Applications: Laser and Optical Amplifiers	334
11.3	Fabrication of Waveguides: A Review	336
11.4	Performance of Active Waveguides	338
11.4.1	Optical Amplifier	340
11.4.2	Lasers	341
11.5	Fluoride Transparent Glass Ceramics: An Emerging Material	342
11.6	Conclusion	344
	References	344

12	Polyanion Condensation in Inorganic and Hybrid Fluoroaluminates	347
	<i>Karim Adil, Amandine Cadiau, Annie Hémon-Ribaud, Marc Leblanc and Vincent Maisonneuve</i>	
12.1	Introduction	347
12.2	Synthesis	348
12.3	Extended Finite Polyanions (0D)	350
12.3.1	Isolated AlF_4 Tetrahedra	350
12.3.2	Isolated AlF_6 Octahedra	350
12.3.3	Al_2F_{11} Dimers	353
12.3.4	Al_3F_{16} Trimers	353
12.3.5	Al_2F_{10} Dimers	353
12.3.6	Al_4F_{20} Tetramers	354
12.3.7	Al_4F_{18} Tetramers	354
12.3.8	Al_5F_{26} Pentamers	355
12.3.9	Al_7F_{30} Heptamers	355
12.3.10	Al_8F_{35} Octamers	356
12.3.11	Mixed Polyanions	356
12.4	1D Networks	358
12.4.1	AlF_5 Chains	358
12.4.2	Al_2F_9 Chains	359
12.4.3	Al_7F_{29} Chains	360
12.4.4	AlF_4 Chains	360
12.4.5	Mixed Polyanions and/or Chains	361
12.5	2D Networks	365
12.5.1	Al_3F_{14} Layers	365
12.5.2	AlF_4 Layers	365
12.5.3	Al_2F_7 Layers	366
12.5.4	Al_5F_{17} Layers	366
12.5.5	Al_3F_{10} Layers	368
12.6	3D Networks	368
12.6.1	Al_7F_{33} Network	368
12.6.2	Al_2F_9 Network	368
12.6.3	AlF_3 Network	369
12.7	Evolution of the Condensation of Inorganic Polyanions	372
12.7.1	Influence of Amine and Aluminum Concentrations	372
12.7.2	Temperature	374
	Acknowledgements	376
	Supplementary Materials	376
	References	376
13	Synthesis, Structure and Superconducting/Magnetic Properties of Cu- and Mn-based Oxyfluorides	383
	<i>Evgeny V. Antipov and Artem M. Abakumov</i>	
13.1	Introduction	383
13.2	Chemical Aspects of Fluorination of Complex Oxides	384

13.3	Structural Aspects of Fluorination of Complex Cuprates and Superconducting Properties	388
13.3.1	Electron Doped Superconductors: Heterovalent Replacement $1O^{2-} \rightarrow 1F^{-}$	389
13.3.2	Hole Doped Superconductors: Fluorine Insertion into Vacant Anion Sites	390
13.3.3	Structural Rearrangements in Fluorinated Cuprates	398
13.3.4	Fluorination of Nonsuperconducting Cuprates	408
13.4	Fluorination of Manganites	411
13.5	Conclusions	415
	References	416
14	Doping Influence on the Defect Structure and Ionic Conductivity of Fluorine-containing Phases	423
	<i>Elena I. Ardashnikova, Vladimir A. Prituzhalov and Ilya B. Kutsenok</i>	
14.1	Introduction	423
14.2	Influence of Oxygen Ions on Fluoride Properties	427
14.2.1	Pyrohydrolysis	427
14.2.2	Heterovalent Oxygen Substitution for Fluoride Ions	428
14.2.3	Ionic Conductivity of Oxyfluoride	429
14.3	Cation Doping of Fluorides	431
14.3.1	Isovalent Replacement in the Cation Sublattice	431
14.3.2	Heterovalent Replacement in the Cation Sublattice	432
14.4	Active Lone Electron Pair of Cations and Ionic Conductivity	432
14.5	Peculiarities of the Defect Structure of Nonstoichiometric Fluorite-like Phases	435
14.5.1	Fluorite Structure	435
14.5.2	Defect Clusters	435
14.5.3	Ordered Fluorite-like Phases	439
14.5.4	Phase Diagrams	441
14.6	Ionic Transfer in Fluorite-like Phases	441
14.6.1	Defect Region Model	443
14.6.2	Nonstoichiometric Fluorites as Examples of Nanostructured Materials	447
14.7	Peculiarities of the Defect Structure of Nonstoichiometric Tysonite-like Phases	449
14.7.1	Tysonite Structure, Tysonite Modifications and Anion Defects	449
14.7.2	Ordered Tysonite-like Phases	454
14.8	Ionic Transfer in Tysonite-like Phases	454
14.8.1	Fluoride Ions' Migration Paths in the LaF_3 Structure	455
14.8.2	Temperature Dependences of Ionic Conductivity and Anion Defect Positions	457
14.8.3	Concentration Dependences of Ionic Conductivity in Tysonite-like Solid Solutions	459

14.9	Conclusions	462
	References	462
15	Hybrid Intercalation Compounds Containing Perfluoroalkyl Groups	469
	<i>Yoshiaki Matsuo</i>	
15.1	Introduction	469
15.2	Preparation and Properties of Intercalation Compounds Containing Perfluoroalkyl Groups	471
15.2.1	Preparation	471
15.2.2	Exfoliation and Film Preparation	475
15.2.3	Introduction of Photofunctional Molecules	476
15.3	Photophysical and Photochemical Properties of Dyes in Intercalation Compounds Containing Perfluoroalkyl Groups	478
15.3.1	Microenvironment Estimated by using Probe Molecules Showing Photophysical Responses	478
15.3.2	Photophysical Properties	480
15.3.3	Photochemical Properties	482
15.4	Conclusion and Future Perspectives	484
	References	484
16	The Fluoride Route: A Good Opportunity for the Preparation of 2D and 3D Inorganic Microporous Frameworks	489
	<i>Jean-Louis Paillaud, Philippe Caullet, Jocelyne Brendlé, Angélique Simon-Masseron and Joël Patarin</i>	
16.1	Introduction	489
16.2	Silica-based Microporous Materials	490
16.3	Germanium-based Microporous Materials	499
16.4	Phosphate-based Microporous Materials	504
16.5	Synthetic Clays	506
16.5.1	Semi-Synthesis	507
16.5.2	Solid State Synthesis	508
16.5.3	Hydrothermal Synthesis	509
16.6	Conclusion	510
	References	511
17	Access to Highly Fluorinated Silica by Direct F₂ Fluorination	519
	<i>Alain Demourgues, Emilie Lataste, Etienne Durand and Alain Tressaud</i>	
17.1	Introduction	519
17.2	Mesoporous Silica and Fluorination Procedures	520
17.3	About the Chemical Composition and Morphology of Highly Fluorinated Silica	521
17.4	FTIR Analysis	523
17.4.1	About the Content and Nature of OH/Water Groups in Highly Fluorinated Silica	523

17.4.2	FTIR Bands Related to Si-F Bonds	526
17.4.3	Correlation between Silanol Groups on Mesoporous Silica and Grafted Fluorine on Highly Fluorinated Silica	527
17.5	Thermal Stability and Water Affinity of Highly Fluorinated Silica	530
17.6	Nuclear Magnetic Resonance (NMR) Investigations	533
17.6.1	Local Environments in Highly Fluorinated Silica through NMR Experiments	534
17.6.2	Effect of Fluorination on the Nuclei Environments	534
17.7	Conclusions on the F ₂ -gas Fluorination Mechanism of Mesoporous Silica	540
	Acknowledgements	541
	References	542

18 Preparation and Properties of Rare-earth-Containing Oxide Fluoride Glasses **545**

Susumu Yonezawa, Jae-ho Kim and Masayuki Takashima

18.1	Introduction	545
18.2	Preparation and Basic Characteristics of Oxide Fluoride Glasses Containing LnF ₃	546
18.2.1	Preparation of Oxide Fluoride Glasses Containing LnF ₃	546
18.2.2	Density and Refractive Index	552
18.2.3	Glass Transition Temperature	553
18.3	Optical and Magnetic Properties of LnF ₃ -BaF ₂ -AlF ₃ -GeO ₂ (SiO ₂) Glasses	555
18.3.1	Optical Properties of HoF ₃ -BaF ₂ -AlF ₃ -GeO ₂ Glasses	555
18.3.2	Optical Properties of CeF ₃ -BaF ₂ -AlF ₃ -SiO ₂ Glasses	557
18.3.3	Optical Properties of the Glasses Co-doped with TbF ₃ and SmF ₃	564
18.3.4	Magnetic Property of TbF ₃ Containing Oxide Fluoride Glasses	566
18.4	Conclusion	568
	References	569

19 Switchable Hydrophobic-hydrophilic Fluorinated Layer for Offset Processing **571**

Alain Tressaud, Christine Labrugère, Etienne Durand

19.1	Introduction	571
19.2	The Principles of the Lithographic Printing Process	572
19.3	Experimental Part	573
19.3.1	Fluorination by Cold rf Plasmas	573
19.3.2	Wettability Measurements	574
19.3.3	Surface Analyses	574
19.4	Various Types of Surface Modifications using Fluorinated rf Plasmas	575
19.4.1	Reactive Etching of Porous Alumina using CF ₄ -Plasma Treatment	575

19.4.2	Switchable Hydrophilic/Hydrophobic Fluorocarbon Layer Obtained on Porous Alumina using $c\text{-C}_4\text{F}_8$ Plasma Treatment	578
19.5	Comparison of Surface Modifications of Porous Alumina using Various Fluorinated Media: CF_4 , C_3F_8 and $c\text{-C}_4\text{F}_8$	580
19.6	Conclusion	581
	Acknowledgements	582
	References	582
	Index	583