

Dipl.-Wirtsch.-Ing.  
Michael Rhode

**Hydrogen Diffusion and Effect on  
Degradation in Welded Microstructures of  
Creep-resistant Low-alloyed Steels**

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>State of the Art</b>	<b>5</b>
<b>2.1</b>	<b>Power Plant Construction</b>	<b>5</b>
2.1.1	Nuclear Power Plants and Fossil-fired Power Plants	5
2.1.2	Examples for Weld Fabrication of Power Plant Components	6
2.1.3	Service Conditions	8
<b>2.2</b>	<b>Low-alloyed Steels for Power Plant Components</b>	<b>9</b>
2.2.1	Material Properties vs. Load Condition	9
2.2.2	Strengthening Mechanisms Dependent on Chemical Composition	11
2.2.3	Cr-Mo-V Alloy Concept for Creep-resistant Steels	12
2.2.4	Mn-Mo-Ni Alloy Concept for RPV Components	15
<b>2.3</b>	<b>Welding of Bainitic Low-Alloyed Steels</b>	<b>16</b>
2.3.1	Applied Welding Techniques	16
2.3.2	Weld Microstructures and Mechanical Properties of LA Steels	17
2.3.3	Specifics for Welding of Cr-Mo-V and Mn-Mo-Ni Steels	19
2.3.3.1	General Remarks	19
2.3.3.2	Specifics for Welding and PWHT of Cr-Mo-V Steels	20
2.3.3.3	Specifics for Welding of Mn-Mo-Ni Steels	23
<b>2.4</b>	<b>HAC and Degradation in Welded Microstructures</b>	<b>24</b>
2.4.1	Introduction / Weld Imperfections	24
2.4.2	The Importance of HAC and Time-delayed Cracking	24
2.4.3	Hydrogen Adsorption and Absorption Mechanisms	26
2.4.4	Hydrogen Sources during Weld Fabrication (and Service)	29
2.4.5	HAC Mechanisms	31
2.4.5.1	Recent HAC Mechanisms	31
2.4.5.2	Senior HAC Mechanisms	33
2.4.6	Hydrogen Effect on Degradation of Welded Microstructures	34
2.4.6.1	Strength vs. Ductility	34
2.4.6.2	Typical Topographies Related to Hydrogen Degradation	35
2.4.6.3	Cold Cracking Tests	37
2.4.6.4	Selected Methods for Evaluation of Hydrogen Effect on Degradation / HAC	38
2.4.6.5	Hydrogen Effect on Degradation in LA Steel Weld Microstructures	40
2.4.7	Countermeasures for HAC Prevention	44
2.4.8	Hydrogen Diffusion, Trapping and Effusion	45
2.4.8.1	Mathematical Description of Diffusion	45
2.4.8.2	Temperature Dependency of Diffusion	46
2.4.8.3	Effect of Hydrogen Trapping on Diffusion	48

2.4.8.4	Effusion/Desorption of Absorbed Bulk Hydrogen .....	49
<b>2.4.9</b>	<b>Hydrogen Diffusion, Trapping and Solubility in LA Steel Weld</b>	
	<b>Microstructures .....</b>	<b>50</b>
2.4.9.1	Influence of Chemical Composition and Microstructure .....	50
2.4.9.2	Influence of Alloying Concept and Welding Process .....	52
2.4.9.3	Summary of effects on HSAT .....	56
<b>2.5</b>	<b>Determination of Hydrogen Diffusion Coefficients .....</b>	<b>57</b>
<b>2.5.1</b>	<b>Electrochemical Permeation Experiments .....</b>	<b>57</b>
2.5.1.1	Execution of Permeation Experiments .....	57
2.5.1.2	Calculation of Effective Hydrogen Diffusion Coefficients .....	59
2.5.1.3	Calculation of Hydrogen Permeability and Solubility .....	62
2.5.1.4	Influence of Experimental Boundary Conditions .....	62
<b>2.5.2</b>	<b>Hydrogen Diffusion at Elevated Temperatures .....</b>	<b>64</b>
2.5.2.1	Diffusion in Finite Cylinder .....	64
2.5.2.2	General Solutions for Diffusion Equation .....	65
2.5.2.3	Approximate Solutions for Finite Cylinder .....	66
<b>2.6</b>	<b>Hydrogen Detection and Measurement in Steels .....</b>	<b>67</b>
<b>2.6.1</b>	<b>Hydrogen Collection Methods .....</b>	<b>67</b>
<b>2.6.2</b>	<b>Quantitative Hydrogen Analysis with TCD .....</b>	<b>68</b>
<b>2.6.3</b>	<b>Quantitative Hydrogen Analysis with MS .....</b>	<b>70</b>
<b>2.6.4</b>	<b>Additional Hydrogen Detection Techniques .....</b>	<b>71</b>
<b>2.6.5</b>	<b>Summary of Hydrogen Detection Techniques .....</b>	<b>73</b>
<b>3</b>	<b>Statement of the Problem .....</b>	<b>75</b>
<b>3.1</b>	<b>Main Conclusions from State of the Art .....</b>	<b>75</b>
<b>3.2</b>	<b>Main Objectives and used Methodology .....</b>	<b>77</b>
<b>3.3</b>	<b>Investigated Materials vs. Secondary Objectives .....</b>	<b>79</b>
<b>4</b>	<b>Experimental .....</b>	<b>83</b>
<b>4.1</b>	<b>Characteristics of Examined Steel Grades .....</b>	<b>83</b>
4.1.1	Overview and Nomenclature .....	83
4.1.2	Chemical Composition and Microstructure .....	84
4.1.3	Mechanical Properties at Room and Elevated Temperatures .....	87
<b>4.2</b>	<b>Simulation of HAZ Microstructures .....</b>	<b>89</b>
4.2.1	Experimental Setup .....	89
4.2.2	Applied Time-Temperature-Cycles .....	90
4.2.2.1	Simulated 16MND5 HAZ Microstructures .....	91
4.2.2.2	Simulated T24 HAZ Microstructures .....	93
<b>4.3</b>	<b>T24 Weld Metal Specimens .....</b>	<b>96</b>
4.3.1	Manual TIG Welding .....	96

4.3.2	Automatic TIG Welding .....	97
4.4	Tensile Test .....	98
4.5	Hydrogen Charging .....	100
4.5.1	Experimental Setup .....	100
4.5.2	Charging Parameter Sets .....	101
4.6	Hydrogen Determination .....	103
4.6.1	Carrier Gas Hot Extraction.....	103
4.6.2	CGHE with Internal TCD (G4 Phoenix).....	103
4.6.3	CGHE with Coupled Quadrupole MS (G8 Galileo) .....	104
4.6.4	Calibration.....	105
4.7	Permeation Experiments .....	106
4.7.1	Experimental Setup .....	106
4.7.2	Specimen Preparation.....	107
4.7.3	Calculation of Hydrogen Diffusion Coefficients and Solubility .....	108
4.8	CGHE Experiments at Elevated Temperatures.....	109
4.8.1	General Approach for Determination of Hydrogen Effusion Data.....	109
4.8.2	Influence of Heating Program on Sample Temperature .....	110
4.8.3	Calculation of Hydrogen Diffusion Coefficients at Elevated Temperatures.....	113
5	Results and Discussion .....	117
5.1	Hydrogen Effect on Degradation of Mechanical Properties.....	118
5.1.1	Overview of Fracture Topographies in Examined Microstructures (SEM Investigation) .....	119
5.1.2	Mechanical Properties of 16MND5 BM and HAZ Microstructures .....	120
5.1.2.1	Mechanical Properties of 16MND5 BM vs. 20MND5 BM .....	120
5.1.2.2	Mechanical Properties of 16MND5 Bainitic HAZ Microstructures.....	128
5.1.2.3	Mechanical Properties of 16MND5 Martensitic HAZ Microstructures.....	130
5.1.2.4	Fracture Topographies of 16MND5 HAZ Microstructures .....	133
5.1.2.5	HD Ranges for Degradation of 16MND5 Weld Microstructures .....	139
5.1.3	Mechanical Properties of T24 BM, HAZ Microstructures and Weld Metal .....	140
5.1.3.1	Mechanical Properties of T24 BM vs. T22 BM .....	140
5.1.3.2	Mechanical Properties of T24 HAZ Microstructures .....	146
5.1.3.3	Mechanical Properties of T24 Weld Metal (TIG Weld Joints).....	150
5.1.3.4	HD Ranges for Degradation of T24 Weld Microstructures .....	154
5.1.4	Degradation Evaluation.....	155
5.1.4.1	Evaluation Concepts .....	155
5.1.4.2	True-Strain Envelope Curve Concept.....	155
5.1.4.3	Envelope Curves - Examples for Investigated BM Microstructures .....	157

<b>5.1.5 Effect of Circumferential Notch on Hydrogen-assisted Degradation</b> .....	<b>160</b>
5.1.5.1 Effect vs. Failure Criterion .....	160
5.1.5.2 Adapted Tensile Specimen Geometry .....	160
5.1.5.3 Notch Effect on 16MND5 BM and Martensitic CHAZ .....	161
<b>5.1.6 Summary of Hydrogen Effect on Degradation of Welded Microstructures</b> .....	<b>167</b>
<b>5.2 Hydrogen Diffusion at Room Temperature (Permeation Experiments)</b> .....	<b>169</b>
<b>5.2.1 Hydrogen Diffusion in 16MND5 BM and 20MND5 BM</b> .....	<b>169</b>
<b>5.2.2 Hydrogen Diffusion in 16MND5 HAZ Microstructures</b> .....	<b>170</b>
5.2.2.1 Diffusion in Simulated HAZ Microstructures .....	170
5.2.2.2 Comparison of Simulated HAZ and Real Weld Joint HAZ.....	174
<b>5.2.3 Hydrogen Diffusion in T24 BM and T22 BM</b> .....	<b>176</b>
<b>5.2.4 Hydrogen Diffusion in T24 HAZ Microstructures and WM</b> .....	<b>178</b>
<b>5.2.5 Combined Effect of Charging Parameters and Calculation Method on Diffusion Coefficient</b> .....	<b>180</b>
<b>5.2.6 Enhanced Approach for Calculation of Apparent Diffusion Coefficient</b> .....	<b>185</b>
5.2.6.1 Analytical Solution vs. Experimental Data .....	185
5.2.6.2 Deduction of Modified Time-lag Method.....	188
5.2.6.3 Experimental Verification.....	189
<b>5.2.7 Summary of Permeation Experiments</b> .....	<b>190</b>
<b>5.3 Hydrogen Diffusion at Elevated Temperatures (CGHE Experiments)</b> .....	<b>192</b>
<b>5.3.1 Procedure for Accelerated Specimen Heating</b> .....	<b>192</b>
5.3.1.1 Necessary Optimization of Accelerated Heating .....	192
5.3.1.2 Optimized Method for Specimen Heating.....	192
5.3.1.3 Influence of Heating Program on Hydrogen Effusion/Desorption .....	195
<b>5.3.2 Hydrogen Diffusion Coefficients in Temperature Range from 100°C to 400°C Derived from CGHE with Internal TCD</b> .....	<b>197</b>
5.3.2.1 16MND5 BM and HAZ Microstructures .....	197
5.3.2.2 T24 BM, HAZ Microstructures and WM.....	200
5.3.2.3 Effect of Hydrogen Charging Method at Elevated Temperatures .....	203
<b>5.3.3 Hydrogen Diffusion Coefficients Derived from CGHE Experiments with Coupled MS</b> .....	<b>205</b>
5.3.3.1 16MND5 BM and Martensitic CHAZ.....	205
5.3.3.2 T24 BM and T22 BM .....	207
<b>5.3.4 Summary of CGHE Experiments</b> .....	<b>210</b>
<b>5.4 Hydrogen Solubility and Trapping (HSAT)</b> .....	<b>212</b>
<b>5.4.1 HSAT of Permeation Experiments at Room Temperature</b> .....	<b>212</b>
5.4.1.1 Calculated $HD_{ss}$ Compared to Measured $HD_{ss}$ CGHE .....	212
5.4.1.2 Hydrogen Solubility / Sub-surface Hydrogen Concentration $HD_{ss}$ .....	213
5.4.1.3 Effect of Diffusion Coefficient and Hydrogen Charging Parameters on $HD_{ss}$ .....	216

<b>5.4.2 HSAT at Elevated Temperatures (CGHE Experiments with Coupled TCD in Temperature Range from 100°C to 400°C)</b> .....	<b>219</b>
5.4.2.1 16MND5 BM and HAZ Microstructures .....	219
5.4.2.2 T24 BM, HAZ Microstructures and WM.....	223
5.4.2.3 Influence of Hydrogen Charging Condition - EC vs. GC.....	225
<b>5.4.3 HSAT Derived from CGHE Experiments with Coupled MS for Temperatures <math>\leq</math> 200°C</b> .....	<b>227</b>
5.4.3.1 Examples T24 BM and T22 BM.....	227
5.4.3.2 Comparison of Activation Energy .....	229
<b>5.4.4 Summary of HSAT Experiments</b> .....	<b>231</b>
<b>6 Summary and Outlook</b> .....	<b>233</b>
<b>7 References</b> .....	<b>239</b>
<b>8 Abbreviations</b> .....	<b>263</b>
<b>9 Unit Symbols</b> .....	<b>267</b>
<b>10 List of Figures</b> .....	<b>271</b>
<b>11 List of Tables</b> .....	<b>281</b>
<b>12 List of Equations</b> .....	<b>285</b>
<b>13 Annex</b> .....	<b>289</b>