

Ecology and Development Series No. 62, 2008

Editor-in-Chief:
Paul L.G. Vlek

Editors:
Manfred Denich
Christopher Martius
Ahmad Manschadi
Nick van de Giesen

Emmanuel Obuobie

Estimation of groundwater recharge in the context of
future climate change in the White Volta River Basin,
West Africa

TABLE OF CONTENTS

1	INTRODUCTION.....	1
1.1	Overview of freshwater resources	1
1.2	Background of the study.....	3
1.3	Study objectives.....	6
1.4	Structure of the thesis	7
2	LITERATURE REVIEW.....	8
2.1	Groundwater recharge	8
2.2	Definition and concepts of groundwater recharge.....	8
2.3	Recharge estimation methods	10
2.4	Limitations and errors in estimating groundwater recharge.....	14
2.5	Recharge methods commonly used in semi-arid regions.....	15
2.6	Recharge estimates in the Volta Basin and other semi-arid areas in Africa.....	18
3	THE STUDY AREA.....	21
3.1	Introduction	21
3.2	Location	21
3.3	Topography.....	22
3.4	Climate	23
3.4.1	Rainfall.....	25
3.4.2	Temperature	25
3.4.3	Evapotranspiration	26
3.5	River runoff	26
3.6	Geology	28
3.7	Soils	30
3.8	Land-cover and -use	32
3.9	Hydrogeology	34
3.10	Demography	35
3.11	Groundwater resource utilization and problems.....	36
4	WATER TABLE FLUCTUATION METHOD FOR ESTIMATING GROUNDWATER RECHARGE.....	41
4.1	Overview	41
4.2	Method.....	42
4.2.1	Description of study area	42
4.2.2	Water level measurement.....	44
4.2.3	Estimation of water level rise (Δh)	45
4.2.4	Specific yield	47
4.3	Results and discussions	49
4.3.1	Water level rise	49
4.3.2	Recharge estimates.....	53

5	THE CHLORIDE MASS BALANCE METHOD FOR ESTIMATING GROUNWATER RECHARGE.....	56
5.1	Introduction	56
5.2	Study area	57
5.3	Data.....	58
5.3.1	Water sampling and chloride analysis	59
5.3.2	Rainfall measurements.....	59
5.4	Results and discussions	59
5.4.1	Chloride concentrations in rainfall.....	59
5.4.2	Chloride concentrations in groundwater.....	61
5.4.3	Recharge estimates.....	63
6	RECHARGE ESTIMATION USING THE SOIL AND WATER ASSESSMENT TOOL (SWAT).....	67
6.1	Introduction	67
6.2	SWAT hydrology	68
6.2.1	Precipitation.....	69
6.2.2	Surface runoff.....	71
6.2.3	Peak runoff rate.....	73
6.2.4	Surface runoff lag	74
6.2.5	Transmission losses	75
6.2.6	Evapotranspiration	75
6.2.7	Soil water	76
6.2.8	Groundwater	80
6.2.9	Reservoir	85
6.2.10	Flow routing.....	86
6.3	Sensitivity analysis	86
6.4	Model calibration and performance evaluation	88
6.5	Baseflow separation.....	92
6.6	SWAT input data preparation.....	92
6.6.1	Digital elevation model (DEM)	92
6.6.2	Land-use/ -cover data.....	93
6.6.3	Soil data	95
6.6.4	Climate data	98
6.6.5	River discharge data.....	100
6.6.6	Reservoir data	102
6.6.7	Other data.....	103
6.7	Results and discussion	103
6.7.1	White Volta Basin SWAT setup and sensitivity analysis.....	103
6.7.2	Effects of the number of rainfall stations and landuse on model output.....	105
6.7.3	Model calibration.....	106
6.7.4	Model validation	111
6.7.5	Annual water balance.....	115
6.7.6	Distribution of surface runoff and baseflow	118
6.7.7	SWAT recharge estimates.....	118

7	IMPACTS OF FUTURE CLIMATE CHANGE ON WATER RESOURCES.	120
7.1	Introduction	120
7.2	Climate change scenarios of MM5/ECHAM4	121
7.3	Frequency statistics of MM5 and measured rainfall series	123
7.4	Impacts of measured and generated climate series on water balance	126
7.5	Impacts of future climate change scenario on water resources	128
7.6	Comparison of study results with previous studies	133
8	CONCLUSIONS AND RECOMMENDATIONS.....	136
8.1	Introduction	136
8.2	Chloride mass balance method for estimating groundwater recharge.....	136
8.3	Water table fluctuation method for estimating groundwater recharge.....	137
8.4	Hydrological modeling and recharge estimation with SWAT	137
8.5	Impacts of future climate change on water resources	138
8.6	Final conclusions	139
8.7	Recommendations	139
9	REFERENCE.....	141