

| | |
|--|--------|
| Acknowledgments | p. xv |
| Executive summary | p. 1 |
| Introduction | p. 7 |
| Aim of the Book | p. 10 |
| Terms and Definitions | p. 12 |
| List of Symbols and Abbreviations | p. 21 |
| Abbreviations | p. 21 |
| Symbols | p. 21 |
| History of Dynamic Modification Devices in Tall Buildings | p. 28 |
| Industrial Application of Damping Devices | p. 30 |
| Vibration Control | p. 30 |
| Vibration and Seismic Control of Industrial Machine Structures | p. 32 |
| Vibration Isolation of Buildings and Rail Structures | p. 34 |
| Vibration Control of Large Industrial Chimney Stacks | p. 34 |
| Damping considerations in tall buildings | p. 39 |
| Basic Principles of Building Response | p. 41 |
| Single Degree-of-Freedom System | p. 41 |
| Multiple Degrees-of-Freedom System | p. 47 |
| Equivalent Viscous Damping | p. 53 |
| Damping in Tall Buildings | p. 55 |
| Damping Modeling | p. 55 |
| Intrinsic Damping | p. 57 |
| Effect of Damping on Building | p. 73 |
| Other Development Considerations | p. 77 |
| Tall Buildings Wind-Excited Motion | p. 78 |
| Building Wind Vibration | p. 79 |
| Occupant Comfort | p. 80 |
| Wind Deflection Criteria | p. 84 |
| Tall Buildings Earthquake-Excited Motion | p. 85 |
| Principles of Performance-Based Earthquake-Resistant Design for Tall Buildings | p. 87 |
| The Role of Damping in the Seismic Response Control of Tall Buildings | p. 89 |
| Seismic Deflection Criteria | p. 90 |
| Environmental and Economic Considerations | p. 90 |
| Life-Cycle Assessment | p. 93 |
| Cost Implication of Buildings with Dissipation Devices | p. 101 |
| Damping Technology Uncertainty and Robustness Performance | p. 102 |
| Alternative to Damping Devices | p. 103 |
| An introduction to dynamic modification devices | p. 107 |
| Passive Damping Systems | p. 108 |
| Distributed Damping Approaches | p. 109 |
| Mass Damping Approaches | p. 195 |

| | |
|--|--------|
| Seismic Isolation | p. 207 |
| Base-Isolation Types | p. 210 |
| Base-Isolation Manufactures | p. 215 |
| Active, Semiactive, and Hybrid Systems | p. 217 |
| Active Systems | p. 222 |
| Hybrid Systems | p. 224 |
| Semiactive Systems | p. 226 |
| Adaptive Tuned-Mass Damper Systems | p. 229 |
| Control Strategies | p. 230 |
| Future Directions | p. 231 |
| Active, Semiactive, and Hybrid Dampers Manufactures | p. 232 |
| Comparison of Dampers in Tall Buildings | p. 232 |
| Design procedures for tall buildings with dynamic modification devices | p. 235 |
| Available Codes and Design Tools | p. 236 |
| Codes and Guidelines | p. 236 |
| Practical Design Aspects | p. 248 |
| Structural Analyses | p. 251 |
| Passive Damping Systems | p. 264 |
| Step-by-Step Procedure for Distributed Dampers | p. 265 |
| Step-by-Step Procedure for Mass Dampers | p. 321 |
| Isolation Systems | p. 347 |
| Step-by-Step Procedure for Base Isolation | p. 347 |
| Active, Semiactive, and Hybrid Systems | p. 365 |
| Literature Review | p. 365 |
| Step-by-Step Procedure | p. 367 |
| Retrofit of Existing Buildings | p. 400 |
| Code Requirements | p. 400 |
| Evaluation Procedures Based on ASCE 41-13 (ASCE, 2013) | p. 402 |
| Step-by-Step Procedure | p. 403 |
| Case Study: Retrofitting Examples of High-Rise Building with Damping Systems | p. 422 |
| Dynamic Modification Devices Strategy Optimization | p. 429 |
| Introduction | p. 429 |
| Algorithm-Based Optimization Procedures | p. 430 |
| Nonalgorithm-Based Optimization Procedures | p. 433 |
| Architectural aspects and building system interaction | p. 437 |
| Architectural Aspects | p. 438 |
| Distributed Damping Systems | p. 439 |
| Mass Damping Systems | p. 444 |
| Base Isolation Systems | p. 447 |
| Elevators | p. 450 |
| Mechanical Systems | p. 455 |

| | |
|--|--------|
| Basic Considerations | p. 455 |
| Mechanical Floors | p. 456 |
| Façade | p. 457 |
| Double-Skin Façade | p. 458 |
| Diagrid Façade | p. 460 |
| Mega Brace Dampers Façade | p. 463 |
| Testing, inspection, and maintenance | p. 465 |
| Codes and Standards Development | p. 466 |
| US Standards | p. 466 |
| Japanese Code | p. 470 |
| Chinese Code | p. 471 |
| European Standards | p. 472 |
| Preinstallation Tests and Quality Control | p. 472 |
| Distributed Damping Systems | p. 473 |
| Mass, Active, Semiactive, and Hybrid Damping Systems | p. 482 |
| Base Isolation Systems | p. 486 |
| Testing Examples | p. 491 |
| Summary | p. 493 |
| Commissioning and System Tuning | p. 493 |
| Distributed Damping Systems | p. 494 |
| Mass Damping Systems | p. 495 |
| Base Isolation Systems | p. 500 |
| Fatigue of Dampers | p. 501 |
| Viscous Dampers | p. 502 |
| Viscoelastic Dampers | p. 503 |
| Displacement-Dependent Dampers | p. 504 |
| Mass Damping Systems | p. 504 |
| Base Isolation Systems | p. 505 |
| Building Health Monitoring | p. 505 |
| Distributed Damping Systems | p. 507 |
| Mass Damping Systems | p. 507 |
| Active, Semiactive, and Hybrid Damping Systems | p. 507 |
| Base Isolation Systems | p. 508 |
| Case Study Examples | p. 508 |
| Ongoing Maintenance | p. 513 |
| Standard Recommendations | p. 515 |
| Distributed Damping Systems | p. 516 |
| Mass Damping Systems | p. 516 |
| Active, Semiactive, and Hybrid Damping Systems | p. 517 |
| Base Isolation Systems | p. 518 |
| Maintenance Cost | p. 519 |

| | |
|---|--------|
| Postextreme Event Inspections | p. 519 |
| Distributed Damping Systems | p. 521 |
| Mass Damping Systems | p. 522 |
| Base Isolation Systems | p. 523 |
| Transportation, Installation, and Care of Works | p. 524 |
| Transportation of Damping Systems | p. 524 |
| Storage/Installation of Damping Systems | p. 525 |
| Care of Works of Damping Systems | p. 526 |
| Resilience-Based Earthquake Design Initiative and United States Resiliency Council Rating Systems | p. 526 |
| Resilience-Based Earthquake Design initiative Rating System | p. 527 |
| United States Resiliency Council Rating System | p. 529 |
| Case studies of tall buildings with dynamic modification devices | p. 533 |
| Distributed Damping Systems Case Studies | p. 534 |
| Columbia Tower, Seattle, Washington, United States | p. 534 |
| Two Union Square, Seattle, Washington, United States | p. 547 |
| St Francis Shangri La Place, Manila, Philippines | p. 556 |
| Pangu Plaza, Beijing, China | p. 567 |
| Beijing Yintai Center, Beijing, China | p. 577 |
| San Diego Central Courthouse, San Diego, California, United States | p. 592 |
| Wuhan Poly Cultural Plaza, Wuhan, China | p. 615 |
| TianJin International Trade Center, TianJin, China | p. 626 |
| 454 Yonge, Toronto, ON, Canada | p. 637 |
| 181 Fremont Street, San Francisco, California, United States | p. 658 |
| Atushi Building, Xin Jiang, China | p. 668 |
| Costums Residential, Auckland, New Zealand | p. 678 |
| Connor Tower, Manila, Philippines | p. 701 |
| Allianz Tower, Milan, Italy | p. 716 |
| Mass Damping Systems Case Studies | p. 733 |
| Citicorp Building, New York, New York City, United States | p. 734 |
| John Hancock Tower, Boston, Massachusetts, United States | p. 745 |
| Taipei 101, Taipei, Taiwan | p. 758 |
| One Rincon Hill (South Tower) San Francisco, California, United States | p. 774 |
| Comcast Center, Philadelphia, Pennsylvania, United States | p. 783 |
| Hyatt Park Tower, Chicago, Illinois, United States | p. 788 |
| Highcliff Apartments, Hong Kong | p. 801 |
| Bloomberg Tower, New York City, New York, United States | p. 808 |
| Raffles City, Chongqing, China | p. 818 |
| L-Tower, Toronto, Canada | p. 828 |
| 14 York Street, Toronto, Canada | p. 840 |
| One Bloor Street East, Toronto, Canada | p. 847 |
| 1151 West Georgia, Vancouver, Canada | p. 854 |

| | |
|---|---------|
| Shanghai Tower, Shanghai, China | p. 863 |
| The Independent, Austin, Texas, United States | p. 876 |
| Base Isolation Systems Case Studies | p. 888 |
| Nunoa Capital Building, Santiago, Chile | p. 888 |
| Active, Semiactive, and Hybrid Systems Case Studies | p. 904 |
| Thyssenkrup Test Tower, Rottweil, Germany | p. 904 |
| Future of dynamic modification systems | p. 921 |
| Improved Modeling of Structural Behavior | p. 922 |
| Improved Understanding of Actions on Structures | p. 922 |
| Improved Behavior Model of Materials and Devices | p. 923 |
| Enhanced Computing Power | p. 923 |
| Improved Design Codes | p. 924 |
| Implementing Results of Technological Progress | p. 925 |
| Development of Existing Devices and New Hybrid Systems | p. 925 |
| New Technologies | p. 926 |
| Tall building with dynamic modification systems trend data | p. 929 |
| Database 1 (Worldwide Buildings Over 250 m) | p. 930 |
| General Trends for Tall Buildings | p. 930 |
| General Trends for Tall Buildings with Dynamic Modification Systems | p. 930 |
| Trends for Dynamic Modification System Category | p. 937 |
| Trends for Dynamic Modification System Types | p. 941 |
| Database 2 (US Buildings Over 200 m) | p. 943 |
| General Trends for Tall Buildings | p. 943 |
| General Trends for Tall Buildings with Dynamic Modification System | p. 945 |
| Trends for Dynamic Modification System Category | p. 947 |
| Trends for Dynamic Modification System Type | p. 948 |
| Further Studies | p. 948 |
| Dynamic Modification System Versus Height | p. 949 |
| Structural Material | p. 953 |
| Structural System | p. 958 |
| Building Function | p. 958 |
| Summarized Data for Tall Buildings with Dynamic Modification System | p. 961 |
| Conclusions | p. 961 |
| Conclusions | p. 969 |
| | p. 971 |
| References | p. 1013 |
| Index | p. 1067 |

Table of Contents provided by Blackwell's Book Services and R.R. Bowker. Used with permission.