

Nasa and the conquest of South America
- Systematic Rearrangements
in Loasaceae Juss.

Dissertation
zur
Erlangung des Doktorgrades
der Fakultät für Biologie der
Ludwig-Maximilians-Universität München

vorgelegt von
Maximilian Weigend
aus München



München, Juni 1997

Table of Contents

1.	Introduction	7
1.1.	Foreword	7
1.1.1	Llungo-llungo or puka iku chini?	7
1.1.2	Aims	8
1.2.	Literature review	10
1.2.1.	Early taxonomic history (1706-1886)	10
1.2.1.1.	The first species	10
1.2.1.2.	Delimitation of Loasaceae	12
1.2.1.3.	Subdivision of the family	13
1.2.1.4.	Generic delimitation	13
1.2.1.5.	Loasaceae and their place in the „Natural System“	15
1.2.2.	The Urban & Gilg classification (1886-1925)	17
1.2.2.1.	The new species	17
1.2.2.2.	Subdivision of the family	17
1.2.2.3.	Systematical concepts	19
1.2.2.4.	Affinities of Loasaceae	21
1.2.3.	Recent classifications (after 1925)	21
1.2.3.1.	Species level - regional revisions	21
1.2.3.2.	Generic and subfamily delimitation	22
1.2.3.3.	Loasaceae - a natural family?	24
1.2.3.4.	Higher order relationships of Loasaceae	25
1.2.4.	Summary of the literature data	28
1.3.	Methods and materials	29
1.3.1.	Typification	29
1.3.2.	Revision	30
1.3.3.	Synopsis of the preliminary results	31
1.3.5.	Evaluation of characters	33
2.	Morphology	36
2.1.	Vegetative morphology	36
2.1.1.	Seedling morphology	37
2.1.2.	Phyllotaxy and branching patterns	39
2.1.3.	Growth habit	43
2.1.4.	Leaf morphology	50
2.1.4.1.	Petioles	51
2.1.4.2.	Leaf margin, venation and epidermis	51
2.1.4.3.	Leaf shape	52
2.1.5.	Trichome morphology	63
2.1.5.1.	Scabrid and glochidiate hairs	63
2.1.5.2.	Urticant and stinging hairs	65
2.1.5.3.	Glandular and uniseriate trichomes	65
2.1.5.4.	Ecological importance of the trichome cover	66
2.1.5.5.	Systematical relevance of the trichomes in Loasaceae	67
2.2.	Inflorescence and floral morphology	68

2.2.1.	Inflorescence architecture	68
2.2.1.1.	Terminology	68
2.2.1.2.	Descriptions	71
2.2.1.3.	Interpretation	97
2.2.2.	Flower morphology	98
2.2.2.1.	Flower merosity	99
2.2.2.2.	Flower orientation	100
2.2.2.3.	Calyx	100
2.2.2.4.	Corolla	103
2.2.2.4.1.	Petal insertion, aestivation and orientation	103
2.2.2.4.2.	Petal colour	105
2.2.2.4.3.	Petal shape	107
2.2.2.5.	Androecium	113
2.2.2.5.1.	Ontogeny	113
2.2.2.5.2.	Anther morphology	115
2.2.2.5.3.	Derivation of staminody	115
2.2.2.5.4.	Terminology	119
2.2.2.5.5.	Colouration	121
2.2.2.5.6.	Staminode morphology	121
2.2.2.5.7.	Interpretation	131
2.2.2.6.	Pollen morphology	133
2.2.2.7.	Nectaries	134
2.2.2.8.	Gynaeceum	135
2.2.2.8.1.	Ovary - position and placentation	135
2.2.2.8.2.	Style and stigma	138
2.2.2.8.3.	Ovule structure	138
2.3.	Fruit and seed morphology	140
2.3.1.	Capsule morphology	140
2.3.1.1.	Historical concepts	140
2.3.1.2.	Descriptions	140
2.3.1.3.	Systematical interpretation of fruit characters	148
2.3.2.	Seed morphology	150
3.	Cytology	158
4.	Pollination	161
5.	Phytogeography	169
5.1.	Distribution patterns	169
5.2.	Discussion of current distribution patterns	179
5.3.	Historical interpretation	181
5.3.1.	Palaeogeographical background	181
5.3.2.	Origin and early migrations	182
5.3.3.	Pleistocene refuges and radiation	184
5.3.4.	Pleistocene and post-pleistocene migrations	187
6.	Conclusions	189
6.1.	Systematical conclusions	189