

~~GW N 951~~

2847-981 7

**Evolution of Antarctic Fauna  
Extended Abstracts of the IBMANT/ANDEEP  
International Symposium and Workshop in 2003**

---

**Edited by Sven Thatje, Javier A. Calcagno  
and Wolf E. Arntz**

**Ber. Polarforsch. Meeresforsch. 507 (2005)  
ISSN 1618 - 3193**

---

**CONTENT**

<b>Introduction</b> to the IBMANT/ANDEEP Symposium & Workshop <b>Arntz, W.E., Lovrich, G. &amp; Brandt, A.</b>	<b>1</b>
---	----------

**KEYNOTE PRESENTATIONS**

<b>Arntz, W.E.</b> The Antarctic-Magellan connection: Macrobenthic studies on the shelf and upper slope, a progress report	<b>4</b>
<b>Barnes, D.K.A.</b> Changing chain: Past, present and predicted trends in Scotia Arc shallow benthic communities	<b>5</b>
<b>Berkman, P.A., Cattaneo-Vietti, R., Chiantore, M. &amp; Howard-Williams, C.</b> Interdisciplinary perspectives of ecosystem variability across the latitudinal gradient of Victoria Land, Antarctica	<b>7</b>
<b>Boltovskoy, D.</b> Faunal patterns in the South Atlantic: the zooplankton	<b>11</b>
<b>Clarke, A.</b> Temperature, depth and glaciation: the origins of the modern Antarctic marine fauna	<b>12</b>
<b>Diaz, R.T.J.</b> Biological and geological processes structuring surface sediments in the Scotia and Weddell Seas	<b>13</b>
<b>Fernández, D.A., Calvo, J. &amp; Johnston, I.A.</b> Muscle growth in Antarctic and sub-Antarctic Notothenioid fishes	<b>13</b>
<b>Gage, J.D.</b> Biodiversity pattern in deep-sea benthic macrofauna: the importance of the Antarctic in understanding large-scale patterns	<b>14</b>
<b>Howe, J.A., Shimmield, T. &amp; Diaz, R.</b> Deep-water sedimentary environments of the northwestern Weddell Sea and South Sandwich trench, Antarctica	<b>16</b>
<b>Pearse, J.S. &amp; Lockhart, S.J.</b> Reproduction in cold water: Paradigm changes in the 20 <sup>th</sup> century	<b>16</b>
<b>Penchaszadeh, P.E.</b> Reproductive strategies, environment and latitude in invertebrates: evolution trends and biogeographic relationships in the South American tip and Antarctica	<b>18</b>
<b>Poore, G.C.B.</b> Phylogenetic and biogeographic relationships between the deep-sea faunas of two Gondwanan continents, Australia and Antarctica	<b>18</b>

<b>Pörtner, H.O.</b> Physiological constraints involved in setting limits to biogeography and biodiversity?	20
<b>Pütz K., Schlavini, A., Raya Rey, A., Trathan, P.N. &amp; Croxall, J.P.</b> Living without frontiers: Marine top predators as travellers between different environments	20
<b>Schnack-Schiel, S.B.</b> The role of zooplankton in the pelago-benthic coupling	21
<b>Thomson, M.R.A.</b> The geological history of the Scotia Sea region and some biological implications – a discussion	23

## ORAL PRESENTATIONS

<b>Anger, K., Lovrich G., Thatje, S. &amp; Calcagno, J.A.</b> Larval and early juvenile development of <i>Lithodes santolla</i> (Molina, 1782) (Decapoda: Anomura: Lithodidae) reared at different temperatures in the laboratory	24
<b>Berge, J., Vader, W. &amp; Lockhart, S.</b> A survey of associations between amphipods and sea urchins, with description of two new species (genera <i>Lepidepecreella</i> (Lysianassoidea incertae sedis) and <i>Notopoma</i> (Ischyroceridae Siphonoecetini)) collected from Antarctic cidarid sea urchins	25
<b>Boschi, E.E. &amp; Gavio, M.A.</b> On the distribution of decapod crustaceans from the Magellanic Zoogeographic Province and the Antarctic region	28
<b>Braga, E.S., Berbel, G.E.; Maluf, J.C, Attolini, F.S., Aguiar, V. M.C., Bosquilha, G.B., &amp; Chiozzini, V.G.</b> Total and organic phosphorus in the sediments of Admiralty Bay, King George Island, Antarctic	31
<b>Brandt, A.</b> Abundance, diversity and community patterns of Isopoda (Crustacea, Malacostraca) in the Antarctic deep sea: Background and first results of the ANDEEP I & II expeditions	35
<b>Brökeland, W.</b> Asellota in the Antarctic deep sea	37
<b>Chiantore, M. &amp; Cattaneo-Vietti, R.</b> Spatial and vertical distribution of macrobenthic littoral communities in Terra Nova Bay	39
<b>Chiantore, M. &amp; Cattaneo-Vietti, R.</b> Recent distribution patterns of molluscs and echinoderms in Antarctica	40
<b>Chiantore, M., Thrush, S., Andrew, N., Guidetti, M. &amp; Cattaneo-Vietti, R.</b> <i>Sterechinus neumayeri</i> population variability along the Victoria Land Coast	42
<b>Cornelius, N. &amp; Gooday, A.J.</b> 'Live' (stained) benthic foraminifera in the deep Weddell Sea: trends in abundance, diversity and taxonomic composition in relation to water depth	43

---

<b>Danis, B., Meerhaeghe, A. &amp; De Broyer, C.</b> Towards a SCAR "Marine Biodiversity Information Network" (SCAR-MARBIN)?	45
<b>David B., Choné, T., Festeau, A. &amp; De Ridder, C.</b> Biodiversity of Antarctic echinoids: a comprehensive and interactive database	46
<b>De Broyer, C. &amp; Dauby, P.</b> The scavenging crustacean guild in the Antarctic shelf and deep-sea communities: composition, distribution and eco-functional role	47
<b>Echeverría, C.A, Paiva, P.C. &amp; Alves, V.C.</b> Composition and biomass of shallow benthic megafauna along an annual cycle in Admiralty Bay, King George Island, Antarctica	48
<b>Figuroa, D.E., Díaz de Astarloa, J.M. &amp; Cousseau, M.B.</b> Argentinean Patagonia, the northernmost range extension of Antarctic ichthyofauna? A biogeographical perspective	51
<b>Försterra, G.</b> The south Chilean fjord region: preliminary results of a novel approach for structural analysis of shallow water benthic communities	53
<b>George, K.H.</b> Community analysis of selected Harpacticoida (Crustacea, Copepoda) of the Magellan Region	54
<b>Glorioso, P.D. &amp; Leben, R.R.</b> Southwest Atlantic mesoscale eddies	55
<b>Goodall, R.N.P., Boy, C.C., Benegas, L.G. &amp; Schiavini, A.C.M.</b> Antarctic seals on the coasts of Tierra del Fuego, Argentina – review and update	56
<b>Goodall, R.N.P., Boy, C.C., Benegas, L.G. &amp; Schiavini, A.C.M.</b> Crossing barriers – Subantarctic small cetaceans south of the Convergence	57
<b>Gordillo, S., Coronato, A. &amp; Rabassa, J.O.</b> Late Quaternary micromollusc assemblages from the southernmost tip of South America: A paleoenvironment history after the Last Glacial Maximum	58
<b>Gorny, M., van Dyck, J., Riedemann, A., Buschmann, A. &amp; Arntz, W.E.</b> A comparative analysis of megabenthos biodiversity between the Magellan region and the Scotia Arc by means of visual methods	62
<b>Grabbert, S., Bucklin, A. &amp; Dahms, H.U.</b> Molecular systematics of calanoid copepods: Do super families exist or not?	62
<b>Häussermann, V.</b> Distribution patterns of South American and Antarctic sea anemones (Cnidaria: Anthozoa)	63
<b>Held, C.</b> Antarctica's contribution to Southern hemisphere biodiversity: An isopod's tale	64

- Hilbig, B.**  
Polychaetes of the deep Weddell and Scotia Seas – composition and zoogeographical links 65
- Janussen, D., Tendal, O.S., Tabachnick, K.R. & Rapp, H.T.**  
The sponges of the Weddell Sea slopes and abyssal plain: A normal deep-sea fauna with some surprises 65
- Linse, K.**  
The deep sea – shelf connection: What Antarctic bivalves can tell us 67
- Malumián, N. & Olivero, E.B.**  
Shallow-water late Middle Eocene crinoids from Tierra del Fuego: New southern record of a retrograde community structure 67
- Matallanas, J. & Ojaso, I.**  
Fish of the Bellinghausen Sea area compared with adjacent regions of Antarctica 71
- Mazzillo, F., Rymer, F., Pinto, P., Miranda, E., Kurtz, F. & Machado, M.C.**  
Diatom assemblages of Weddell and Bellingshausen Sea, Marguerite Bay and Gerlache Strait during Austral summer 71
- Meerhaeghe, A., Danis, B. & Debroyer, C.**  
Ant’Phipoda as a cornerstone of Biano: from data-center to distributed information center 74
- Montiel, A., Gerdes, D. & Arntz, W.E.**  
The establishment of the Magellan polychaete fauna: when and from where? 75
- Mutschke, E., Rios, C. & Arntz, W.E.**  
On the zoogeography of the Asteroidea of the Scotia Arc 77
- Nyssen, F. & Graeve, M.**  
Stable isotopes and fatty acids used as biomarkers to distinguish among Antarctic amphipods trophic guilds 78
- Peck, L.S. & Webb, K.**  
Extreme sensitivity of biological function to temperature in Antarctic marine species 79
- Poullin, E., Palma, A.T. & Féral, J.P.**  
Evolutionary versus ecological success of brooding among Antarctic benthic marine invertebrates 80
- Puntarulo, S., Estevez, M.S., Malanga, G. & Calvo, J.**  
Oxidative stress in invertebrates 80
- Ramos, A., Ramil, F., Salz, J.I. & San Vicente, C.**  
An abundance and structural comparison of epibenthic and infaunal communities from the South Shetland Islands to Admudsen Sea 82

- Ramos, A., Anadón, N., Arnaud, P.M., Castelló, J., Corbera, J., Flores-Moya, A., García-Alvárez, O., Jimeno, A., López-Fé, C.M., Manjón, M.E., Moya, F., Munilla, T., Olaso, I., Parapar, J., Peña-Cantero, A.L., Ramil, F., Ramos-Esplá, A.A., Ríos, P., Sáiz, J.I., San Vicente, C., Sáinz, C., Sorbe, J.C., Troncoso, J.S. & Varela, M.**  
Macrobenthos biodiversity along the Livingstone Island transect, from Drake Passage to the Antarctic Peninsula: First global taxonomic results of the 'Bentart-95' survey 86
- Raupach, M. & Wägele, J-W.**  
The Asellota (Peracarida: Isopoda): Successful invaders of the deep sea 89
- Raya Rey, A., Pütz, K. & Schiavini, A.**  
Oceanographic habitats of southern rockhopper penguin (*Eudyptes chrysocome chrysocome*) from Staten Island during the winter dispersion 90
- Ríos, C., Mutschke, E., Cariceo, Y., Montiel, A., Morrison, E., López, B. & Muñoz, C.**  
Macrobenthic diversity in the marine system of the Magellan region: More on the subject but at the species level 91
- Romero, M.C., Tapella, F., Lovrich, G.A. & Thatje, S.**  
Energetic conditions in decapod crustaceans along the Scotia Arc 92
- Sahade, R., Demarchi, M., Chiappero, M., Tatlán, M. & Gardenal, N.**  
Genetic differentiation between populations of the ascidian *Apidium falklandicum* from South Georgia and South Orkney Islands 93
- Tatlán M., Antacli, J., & Sahade, R.**  
Ascidians (Tunicata, Ascidiacea) collected during the LAMPOS cruise along the Scotia Arc 94
- Thatje, S., Anger, K., Calcagno, J.A., & Lovrich, G.A.**  
Challenging the cold: crabs return to the Antarctic 95
- Vanella, F. A. & Calvo, J.**  
Influence of temperature on routine metabolic rates of Subantarctic teleosts 96
- Vanhove, S., Lee, H.J. & Vermeeren, H.**  
Digging in the deep Southern Ocean: Meiofauna and nematodes 98
- Velt-Köhler, G.**  
Abundance and biomass of harpacticoid copepods in a shallow Antarctic bay 99
- Vermeeren, H., Vanhove, S. & Vanreusel, A.**  
Meiofauna from the South Sandwich Trench: ANDEEP meets LAMPOS 101
- Wehrtmann, I.S.**  
Egg production in porcellanid crabs: a comparison between Chile and Costa Rica, Central America 103
- Zelaya, D.G. & Nahabedian, D.E.**  
The biogeographic position of the South Georgia Islands: New evidence from marine mollusks 105