

16th International Symposium on
**INDUSTRIAL
CRYSTALLIZATION**

11th-14th September 2005

International Congress Center Dresden/Germany



VDI-Berichte 1901.,

| | | | |
|---|---|---|----|
| | <i>W. Peukert,</i> <i>A. Eble</i> | FROM VISIONS TO PRODUCTS IN INDUSTRIAL CRYSTALLIZATION | 1 |
| A: THERMODYNAMICAL PREDICTION OF PHYSICAL PROPERTIES | | | |
| | <i>G. Coquerel</i> | PREDICTION OF SOLID SOLUTIONS IN MOLECULAR SOLUTES EXHIBITING POLYMORPHISM | 7 |
| A-1 | <i>K. Österdahl,</i> <i>A. Rasmuson</i> | CRYSTALLIZATION OF $p\text{FEF}_3 \cdot 3\text{H}_2\text{O}$ IN MIXTURES OF NITRIC AND HYDROFLUORIC ACID | 17 |
| A-2 | <i>M. Weber,</i> <i>M.J.Jones,</i> <i>M. Pietzsch,</i> <i>T. Hertel,</i> <i>J. Ulrich</i> | PURIFICATION OF UREASE BY CRYSTALLIZATION | 23 |
| A-3 | <i>M. Parisi,</i> <i>M. Rivallin,</i> <i>A. Chianese</i> | PREDICTION OF THE DEXTROSE NUCLEATION KINETICS BY THE GROWTH RATE OF CRYSTALLITES | 29 |
| A-4 | <i>F. L. Nordström,</i> <i>A. Rasmuson</i> | PHASE EQUILIBRIA AND THERMODYNAMICS OF HYDROXYBENZOIC ACID ISOMERS | 35 |
| A-5 | <i>Y. Taguchi,</i> <i>T. Nishizawa,</i> <i>K. Oyama</i> | EFFECT OF PH ON CRYSTAL FORMATION OF BORIC ACID AND BORAX | 41 |
| A-6 | <i>X. Wang,</i> <i>C. B. Ching,</i> | DETERMINATION OF THERMODYNAMIC DATA AND KINETICS FOR CHIRAL CRYSTALLIZATION | 47 |
| A-8 | <i>F. Rauscher,</i> <i>A. Voigt,</i> <i>P. Veit,</i> <i>K. Sundmacher</i> | SYNTHESIS OF DIFFERENT NANOSTRUCTURES BY PRECIPITATION REACTIONS IN A TECHNICAL W/O-MICROEMULSION | 55 |
| A-9 | <i>M. Yang,</i> <i>H. Wei</i> | THE APPLICATION OF A NEURAL NETWORK TO THE PREDICTION OF CRYSTALLIZATION KINETICS | 61 |

| | | | |
|------|---|--|-----|
| A-10 | <i>K. Warmuzirski, M.Jaschik, J.Jaschik</i> | KINETICS OF THE CRYSTALLIZATION OF ANHYDROUS SODIUM SULPHATE | 67 |
| A-11 | <i>N. Frikha, J. Sellami, H. Muhr, E. Plasari</i> | STUDY ON THE INFLUENCE OF CITRATE ION CONCENTRATION AND NON-STOICHIOMETRIC RATIO ON THE CRYSTAL GROWTH KINETICS OF CALCIUM CARBONATE (CALCITE) | 73 |
| A-12 | <i>K.Jäger, J. Ulrich</i> | INVESTIGATION OF THE GROWTH BEHAVIOUR OF SODIUM CHLORIDE CRYSTALS UNDER THE INFLUENCE OF ADDITIVES | 79 |
| A-13 | <i>J. Heinrich, J. Ulrich</i> | GENERAL CONSIDERATIONS ON PREDICTING THE INFLUENCE OF SOLUBILITY ON THE MAXIMUM ACHIEVABLE PARTICLE SIZE - A CASE STUDY ON PSEUDO-POLYMORPHS | 85 |
| A-14 | <i>H. Lorenz, D. Sapoundjiev, A. Seidel- Morgenstern, W. Beckmann, U. Budde</i> | PARTIAL MISCIBILITY IN THE SOLID STATE - EXPERIMENTAL ACCESSIBILITY AND INDEPENDENT CORROBORATION: A CASE STUDY ON A DIASTEREOMERIC INTERMEDIATE | 91 |
| A-15 | <i>A. A. Ceyhan, A. N. Bulutcu</i> | CRYSTAL GROWTH KINETICS AND GROWTH BEHAVIOR OF KCL | 97 |
| A-16 | <i>I. S. Braude, Yu. G. Kazarov, B.I. Verkin</i> | GEOMETRIC FACTORS OF GROWING CRYSTALS WITH PRE-ASSIGNED PARAMETERS | 103 |
| A-17 | <i>J. Kontrec, V. Babić-Ivačić, D. Kralj, L. Brečević</i> | TRANSFORMATION OF $\text{MgNH}_4\text{PO}_4 \cdot 6\text{H}_2\text{O}$ IN AQUEOUS SOLUTIONS | 109 |

| | | | |
|-------|---|---|------|
| A-I 8 | <i>J.Javanmardi,</i> <i>R. Motealleh,</i> <i>A. Lashanizadegan,</i> <i>M Moshfeghian</i> | GAS HYDRATE DISSOCIATION CONDITIONS IN MIXTURE OF AQUEOUS ELECTROLYTE SOLUTIONS AND ALCOHOL | 1 15 |
| A-19 | <i>R. Davey,</i> <i>E. Ferrari,</i> <i>R. Burton,</i> <i>A. Gavezzotti</i> | MODELING A SIMPLE PHASE TRANSITION: FORCE FIELD OPTIMIZATION AND MOLECULAR DYNAMICS SIMULATIONS OF ALCOHOL-WATER MIXTURES | 121 |
| A-20 | <i>F. Farelo,</i> <i>L. Serrano</i> | GROWTH OF HALITE CRYSTALS IN THE PRESENCE OF ANHYDRITE DISSOLUTION-INHIBITORS | 127 |
| A-21 | <i>P. Pantarakas,</i> <i>A. E. Flood,</i> <i>M. Matsuoka</i> | A NEW MECHANISM FOR CRYSTAL GROWTH RATE DISPERSION: THE EFFECT OF MICROSCOPIC SURFACE PERFECTION ON CRYSTAL GROWTH KINETICS | 133 |
| A-22 | <i>K. Funakoshi,</i> <i>H. Takiyama,</i> <i>M. Matsuoka</i> | NUCLEATION PHENOMENA IN TERNARY SOLUTIONS TO PRODUCE ORGANIC MOLECULAR COMBINED CRYSTALS | 1 39 |
| A-23 | <i>H. Hatakka,</i> <i>O. Shipilova,</i> <i>H. Haario,</i> <i>J. Kallas</i> | MODELING OF REACTIVE CRYSTALLIZATION: USING PARTICLE TRANSPORT METHOD IN UNSTEADY-STATE MODELING OF CRYSTAL GROWTH | 145 |
| A-24 | <i>C. Oliveira,</i> <i>F. Rocha,</i> <i>A. Ferreira,</i> <i>S. Feyeo de Azevedo</i> <i>P. Georgieva</i> | MODELLING OF DICALCIUM PHOSPHATE DEHYDRATE PRECIPITATION FROM SOLUTION | 151 |
| A-25 | <i>Y.Enqvist,</i> <i>M. touhi-Kultanen,</i> <i>J. Kallas,</i> <i>P. Seitavuopio</i> | MODELLING THE CRYSTAL GROWTH RATE OF KDP IN THE PRESENCE OF ORGANIC ADMIXTURES | 157 |
| A-27 | <i>A. S. Myerson,</i> <i>D. Knezic</i> | STUDY OF NUCLEATION INDUCTION PERIODS IN LEVITATED DROPLETS | 163 |

- A-28 *G.Badem,*
H. Gürbüz,
A. N. Bulutcu CRYSTAL GROWTH AND DISSOLUTION RATES
OF POTASSIUM PENTABORATE OCTAHYDRATE 169
- A-29 *Q. Yin,*
Y.Lu,
B. Hou,
J. Wang,
H.Liu STATIC MELT CRYSTALLIZATION KINETICS
OF 4-TERT-OCTYL PHENOL 175
- A-30 *A. Lashaniza-*
degan,
J. Javanmardi,
D.M. T.
Newsham,
N. S. Tavare A GROUP CONTRIBUTION APPROACH IN THE
PREDICTION OF TERNARY SOLID-LIQUID
EQUILIBRIUM PHASE DIAGRAMS 181
- A-31 *M. Liiri,*
J. Aittamaa,
J. Kallas CFD MODELLING OF SINGLE CRYSTAL GROWTH OF
POTASSIUM DIHYDROGEN PHOSPHATE (KDP) IN
WATER SOLUTION INCLUDING ONE ADMIXTURE 1 87
- A-32 *JJ.Iv,*
A. Fiebig,
J. Ulrich PREDICTION OF SUPERSATURATION'S INFLUENCE
ON CRYSTAL MORPHOLOGY 193
- A-33 *J. C. Luk,*
R.W. Rousseau SOLUBILITY AND PSEUDO-POLYMORPHIC TRANSITION
OF L-SERINE IN WATER-METHANOL SYSTEMS 199
- A-34 *K. Maeda,*
Y. Asakuma,
K. Fukui,
H. M. Ang,
M. O.Tade,
H. Kuramochi THE UNIVERSAL NRTL PARAMETERS FOR PHASE
EQUILIBRIUM OF AQUEOUS MIXED ELECTROLYTE
AND MIXED SOLVENT SYSTEMS 205
- A-35 *A. Alamdah,*
M R. Rahimpour,
F.Jamshidi,
N. Esfandiari KINETICS OF MAGNESIUM HYDROXIDE
PRECIPITATION FROM SEA BITTERN 211

| | | | |
|------|---|---|-----|
| A-36 | <i>E. Papadimitriou,</i> <i>P. G. Koutsoukos</i> | CRYSTAL GROWTH AND INHIBITION OF MIRABILITE | 217 |
| A-37 | <i>N. Wermester,</i> <i>E. Aubin,</i> <i>S. Coste,</i> <i>G. Coquerel</i> | PREFERENTIAL CRYSTALLIZATION OF THE ETHANOLAMINE SALT OF (\pm) MANDELIC ACID: THE UNUSUAL CASE OF CONGLOMERATE WITH PARTIAL SOLID SOLUTIONS | 223 |
| A-39 | <i>A. Ceyhan,</i> <i>A. N. Bulutcu</i> | THE COMMON ION EFFECT ON THE METASTABLE ZONE WIDTH OF KCL | 229 |
| A-40 | <i>M.M. Uematsu,</i> <i>S. Derenzo,</i> <i>R. Guardani,</i> <i>M. Giulietti</i> | SALICYLIC ACID SOLID-LIQUID EQUILIBRIUM IN BINARY AND TERNARY MIXTURES | 235 |
| A-41 | <i>Z. Guo,</i> <i>A. G. Jones,</i> <i>N. Li</i> | THE EFFECT OF ULTRASOUND ON HOMOGENEOUS NUCLEATION IN REACTIVE CRYSTALLIZATION | 241 |
| A-42 | <i>D. O'Grady,</i> <i>B. Glennon</i> | GROWTH AND NUCLEATION KINETICS FOR AN ANTI-SOLVENT SYSTEM USING IN SITU INSTRUMENTATION | 247 |
| A-43 | <i>S. Sasaki,</i> <i>N. Kubota,</i> <i>N. Doki,</i> <i>M. Yokota</i> | ADSORPTION ISOTHERMS OF A GROWTH-SUPPRESSOR CITRIC ACID ONTO THE (100) AND THE (1 11) FACES OF A SODIUM CHLORIDE CRYSTAL IN SUPERSATURATED AQUEOUS SOLUTION | 253 |
| A-44 | <i>M. Mirmehrabi,</i> <i>S. Rohani</i> | ACTIVITY COEFFICIENT AND SOLUBILITY PREDICTION OF ORGANIC COMPOUNDS AND PHARMACEUTICALS | 259 |
| A-45 | <i>A. Caillet,</i> <i>F. Puel,</i> <i>G. Fevotte</i> | QUANTITATIVE IN-LINE MONITORING OF THE SOLID PHASE TRANSITION OF CITRIC ACID IN WATER USING RAMAN SPECTROSCOPY | 265 |
| A-47 | <i>H.-H. Tung,</i> <i>J. Tabora,</i> <i>N. Variankaval,</i> <i>D. Bakken,</i> <i>C.-C. Chen</i> | PREDICTION OF PHARMACEUTICALS SOLUBILITY VIA NRTL-SAC AND COSMO | 271 |

B: PRODUCT DESIGN AND CHARACTERIZATION

| | | | |
|-----|--|--|-----|
| B-1 | <i>A. Lewis, A. Swartbooi</i> | FACTORS AFFECTING METAL REMOVAL IN MIXED SULPHIDE PRECIPITATION | 279 |
| B-2 | <i>A. Y Lee, I. S. Lee, A. S. Myerson, S. S. Dette, J. Bomer</i> | PARTICLE DESIGN OF ORGANIC MOLECULAR CRYSTALS ON NANOENGINEERED SURFACES | 287 |
| B-3 | <i>J. Schlomach, K. Quarch, M. Kind</i> | INVESTIGATIONS ON THE PRECIPITATION OF CALCIUM CARBONATE AT HIGH SUPERSATURATIONS | 293 |
| B-4 | <i>A. Katayama, T. Sakuma, I. Hirasawa</i> | STRATEGY TO OBTAIN NM SIZE CRYSTALS THROUGH PRECIPITATION IN THE EXISTENCE OF POLYELECTROLYTE | 301 |
| B-5 | <i>H. Tsuge, S. Sakamoto, S. Hiyama, A. Watanabe</i> | REACTIVE CRYSTALLIZATION OF NICKEL HYDROXIDE PARTICLES IN CONTINUOUS REACTIVE CRYSTALLIZER | 307 |
| B-6 | <i>K.-J. Kim, H.-S. Kim</i> | PREPARATION OF DOUBLE LAYERED ENERGETIC MATERIALS BY CRYSTALLIZATION | 313 |
| B-7 | <i>N. Kail, H. Briesen, W. Marquardt</i> | QUANTITATIVE MEASUREMENT OF ATTRITION BASED SECONDARY NUCLEATION USING A LASENTEC D600 FBRM DEVICE | 319 |
| B-8 | <i>Q. Yin, Y. Song, M. Zhang, J. Wang</i> | A STUDY ON THE POLYMORPH PHENOMENON OF GLYCINE | 325 |
| B-9 | <i>J.A.Wojcik, K. Opaczyńska, M. H. Al-Rashed</i> | MODELING OF CRYSTAL ATTRITION | 331 |

| | | Seite |
|------|--|-------|
| B-10 | <i>D. Donchev, N. Walther, J. Ulrich</i> | 337 |
| B-11 | <i>N. Walther, J. Ulrich</i> | 343 |
| B-12 | <i>H. Briesen</i> | 349 |
| B-13 | <i>A. Cameirão, F. Gruy, F. Espitalier, R. David</i> | 355 |
| B-14 | <i>A. Tanahashi, K. Ishino, T. Araki, I. Hirasawa</i> | 361 |
| B-15 | <i>M. Kucher, M. Kind</i> | 367 |
| B-16 | <i>A. Dandeu, H. Muhr, E. Plasari, B. Humbert, C. Carteret, J. M. Bossoutrot</i> | 373 |
| B-1Z | <i>A. Dandeu, H. Muhr, E. Plasari, B. Humbert, C. Carteret, J. M. Bossoutrot</i> | 379 |

| | | Seite |
|------|--|---|
| B-18 | <i>I.Livk, D. Ilievski, A.J. Parker</i> | A MACROSCOPIC AGGLOMERATION MODEL 385 |
| B-19 | <i>A. Lewis, M. Hounslow</i> | IDENTIFYING MECHANISMS OF NICKEL PRECIPITATION IN A HYDROGEN REDUCTION PROCESS 391 |
| B-20 | <i>A. Fiebig, J. Ulrich</i> | PREDICTING THE MORPHOLOGY OF BENZOPHENONE CRYSTALS IN THE PRESENCE OF ADDITIVES 399 |
| B-21 | <i>J. Baldyga, M. Jasińska</i> | EFFECTS OF MIXING IN PARTICLE COATING PROCESSES 405 |
| B-22 | <i>J. Baldyga, A. Krasinski</i> | PRECIPITATION OF BENZOIC ACID IN CONTINUOUS STIRRED TANK - EFFECTS OF AGGLOMERATION 411 |
| B-23 | <i>P. Bowen, M. Donnet, A. Bidville, O. Pujol, L. C. Soare, J. Lemafre, H. Hofmann</i> | PRECIPITATION OF NANOSTRUCTURED CALCIUM CARBONATE: EFFECTS OF SEEDING AND GROWTH MECHANISM ON PARTICLE CHARACTERISTICS. 417 |
| B-24 | <i>i. C. Soare, P. Bowen, J. Lemafre, H. Hofmann</i> | COPRECIPITATION OF NANOSTRUCTURED CU-CO OXALATES: SOLUTION THERMODYNAMICS AND PARTICLE PROPERTIES 423 |
| B-25 | <i>I.Livk, D. Ilievski, A.J. Parker</i> | A METHOD FOR QUANTITATIVE CHARACTERISATION OF BREAKAGE BEHAVIOUR 429 |
| B-26 | <i>D. G. Kanello- poulou, P. G. Koutsoukos</i> | CRYSTALLIZATION OF ALKALINE EARTH METAL PHOSPHONATES 435 |
| B-27 | <i>W.Chen, Q. Yin, J. Wang, X.Li</i> | COMPUTER MODELING OF THE SOLVENT EFFECT ON HYDROQUINONE CRYSTAL HABIT 441 |

| | | | |
|------|--|--|-----|
| B-28 | <i>E. H. E. Lau, T. T. Ong, S. F. Alshahateet, F. Kooli, P. S. Chow</i> | CRYSTAL ENGINEERING DESIGN OF FUNCTIONALIZED DIQUINOLINES | 447 |
| B-30 | <i>I. Fuhr, U. Teipel, J. Ulrich</i> | MOLECULAR MODELING OF CRYSTALLINE ENERGETIC MATERIALS | 453 |
| B-31 | <i>R.S.Gärtner, G.-J. Witkamp</i> | MIXED SOLVENT RECRYSTALLIZATION FOR THE DENSIFICATION AND PURIFICATION OF SODA ASH | 459 |
| B-32 | <i>G.Ö.Çakal, I. Eroglu, S. Özkar</i> | PARTICLE SIZE DISTRIBUTION OF GYPSUM CRYSTALS IN FOUR CONTINUOUS FLOW STIRRED SLURRY REACTORS IN SERIES | 465 |
| B-33 | <i>T.Heintz, I. Fuhr</i> | GENERATION OF SPHERICAL OXIDIZERS PARTICLES BY SPRAY- AND EMULSION- CRYSTALLIZATION | 471 |
| B-34 | <i>J. Sizemore, M. F. Doherty</i> | AN ENGINEERING MODEL FOR PREDICTING THE SHAPE OF SOLUTION-GROWN ORGANIC CRYSTALS IN THE PRESENCE OF AN ADDITIVE | 477 |
| B-35 | <i>T. Sakurna, T. Mikami, I. Hirasawa</i> | MONODISPERSED FINE PARTICLE PRECIPITATION PROCESS OF STRONTIUM SULFATES WITH A CRYSTAL GROWTH MODIFIER | 481 |
| B-36 | <i>J.-K. Kim, K.-J. Kim, K.-K. Koo</i> | MICROPARTICLE FORMATION OF LOW MOLECULAR WEIGHT POLYETHYLENE VIA EMULSION CRYSTALLIZATION | 487 |
| B-37 | <i>D. L. Marchisio, A. A. Barresi, G. Baldi, M. Soos, J. Sefcik, M. Morbidelli</i> | EFFECTS OF FLUID DYNAMICS ON PARTICLE SIZE DISTRIBUTION IN PARTICLE FORMATION PROCESSES | 493 |
| B-40 | <i>A. N. Kofina, P. G. Koutsoukos</i> | THE CRYSTALLIZATION OF STRUVITE FROM MUNICIPAL WASTEWATER: INVESTIGATION OF CRYSTAL GROWTH COMPETITION BETWEEN DIFFERENT CRYSTALLINE MATERIALS | 499 |

| | | | |
|------|---|---|-----|
| B-41 | <i>A. Cameirao, F. Espitalier, R. David, L. Rouleau</i> | VALIDATION OF AN AGGLOMERATION MODEL FOR MULTIPLE AGGLOMERATION | 505 |
| B-42 | <i>E. M. Ålander, Å.C. Rasmuson</i> | MECHANISMS OF AGGLOMERATION OF MOLECULAR CRYSTALS IN ORGANIC SOLVENTS | 511 |
| B-43 | <i>H. Kröber, U. Teipel</i> | FORMATION OF FINE PARTICLES - A COMPARISON OF PCA AND RESS PROCESS | 517 |
| B-46 | <i>S. S. Delte, J. Ulrich</i> | HOLLOW CRYSTALLINE NEEDLES TUBES FOR NANO TECHNOLOGY - | 523 |
| B-47 | <i>U. Teipel, M. Sister</i> | CRYSTAL SIZE ANALYSIS- COMPARISON OF DIFFERENT METHODS | 529 |
| B-48 | <i>F. Cabanes, M. Frèche, J. L. Lacout, B. Biscans</i> | CALCIUM PHOSPHATE PRECIPITATION IN FLUIDISED BED: RECOVERY OF PHOSPHATE FROM AN EFFLUENT IN A FORM SUITABLE FOR USE BY THE PHOSPHATE INDUSTRY | 535 |
| B-50 | <i>M. Kitamura, S. Hironaka</i> | TEMPERATURE EFFECT ON CRYSTALLIZATION BEHAVIORS OF BPT POLYMORPHS | 541 |