

# Contents

|  |    |
|--|----|
| <b>Symbols and Abbreviations</b> .....                     | XV |
| <b>1 Introduction</b> .....                                | 1  |
| 1.1 Document Structure .....                               | 1  |
| 1.2 Fatigue .....  | 1  |
| 1.3 Historical .....                                       | 2  |
| 1.4 Ferroelectricity and Piezoelectricity .....            | 4  |
| 1.5 The Lead-Zirconate-Titanate Crystal System .....       | 8  |
| 1.5.1 Dopants .....  | 8  |
| 1.5.2 PIC 151 .....  | 10 |
| 1.5.3 Lanthanum Doped PZT .....                            | 11 |
| 1.6 Defects in PZT .....                                   | 14 |
| 1.6.1 Vacancies and Interstitials .....                    | 14 |
| 1.6.2 Thermal Equilibrium .....                            | 14 |
| 1.6.3 The Quenched State .....                             | 16 |
| 1.7 Macroscopic Fatigue .....                              | 18 |
| 1.8 Point Defects and Fatigue .....                        | 20 |
| 1.9 Domain Pinning, Aging, and Imprint .....               | 23 |
| 1.10 Electrodes and Thin Films .....                       | 27 |
| 1.11 Crystal- and Microstructure .....                     | 32 |
| 1.12 Temperature Dependence of Fatigue .....               | 33 |
| 1.13 Switching, Relaxation, and Rate Dependencies .....    | 34 |
| 1.14 Microcracking .....                                   | 35 |
| 1.15 Models .....  | 36 |
| 1.16 Fatigue-Free Systems .....                            | 39 |
| <b>2 Macroscopic Phenomenology</b> .....                   | 41 |
| 2.1 Fatigue and Measurement Procedures .....               | 41 |
| 2.2 Polarization and Strain Loss .....                     | 43 |
| 2.3 Asymmetry and Offset-Polarization .....                | 46 |
| 2.3.1 Strain Asymmetry .....                               | 46 |
| 2.3.2 Obstacles to 90° Domain Switching .....              | 48 |
| 2.4 Anisotropy .....                                       | 51 |
| 2.5 Leakage Current, Sample Coloring, and Relaxation ..... | 55 |

|          |   |            |
|----------|---|------------|
| 2.6      | Unipolar Fatigue . . . . .                                      | 57         |
| 2.7      | Mixed Loading Fatigue . . . . .                                 | 58         |
| <b>3</b> | <b>Agglomeration and Microstructural Effects . . . . .</b>      | <b>63</b>  |
| 3.1      | Agglomerates . . . . .  | 63         |
| 3.2      | Grain Boundaries . . . . .                                      | 63         |
| 3.3      | Agglomeration and Crystal Structure . . . . .                   | 70         |
| 3.4      | Domain Structure . . . . .                                      | 72         |
| 3.5      | Unit Cell Volume . . . . .                                      | 73         |
| 3.6      | The Oxygen Balance . . . . .                                    | 74         |
| 3.7      | Microcracking . . . . .   | 75         |
| 3.7.1    | Edge Effects . . . . .  | 76         |
| 3.7.2    | Bulk Microcracking . . . . .                                    | 77         |
| 3.8      | Macrocracking, Delamination Fracture . . . . .                  | 78         |
| <b>4</b> | <b>Acoustic Emission and Barkhausen Pulses . . . . .</b>        | <b>81</b>  |
| 4.1      | Acoustic Emission Technique . . . . .                           | 81         |
| 4.1.1    | Principle . . . . .   | 81         |
| 4.1.2    | Instrumentation . . . . .                                       | 82         |
| 4.2      | Polycrystalline Lead-Zirconate-Titanate . . . . .               | 84         |
| 4.2.1    | Acoustic Emission Sources . . . . .                             | 84         |
| 4.2.2    | Different Crystal Structures of PZT . . . . .                   | 85         |
| 4.2.3    | Fatigue Induced Discontinuities . . . . .                       | 96         |
| 4.2.4    | Acoustic Emissions under Uniaxial Stress . . . . .              | 97         |
| 4.3      | Single Crystal Ferroelectrics . . . . .                         | 101        |
| 4.3.1    | The Uniaxial Ferroelectric Gadolinium Molybdate . . . . .       | 101        |
| 4.3.2    | The Perovskite Type Barium Titanate . . . . .                   | 107        |
| <b>5</b> | <b>Models and Mechanisms . . . . .</b>                          | <b>111</b> |
| 5.1      | Fatigue Models<br>for a Polycrystalline Ferroelectric . . . . . | 111        |
| 5.2      | Band Structure . . . . .  | 114        |
| 5.3      | Point Defects and Dipoles . . . . .                             | 116        |
| 5.3.1    | Concentration . . . . .   | 116        |
| 5.3.2    | Defects and Microdomains . . . . .                              | 117        |
| 5.3.3    | Localized Electron States . . . . .                             | 118        |
| 5.3.4    | Defect Dipoles . . . . .  | 121        |
| 5.4      | Ion and Electron Motion . . . . .                               | 121        |
| 5.4.1    | Diffusion Within a Domain . . . . .                             | 121        |
| 5.4.2    | Anisotropy and Directionality of Diffusion . . . . .            | 122        |
| 5.4.3    | Drift and Convection . . . . .                                  | 128        |
| 5.4.4    | Directionality of Electron Motion . . . . .                     | 129        |
| 5.4.5    | Average Conductivities . . . . .                                | 129        |
| 5.5      | Screening, Space Charges, and Domain Freezing . . . . .         | 130        |
| 5.6      | Electrodes . . . . .  | 134        |
| 5.7      | Grain Boundaries . . . . .                                      | 136        |

|          |   |            |
|----------|---|------------|
| 5.8      | Agglomeration .....   | 137        |
| 5.8.1    | Point Defect Sinks .....  | 137        |
| 5.8.2    | Dislocation Loop Formation at Low $p_{O_2}$ .....                       | 139        |
| 5.8.3    | Induced Crystallographic Phase Change .....                             | 144        |
| 5.8.4    | Iterative Models in General .....                                       | 146        |
| 5.8.5    | Iterative Model of Bulk Agglomeration .....                             | 151        |
| 5.8.6    | Rapid Fatigue due to Polarons .....                                     | 159        |
| 5.9      | Crystallite Orientation and Anisotropies .....                          | 161        |
| 5.10     | Relaxation Times .....  | 164        |
| 5.11     | Unclear Effects .....   | 164        |
| <b>6</b> | <b>Recent Developments</b> .....  | <b>167</b> |
| 6.1      | Material Modifications .....  | 167        |
| 6.1.1    | Excess and Deficient Lead Oxide .....                                   | 167        |
| 6.1.2    | Doping .....  | 168        |
| 6.1.3    | Secondary Bulk Phases .....   | 168        |
| 6.1.4    | Reduction of PZT, SBT, and BiT .....                                    | 169        |
| 6.2      | Grain Boundary and Grain Size .....                                     | 170        |
| 6.2.1    | Grain Boundary .....  | 170        |
| 6.2.2    | Grain Size .....  | 170        |
| 6.3      | Several Layers of Different Composition .....                           | 171        |
| 6.3.1    | Lead Excess Layers Near the Electrode .....                             | 171        |
| 6.3.2    | Multiple Ferroelectric/Antiferroelectric Layers,<br>Buffer Layers ..... | 171        |
| 6.4      | New or Modified Modelling Approaches .....                              | 172        |
| 6.4.1    | Relation to aging .....   | 172        |
| 6.4.2    | Ising and Preisach Approach .....                                       | 172        |
| 6.4.3    | Phase Transition Picture .....  | 173        |
| 6.4.4    | Supplemental Arguments to Previous Chapters .....                       | 173        |
| 6.4.5    | Curved Domain Walls .....   | 176        |
| 6.4.6    | Other Approaches .....  | 176        |
| 6.5      | Leakage Current .....   | 176        |
| 6.5.1    | Ionic Currents .....  | 176        |
| 6.5.2    | Electronic States .....   | 177        |
| 6.5.3    | Breakdown .....   | 178        |
| 6.6      | Mechanical Effects .....  | 178        |
| 6.6.1    | Mechanical Fatigue .....  | 178        |
| 6.6.2    | Microcracking .....   | 179        |
| 6.7      | Anisotropy of Fatigue .....   | 180        |
| 6.8      | Time and Relaxation Effects .....                                       | 180        |
| 6.9      | Electrode Geometry .....  | 182        |
| 6.10     | Layered Perovskite Ferroelectrics .....                                 | 182        |
| 6.10.1   | Strontium Bismuth Tantalate .....                                       | 182        |
| 6.10.2   | Bismuth Titanate .....  | 184        |
| 6.11     | Uniaxial Ferroelectrics .....   | 185        |

XIV Contents

|                                       |     |
|---------------------------------------|-----|
| <b>7 Summary</b> .....                | 187 |
| <b>A Solutions to Integrals</b> ..... | 193 |
| <b>References</b> .....               | 195 |
| <b>Index</b> .....                    | 221 |