

HISTORY OF INSECTS

by

*N.V. Belayeva, V.A. Blagoderov, V.Yu. Dmitriev, K.Yu. Eskov, A.V. Gorokhov,
V.D. Ivanov, N.Yu. Kluge, M.V. Kozlov, E.D. Lukashevich, M.B. Mostovski,
V.G. Novokshonov, A.G. Ponomarenko, Yu.A. Popov, L.N. Pritykina, A.P. Rasnitsyn,
D.E. Shcherbakov, N.D. Sinitshenkova, S.Yu. Storozhenko, I.D. Sukatsheva,
V.N. Vishniakova, Peter Vršanský and †V.V. Zherikhin*

Edited by

ALEXANDR P. RASNITSYN AND DONALD L.J. QUICKE



KLUWER ACADEMIC PUBLISHERS
DORDRECHT / BOSTON / LONDON

Contents

| | | | |
|--|----------|--|-----------|
| Preface | xi | 1.4.3.3. Subaerial palaeoenvironments | 57 |
| Acknowledgements | xi | 1.4.3.4. Selectivity of the rock record | 60 |
| Contributors | xii | 1.4.3.5. Insect microfossils and chemofossils | 60 |
| 1. INTRODUCTION TO PALAEOENTOMOLOGY | 1 | 1.4.4. Insects as contaminants in fossil assemblages | 61 |
| 1.1. Scope and approach | 1 | 1.4.5. Insect activities as a taphonomic factor | 62 |
| <i>A.P. Rasnitsyn</i> | | 2. CLASS INSECTA Linné, 1758. THE INSECTS | 65 |
| 1.1.1. Coverage | 1 | <i>A.P. Rasnitsyn</i> | |
| 1.1.2. Phylogenetic approach | 1 | 2.1. Subclass Lepismatona Latreille, 1804. | 69 |
| 1.1.3. Nomenclature | 7 | The wingless insects | |
| 1.2. Special features of the study of fossil insects | 8 | 2.1.1. Order Machilida Grassi, 1888. The bristletails | 70 |
| <i>A.P. Rasnitsyn</i> | | 2.1.2. Order Lepismatida Latreille, 1804. The silverfish | 73 |
| 1.3. Concise history of palaeoentomology | 12 | 2.2. Subclass Scarabaeona Laicharting, 1781. | |
| <i>A.P. Rasnitsyn</i> | | The winged insects | 75 |
| 1.4. Pattern of insect burial and conservation | 17 | 2.2.0.1. Order Paoliida Handlirsch, 1906 | 83 |
| † <i>V.V. Zherikhin</i> | | 2.2.1. Infraclass Scarabaeones Laicharting, 1781 | 84 |
| 1.4.1. General | 17 | 2.2.1.1. Cohors Libelluliformes Laicharting, 1781 | 85 |
| 1.4.2. Insect taphonomy | 18 | 2.2.1.1.1. Superorder Ephemeroidea Latreille, 1810. | |
| 1.4.2.1. Direct burial in sedimentary deposits | 18 | The mayflies | 86 |
| 1.4.2.1.1. Autotaphonomical factors | 19 | 2.2.1.1.1.1. Order Triplosobida Handlirsch, 1906 | 87 |
| 1.4.2.1.2. Ecological factors | 24 | 2.2.1.1.1.2. Order Syntonopterida Handlirsch, 1911 | 88 |
| 1.4.2.1.2.1. Ecological factors affecting organisms in their | | 2.2.1.1.1.3. Order Ephemeroidea Latreille, 1810. | |
| life-time | 25 | The true mayflies | 89 |
| 1.4.2.1.2.2. Mortality factors | 27 | <i>N.Yu. Kluge and N.D. Sinitshenkova</i> | |
| 1.4.2.1.2.3. Post-mortem ecological factors | 29 | 2.2.1.1.2. Superorder Libellulidea Laicharting, 1781. | |
| 1.4.2.1.3. Taphotopical factors | 31 | Order Odonata Fabricius, 1792. The dragonflies | 97 |
| 1.4.2.1.4. Postburial factors | 36 | <i>A.P. Rasnitsyn and L.N. Pritykina</i> | |
| 1.4.2.1.5. Technical factors | 39 | 2.2.1.2. Cohors Cimiciformes Laicharting, 1781 | 104 |
| 1.4.2.2. Indirect burial in fossil containers | 40 | <i>A.P. Rasnitsyn</i> | |
| 1.4.2.2.1. Fossil resins | 40 | 2.2.1.2.1. Superorder Caloneuridea Handlirsch, 1906 | 105 |
| 1.4.2.2.1.1. Autotaphonomical factors | 41 | 2.2.1.2.1.1. Order Blattinopseida Bolton, 1925 | 106 |
| 1.4.2.2.1.2. Ecological factors | 43 | 2.2.1.2.1.2. Order Caloneurida Handlirsch, 1906 | 106 |
| 1.4.2.2.1.3. Taphotopical factors | 43 | 2.2.1.2.1.3. Order Zorotypida Silvestri, 1913 | 109 |
| 1.4.2.2.1.4. Postburial factors | 48 | 2.2.1.2.2. Superorder Hypoperlidea Martynov, 1928. | |
| 1.4.2.2.1.5. Technical factors | 50 | Order Hypoperlida Martynov, 1928 | 111 |
| 1.4.2.2.2. Other primary fossil containers | 50 | 2.2.1.2.3. Superorder Dictyoneuridea Handlirsch, 1906 | 115 |
| 1.4.2.2.3. Secondary fossil containers | 52 | <i>N.D. Sinitshenkova</i> | |
| 1.4.3. Products of the taphonomical process: insect fossils | | 2.2.1.2.3.1. Order Dictyoneurida Handlirsch, 1906 | 116 |
| and ichnofossils in different palaeoenvironments | | 2.2.1.2.3.2. Order Mischopterida Handlirsch, 1906 | 120 |
| and modes of their preservation | 53 | 2.2.1.2.3.3. Order Diaphanopterida Handlirsch, 1906 | 123 |
| 1.4.3.1. Marine deposits | 53 | 2.2.1.2.4. Superorder Psocidea Leach 1815 | 125 |
| 1.4.3.2. Non-marine subaquatic palaeoenvironments | 54 | <i>A.P. Rasnitsyn</i> | |
| 1.4.3.2.1. Lacustrine deposits | 54 | 2.2.1.2.4.1. Order Psocida Leach, 1815. The booklice | 128 |
| 1.4.3.2.2. Swamp, marsh and other wetland deposits | 56 | 2.2.1.2.4.2. Order Pediculida Leach, 1815. The lice | 131 |
| 1.4.3.2.3. Fluvial deposits | 56 | 2.2.1.2.4.3. Order Thripida Fallen, 1914. | 133 |
| 1.4.3.2.4. Spring deposits | 57 | † <i>V.V. Zherikhin</i> | |

| | | | |
|---|-----|--|-----|
| 2.2.1.2.5. Superorder Cimicidea Laicharting, 1781 Order Hemiptera Linné, 1758. The bugs, cicadas, plantlice, scale insects, etc. <i>D.E. Shcherbakov and Yu.A. Popov</i> | 143 | 2.2.2.2.4. Order Embiida Burmeister, 1835. The webspinners <i>A.P. Rasnitsyn</i> | 291 |
| 2.2.1.3. Cohors Scarabaeiformes Laicharting, 1781 The holometabolans <i>A.P. Rasnitsyn</i> | 157 | 2.2.2.3. Superorder Gryllidea Laicharting, 1781 <i>A.V. Gorochov and A.P. Rasnitsyn</i> | 293 |
| 2.2.1.3.0.1. Order Stylopida Stephens, 1829 | 159 | 2.2.2.3.1. Order Orthoptera Olivier, 1789. The orthopterans | 294 |
| 2.2.1.3.1. Superorder Palaeomanteidea Handlirsch, 1906. Order Palaeomanteida Handlirsch, 1906 | 161 | 2.2.2.3.2. Order Phasmatida Leach, 1915. The stick insects | 301 |
| 2.2.1.3.2. Superorder Scarabaeidea Laicharting, 1781. Order Coleoptera Linné, 1758. The beetles <i>A.G. Ponomarenko</i> | 164 | 2.2.2.3.3. Order Mesotitanida Tillyard, 1925 | 302 |
| 2.2.1.3.3. Superorder Myrmeleontidea Latreille, 1802 <i>A.G. Ponomarenko</i> | 176 | 2.3. Insect trace fossils | 303 |
| 2.2.1.3.3.1. Order Raphidiida Latreille, 1810 | 177 | † <i>V.V. Zherikhin</i> | |
| 2.2.1.3.3.2. Order Corydalida Leach, 1815 | 180 | 2.3.1. Introductory remarks | 303 |
| 2.2.1.3.3.3. Order Neuroptera Linné, 1758 | 183 | 2.3.2. Locomotion and resting traces | 307 |
| 2.2.1.3.3.4. Order Jurinida M. Zalesky, 1928 <i>A.P. Rasnitsyn</i> | 189 | 2.3.3. Shelters and burrows | 308 |
| 2.2.1.3.4. Superorder Papilionidea Laicharting, 1781 <i>A.P. Rasnitsyn</i> | 192 | 2.3.4. Oviposition traces | 316 |
| 2.2.1.3.4.1. Order Panorpida Latreille, 1802. The scorpionflies <i>V.G. Novokshonov</i> | 194 | 2.3.5. Feeding traces | 318 |
| 2.2.1.3.4.2. Order Trichoptera Kirby, 1813. The caddisflies <i>V.D. Ivanov and I.D. Sukatsheva</i> | 199 | 2.3.6. Coprolites | 324 |
| 2.2.1.3.4.3. Order Lepidoptera Linné, 1758. The butterflies and moths <i>M.V. Kozlov, V.D. Ivanov and A.P. Rasnitsyn</i> | 220 | 3. GENERAL FEATURES OF INSECT HISTORY | 325 |
| 2.2.1.3.4.4. Order Diptera Linné, 1758. The true flies <i>V.A. Blagoderov, E.D. Lukashovich and M.B. Mostovski</i> | 227 | 3.1. Dynamics of insect taxonomic diversity <i>V.Yu. Dmitriev and A.G. Ponomarenko</i> | 325 |
| 2.2.1.3.4.5. Order Pulicida Billbergh, 1820. The fleas <i>A.P. Rasnitsyn</i> | 240 | 3.2. Ecological history of terrestrial insects † <i>V.V. Zherikhin</i> | 331 |
| 2.2.1.3.5. Superorder Vespeida Laicharting, 1781. Order Hymenoptera Linné, 1758 <i>A.P. Rasnitsyn</i> | 242 | 3.2.1. Introduction | 331 |
| 2.2.2. Infraclass Gryllones Laicharting, 1781. The grylloneans <i>A.P. Rasnitsyn</i> | 254 | 3.2.2. Palaeozoic | 332 |
| 2.2.2.0.1. Order Eoblattida Handlirsch, 1906 | 256 | 3.2.2.1. Environments of insect origin and early evolution | 332 |
| 2.2.2.1. Superorder Blattidea Latreille, 1810 | 260 | 3.2.2.2. Middle carboniferous to permian | 335 |
| 2.2.2.1.1. Order Blattida Latreille, 1810. The cockroaches <i>Peter Vršanský, V.N. Vishniakova and A.P. Rasnitsyn</i> | 263 | 3.2.2.2.1. General features of palaeozoic insects | 335 |
| 2.2.2.1.2. Order Termitida Latreille, 1802. The termites <i>N.V. Belayeva</i> | 270 | 3.2.2.2.2. Herbivores | 338 |
| 2.2.2.1.3. Order Mantida Latreille, 1802. The mantises † <i>V.V. Zherikhin</i> | 273 | 3.2.2.2.3. Detritivores and fungivores | 343 |
| 2.2.2.2. Superorder Perlidea Latreille, 1802 <i>A.P. Rasnitsyn</i> | 276 | 3.2.2.2.4. Predators | 345 |
| 2.2.2.2.1. Order Grylloblattida Walker, 1914 <i>S.Yu. Storozhenko</i> | 278 | 3.2.2.2.5. Some ecosystem-level phenomena | 347 |
| 2.2.2.2.2. Order Perlida Latreille, 1810. The stoneflies <i>N.D. Sinitshenkova</i> | 281 | 3.2.2.3. The palaeozoic/mesozoic transition | 348 |
| 2.2.2.2.3. Order Forficulida Latreille, 1810. The earwigs and protelytropterans <i>D.E. Shcherbakov</i> | 288 | 3.2.3. Mesozoic | 351 |
| | | 3.2.3.1. Triassic – early cretaceous | 351 |
| | | 3.2.3.1.1. General features of mesozoic insects (before mid-cretaceous) | 351 |
| | | 3.2.3.1.2. Herbivores | 352 |
| | | 3.2.3.1.2.1. Anthophily and the evolution of entomophily | 353 |
| | | 3.2.3.1.2.2. Other forms of herbivory | 358 |
| | | 3.2.3.1.3. Detriti- and fungivores | 363 |
| | | 3.2.3.1.4. Predators and parasites | 365 |
| | | 3.2.3.1.5. Origin of sociality | 367 |
| | | 3.2.3.1.6. Some ecosystem-level phenomena | 367 |
| | | 3.2.3.2. The late cretaceous and the mesozoic/cainozoic transition | 367 |
| | | 3.2.3.2.1. General features of late cretaceous insects | 367 |
| | | 3.2.3.2.2. Herbivores | 369 |
| | | 3.2.3.2.3. Detriti- and fungivores | 371 |
| | | 3.2.3.2.4. Predators and parasites | 372 |
| | | 3.2.3.2.5. Pattern and models of the mid-cretaceous events | 373 |
| | | 3.2.4. Cainozoic | 374 |
| | | 3.2.4.1. General features of cainozoic insects | 374 |
| | | 3.2.4.2. Herbivores | 376 |
| | | 3.2.4.3. Detriti- and fungivores | 382 |
| | | 3.2.4.4. Predators and parasites | 384 |
| | | 3.2.4.5. Insect sociality and some ecosystem level phenomena | 385 |
| | | 3.2.4.6. Origin of principal types of modern terrestrial ecosystems | 386 |

| | | | |
|--|-----|--|-----|
| 3.3. Ecological history of the aquatic insects <i>N.D. Sinitshenkova</i> | 388 | 3.4.3. Carboniferous stage of insect evolution | 428 |
| 3.3.1. Introductory notes | 388 | 3.4.4. Permian stage of insect evolution | 429 |
| 3.3.2. Carboniferous | 389 | 3.4.5. Triassic stage of insect evolution | 430 |
| 3.3.3. Permian | 390 | 3.4.6. Jurassic stage of insect evolution | 431 |
| 3.3.4. Triassic | 391 | 3.4.7. Cretaceous stage of insect evolution | 431 |
| 3.3.4.1. Overview of taxa of aquatic insects | 391 | 3.4.8. Cainozoic stage of insect evolution | 433 |
| 3.3.4.2. Aquatic insect assemblages and their typology | 393 | 3.4.9. Problem of the so-called "Gondwanan" Ranges of the recent taxa | 433 |
| 3.3.5. Jurassic | 394 | 3.4.10. Some general phylogenetic patterns | 434 |
| 3.3.5.1. Overview of taxa of aquatic insects | 394 | | |
| 3.3.5.2. Aquatic insect assemblages and their typology | 398 | 4. APPENDIX: SELECTED INSECT FOSSIL SITES | 437 |
| 3.3.6. Cretaceous | 400 | 4.1. Impression fossils <i>A.P. Rasnitsyn and †V.V. Zherikhin</i> | 437 |
| 3.3.6.1. Overview of taxa of aquatic insects | 401 | 4.2. Fossil resins <i>K.Yu. Eskov</i> | 444 |
| 3.3.6.2. Aquatic insect assemblages and their typology | 404 | | |
| 3.3.7. Cainozoic <i>†V.V. Zherikhin and N.D. Sinitshenkova</i> | 417 | 5. REFERENCES | 447 |
| 3.3.7.1. Overview of taxa of aquatic insects | 417 | | |
| 3.3.7.2. Aquatic insect assemblages and their typology | 418 | INDEXES | |
| 3.3.7.3. Models of cretaceous and cainozoic evolution of aquatic insect assemblages | 425 | General index | 495 |
| 3.4. Geographical history of insects <i>K.Yu. Eskov</i> | 427 | Index to taxon names | 498 |
| 3.4.1. Introductory remarks | 427 | Index to straton names | 511 |
| 3.4.2. Devonian stage of insect evolution | 427 | Index to geographic names | 513 |