

GEOLOGICAL SOCIETY MEMOIR NO. 22

Deep-Water Contourite Systems: Modern Drifts and Ancient Series, Seismic and Sedimentary Characteristics

EDITED BY

D. A. V. STOW

University of Southampton, UK

C. J. PUDSEY

British Antarctic Survey, UK

J. A. HOWE

Scottish Association for Marine Science, UK

J.-C. FAUGÈRES


University of Bordeaux, France

A. R. VIANA

PETROBRAS E&P, Brazil

2002

Published by
The Geological Society
London



Contents

| | |
|---|-----|
| Preface | vi |
| MCCAVE, I. N. Charles Davis Hollister, 1936–1999: A personal scientific appreciation of the father of ‘contourites’ | 1 |
| STOW, D. A. V., FAUGÈRES, J.-C., HOWE, J. A., PUDSEY, C. J. & VIANA, A. R. Bottom currents, contourites and deep-sea sediment drifts: current state-of-the-art | 7 |
| MCCAVE, I. N., CHANDLER, R. C., SWIFT, S. A. & TUCHOLKE, B. E. Contourites of the Nova Scotian continental rise and the HEBBLE area | 21 |
| TUCHOLKE, B. E. The Greater Antilles Outer Ridge: development of a distal sedimentary drift by deposition of fine-grained contourites | 39 |
| LABERG, J. S., VORREN, T. O. & KNUITSEN, S.-M. The Lofoten Drift, Norwegian Sea, | 57 |
| HOWE, J. A., STOKER, M. S., STOW, D. A. V. & AKHURST, M. C. Sediment drifts and contourite sedimentation in the northeastern Rockall Trough and Faroe–Shetland Channel, North Atlantic Ocean | 65 |
| AKHURST, M. C., STOW, D. A. V. & STOKER, M. S. Late Quaternary glacialic contourite, debris flow and turbidite process interaction in the Faroe–Shetland Channel, NW European continental margin | 73 |
| KNUTZ, P. C., JONES, E. J. W., HOWE, J. A., VAN WEERING, T. J. C. & STOW, D. A. V. Wave-form sheeted contourite drift on the Barra Fan, NW UK continental margin | 85 |
| STOW, D. A. V., ARMISHAW, J. E. & HOLMES, R. Holocene contourite sand sheet on the Barra Fan slope, NW Hebridean margin | 99 |
| SIVKOV, V., GORBATSKIY, V., KULESHOV, A. & ZHUROV, Y. Muddy contourites in the Baltic Sea: an example of a shallow-water contourite system | 121 |
| STOW, D. A. V., FAUGÈRES, J.-C., GONTHIER, E., CREMER, M., LLAVE, E., HERNÁNDEZ-MOLINA, F. J., SOMOZA, L. & DÍAZ-DEL-RÍO, V. Faro–Albufeira drift complex, northern Gulf of Cadiz | 137 |
| ERCILLA, G., BARAZA, J., ALONSO, B., ESTRADA, F., CASAS, D. & FARRÁN, M. The Ceuta Drift, Alboran Sea, southwestern Mediterranean | 155 |
| REEDER, M. S., ROTHWELL, G. & STOW, D. A. V. The Sicilian gateway: anatomy of the deep-water connection between East and West Mediterranean basins | 171 |
| ROVERI, M. Sediment drifts of the Corsica Channel, northern Tyrrhenian Sea | 191 |
| FAUGÈRES, J.-C., ZARAGOSI, S., MÉZERAIS, M. L. & MASSÉ, L. The Vema contourite fan in the south Brazilian basin | 209 |
| FAUGÈRES, J.-C., LIMA, A. F., MASSÉ, L. & ZARAGOSI, S. The Columbia Channel–Levee system: a fan drift in the southern Brazil Basin | 223 |
| GOMES, P. O. & VIANA, A. R. Contour currents, sediment drifts and abyssal erosion on the northeastern continental margin off Brazil | 239 |
| VIANA, A. R., HERCOS, C. M., DE ALMEIDA JR., W., MAGALHÃES, J. L. C. & DE ANDRADE, S. B. Evidence of bottom current influence on the Neogene to Quaternary sedimentation along the northern Campos slope, SW Atlantic Margin | 249 |
| VIANA, A. R., DE ALMEIDA JR., W. & DE ALMEIDA, C. W. Upper slope sands: late Quaternary shallow-water sandy contourites of Campos Basin, SW Atlantic Margin | 261 |
| UENZELMANN-NEBEN, G. Contourites on the Agulhas Plateau, SW Indian Ocean: indications for the evolution of currents since Palaeogene times | 271 |
| PUDSEY, C. J. The Weddell Sea: contourites and hemipelagites at the northern margin of the Weddell Gyre | 289 |
| MICHEL, K. H., KUHN, G., HILLENBRAND, C.-D., DIEKMANN, B., FÜTTERER, D. K., GROBE, H. & UENZELMANN-NEBEN, G. The southern Weddell Sea: combined contourite–turbidite sedimentation at the southeastern margin of the Weddell Gyre | 305 |
| PUDSEY, C. J. & HOWE, J. A. Mixed biosiliceous–terrigenous sedimentation under the Antarctic Circumpolar Current, Scotia Sea | 325 |
| CUNNINGHAM, A. P., HOWE, J. A. & BARKER, P. F. Contourite sedimentation in the Falkland Trough, western South Atlantic | 337 |
| REBESCO, M., PUDSEY, C. J., CANALS, M., CAMERLENGHI, A., BARKER, P. F., ESTRADA, F. & GIORGETTI, A. Sediment drifts and deep-sea channel systems, Antarctic Peninsula Pacific Margin | 353 |
| ESCIUTIA, C., NELSON, C. H., ACTON, G. D., EITREIM, S. L., COOPER, A. K., WARNKE, D. A. & JARAMILLO, J. M. Current controlled deposition on the Wilkes Land continental rise, Antarctica | 373 |
| CARTER, L. & MCCAVE, I. N. Eastern New Zealand drifts, Miocene–Recent | 385 |
| STOW, D. A. V., OGAWA, Y., LEE, I. T. & MITSUZAWA, K. Neogene contourites, Miura–Boso forearc basin, SE Japan | 409 |
| ITO, M. Kuroshio Current-influenced sandy contourites from the Plio-Pleistocene Kazusa forearc basin, Boso Peninsula, Japan | 421 |
| LUO, S., GAO, Z., HE, Y. & STOW, D. A. V. Ordovician carbonate contourite drifts in Hunan and Gansu Provinces, China | 433 |
| STOW, D. A. V., KAHLER, G. & REEDER, M. Fossil contourites: type example from an Oligocene palaeoslope system, Cyprus | 443 |
| Index | 457 |

It is recommended that reference to all or part of this book should be made in one of the following ways:

STOW, D. A. V., PUDSEY, C. J., HOWE, J. A., FAUGÈRES, J.-C. & VIANA, A. R. (eds). 2002. *Deep-Water Contourite Systems: Modern Drifts and Ancient Series, Seismic and Sedimentary Characteristics*. Geological Society, London, *Memoirs*, **22**.

AKHURST, M. C., STOW, D. A. V. & STOKER, M. S. 2002. Late Quaternary glacialic contourite, debris flow and turbidite process interaction in the Faroe–Shetland Channel, NW European continental margin. *In*: STOW, D. A. V., PUDSEY, C. J., HOWE, J. A., FAUGÈRES, J.-C. & VIANA, A. R. (eds) *Deep-Water Contourite Systems: Modern Drifts and Ancient Series, Seismic and Sedimentary Characteristics*. Geological Society, London, *Memoirs*, **22**, 73–84.