

Contents in Brief

Preface iii

I Foundations of Biochemistry 1

- 1 The Molecular Logic of Life 3
- 2 Cells 20
- 3 Biomolecules 53
- 4 Water 82

II Structure and Catalysis 113

- 5 Amino Acids, Peptides, and Proteins 115
- 6 The Three-Dimensional Structure of Proteins 159
- 7 Protein Function 203
- 8 Enzymes 243
- 9 Carbohydrates and Glycobiology 293
- 10 Nucleotides and Nucleic Acids 325
- 11 Lipids 363
- 12 Biological Membranes and Transport 389
- 13 Biosignaling 437

III Bioenergetics and Metabolism 485

- 14 Principles of Bioenergetics 490
- 15 Glycolysis and the Catabolism of Hexoses 527
- 16 The Citric Acid Cycle 567
- 17 Oxidation of Fatty Acids 598
- 18 Amino Acid Oxidation and the Production of Urea 623
- 19 Oxidative Phosphorylation and Photophosphorylation 659
- 20 Carbohydrate Biosynthesis 722
- 21 Lipid Biosynthesis 770
- 22 Biosynthesis of Amino Acids, Nucleotides, and Related Molecules 818
- 23 Integration and Hormonal Regulation of Mammalian Metabolism 869

IV Information Pathways 905

- 24 Genes and Chromosomes 907
- 25 DNA Metabolism 931
- 26 RNA Metabolism 979
- 27 Protein Metabolism 1020
- 28 Regulation of Gene Expression 1072
- 29 Recombinant DNA Technology 1119

Appendix A Common Abbreviations in the Biochemical Research Literature AP-1

Appendix B Abbreviated Solutions to Problems AP-4

Glossary G-1

Illustration Credits IC-1

Index I-1

Contents

Preface iii

I Foundations of Biochemistry 1

1 The Molecular Logic of Life 3

The Chemical Unity of Diverse Living Organisms 3

Biochemistry Explains Diverse Forms of Life in Unifying Chemical Terms 4

All Macromolecules Are Constructed from a Few Simple Compounds 5

Energy Production and Consumption in Metabolism 6

Organisms Are Never at Equilibrium with Their Surroundings 6

Molecular Composition Reflects a Dynamic Steady State 6

Organisms Transform Energy and Matter from Their Surroundings 7

The Flow of Electrons Provides Energy for Organisms 8

Energy Coupling Links Reactions in Biology 9

Enzymes Promote Sequences of Chemical Reactions 11

Metabolism Is Regulated to Achieve Balance and Economy 12

Biological Information Transfer 13

Genetic Continuity Is Vested in DNA Molecules 13

The Structure of DNA Allows for Its Repair and Replication with Near-Perfect Fidelity 14

Changes in the Hereditary Instructions Allow Evolution 14

Molecular Anatomy Reveals Evolutionary Relationships 15

The Linear Sequence in DNA Encodes Proteins with Three-Dimensional Structures 16

Noncovalent Interactions Stabilize Three-Dimensional Structures 17

The Physical Roots of the Biochemical World 18

Further Reading 19

2 Cells 20

Cellular Dimensions 21

Cells and Tissues Used in Biochemical Studies 22

Evolution and Structure of Prokaryotic Cells 24

Escherichia coli Is the Best-Studied Prokaryotic Cell 26

Evolution of Eukaryotic Cells 27

Eukaryotic Cells Evolved from Prokaryotes in Several Stages 28

Early Eukaryotic Cells Gave Rise to Diverse Protists 29

Major Structural Features of Eukaryotic Cells 29

The Plasma Membrane Contains Transporters and Receptors 30

Endocytosis and Exocytosis Carry Traffic across the Plasma Membrane 31

The Endoplasmic Reticulum Organizes the Synthesis of Proteins and Lipids 32

The Golgi Complex Processes and Sorts Proteins 33

Lysosomes Are the Sites of Degradative Reactions 33

Vacuoles of Plant Cells Play Several Important Roles 34

Peroxisomes Destroy Hydrogen Peroxide, and Glyoxysomes Convert Fats to Carbohydrates 34

The Nucleus Contains the Genome 35

Mitochondria Are the Power Plants of Aerobic Eukaryotic Cells 36

Chloroplasts Convert Solar Energy into Chemical Energy 37

Mitochondria and Chloroplasts Probably Evolved from Endosymbiotic Bacteria 38

The Cytoskeleton Stabilizes Cell Shape, Organizes the Cytoplasm, and Produces Motion 39

The Cytoplasm Is Crowded, Highly Ordered, and Dynamic 42

Study of Cellular Components 42

Organelles Can Be Isolated by Centrifugation 42

In Vitro Studies May Overlook Important Interactions among Molecules 42

Evolution of Multicellular Organisms and Cellular Differentiation 44

Viruses: Parasites of Cells 46

Summary 48 Further Reading 49 Problems 50





page 62

3 Biomolecules 53

Chemical Composition and Bonding 53

Biomolecules Are Compounds of Carbon 54

Functional Groups Determine Chemical Properties 56

Three-Dimensional Structure: Configuration and Conformation 57

The Configuration of a Molecule Is Changed Only by Breaking a Bond 58

Molecular Conformation Is Changed by Rotation About Single Bonds 60

■ **Box 3–1** *Louis Pasteur and Optical Activity: In Vino, Veritas* 61

Configuration and Conformation Define Biomolecular Structures 62

Interactions between Biomolecules Are Stereospecific 63

Chemical Reactivity 64

Bond Strength Is Related to the Properties of the Bonded Atoms 64

Five General Types of Chemical Transformations Occur in Cells 65

All Oxidation-Reduction Reactions Involve Electron Transfer 65

Carbon-Carbon Bonds Are Cleaved and Formed by Nucleophilic Substitution Reactions 66

Electron Transfers within a Molecule Produce Internal Rearrangements 67

Group Transfer Reactions Activate Metabolic Intermediates 68

Biopolymers Are Formed by Condensations 69

Macromolecules and Their Monomeric Subunits 69

Macromolecules Are the Major Constituents of Cells 69

Macromolecules Are Composed of Monomeric Subunits 70

Monomeric Subunits Have Simple Structures 70

Subunit Condensation Creates Order and Requires Energy 72

Cells Have a Structural Hierarchy 72

Prebiotic Evolution 74

Biomolecules First Arose by Chemical Evolution 74

Chemical Evolution Can Be Simulated in the Laboratory 74

RNA or Related Precursors May Have Been the First Genes and Catalysts 75

Biological Evolution Began More Than Three and a Half Billion Years Ago 76

Summary 78

Further Reading 78

Problems 80

4 Water 82

Weak Interactions in Aqueous Systems 82

- Hydrogen Bonding Gives Water Its Unusual Properties 82
- Water Forms Hydrogen Bonds with Polar Solutes 85
- Water Interacts Electrostatically with Charged Solutes 86
- Entropy Increases as Crystalline Substances Dissolve 87
- Nonpolar Gases Are Poorly Soluble in Water 88
- Nonpolar Compounds Force Energetically Unfavorable Changes in the Structure of Water 88
- Van der Waals Interactions Are Weak Interatomic Attractions 90
- Weak Interactions Are Crucial to Macromolecular Structure and Function 90
- Solutes Affect the Colligative Properties of Aqueous Solutions 92
- **Box 4–1** *Touch Response in Plants: An Osmotic Event* 94

Ionization of Water, Weak Acids, and Weak Bases 95

- Pure Water Is Slightly Ionized 95
- The Ionization of Water Is Expressed by an Equilibrium Constant 96
- **Box 4–2** *The Ion Product of Water: Two Illustrative Problems* 97
- The pH Scale Designates the H^+ and OH^- Concentrations 97
- Weak Acids and Bases Have Characteristic Dissociation Constants 98
- Titration Curves Reveal the pK_a of Weak Acids 99

Buffering against pH Changes in Biological Systems 101

- Buffers Are Mixtures of Weak Acids and Their Conjugate Bases 102
- A Simple Expression Relates pH, pK , and Buffer Concentration 102
- **Box 4–3** *Solving Problems Using the Henderson-Hasselbalch Equation* 103
- Weak Acids or Bases Buffer Cells and Tissues against pH Changes 104
- **Box 4–4** *Blood, Lungs, and Buffer: The Bicarbonate Buffer System* 105

Water as a Reactant 106

The Fitness of the Aqueous Environment for Living Organisms 107

- Summary 107 Further Reading 108
- Problems 109

II Structure and Catalysis 113

5 Amino Acids, Peptides, and Proteins 115

Amino Acids 116

- Amino Acids Share Common Structural Features 116
- The Amino Acid Residues in Proteins Are L Stereoisomers 117
- Amino Acids Can Be Classified by R Group 118
- **Box 5–1** *Absorption of Light by Molecules: The Lambert-Beer Law* 121
- Nonstandard Amino Acids Also Have Important Functions 121
- Amino Acids Can Act as Acids and Bases 123
- Amino Acids Have Characteristic Titration Curves 123
- Titration Curves Predict the Electric Charge of Amino Acids 125
- Amino Acids Differ in Their Acid-Base Properties 125

Peptides and Proteins 126

- Peptides Are Chains of Amino Acids 126
- Peptides Can Be Distinguished by Their Ionization Behavior 127
- Biologically Active Peptides and Polypeptides Occur in a Vast Range of Sizes 127
- Polypeptides Have Characteristic Amino Acid Compositions 128
- Some Proteins Contain Chemical Groups Other Than Amino Acids 129
- There Are Several Levels of Protein Structure 129

Working with Proteins 130

- Proteins Can Be Separated and Purified 130
- Proteins Can Be Separated and Characterized by Electrophoresis 134
- Unseparated Proteins Can Be Quantified 136

The Covalent Structure of Proteins 137

- The Function of a Protein Depends on Its Amino Acid Sequence 138
 - The Amino Acid Sequences of Numerous Proteins Have Been Determined 138
 - **Box 5–2** *Protein Homology among Species* 139
 - Short Polypeptides Are Sequenced Using Automated Procedures 141
 - Large Proteins Must Be Sequenced in Smaller Segments 142
 - Amino Acid Sequences Can Also Be Deduced by Other Methods 145
 - **Box 5–3** *Investigating Proteins with Mass Spectrometry* 146
 - Amino Acid Sequences Provide Important Biochemical Information 150
 - Small Peptides and Proteins Can Be Chemically Synthesized 150
- Summary 152 Further Reading 153**
Problems 154

6 The Three-Dimensional Structure of Proteins 159

Overview of Protein Structure 159

- A Protein's Conformation Is Stabilized Largely by Weak Interactions 160
- The Peptide Bond Is Rigid and Planar 161

Protein Secondary Structure 163

- The α Helix Is a Common Protein Secondary Structure 163
 - **Box 6–1** *Knowing the Right Hand from the Left* 165
- Amino Acid Sequence Affects α Helix Stability 165
- The β Conformation Organizes Polypeptide Chains into Sheets 166
- β Turns Are Common in Proteins 168
- Common Secondary Structures Have Characteristic Bond Angles and Amino Acid Content 169

Protein Tertiary and Quaternary Structures 170


- Fibrous Proteins Are Adapted for a Structural Function 170
 - **Box 6–2** *Permanent Waving Is Biochemical Engineering* 172
- Structural Diversity Reflects Functional Diversity in Globular Proteins 175
- Myoglobin Provided Early Clues about the Complexity of Globular Protein Structure 175
 - **Box 6–3** *Methods for Determining the Three-Dimensional Structure of a Protein* 178
- Globular Proteins Have a Variety of Tertiary Structures 182
- Analysis of Many Globular Proteins Reveals Common Structural Patterns 183

Protein Motifs Are the Basis for Protein Structural Classification	185
Protein Quaternary Structures Range from Simple Dimers to Large Complexes	188
There Are Limits to the Size of Proteins	191
Protein Denaturation and Folding	191
Loss of Protein Structure Results in Loss of Function	192
Amino Acid Sequence Determines Tertiary Structure	192
Polypeptides Fold Rapidly by a Stepwise Process	193
▪ Box 6–4 <i>Death by Misfolding: The Prion Diseases</i>	196
Some Proteins Undergo Assisted Folding	196
Summary	199
Problems	200
Further Reading	200

7 Protein Function 203

Reversible Binding of a Protein to a Ligand: Oxygen-Binding Proteins 204

Oxygen Can Be Bound to a Heme Prosthetic Group	204
Myoglobin Has a Single Binding Site for Oxygen	206
Protein-Ligand Interactions Can Be Described Quantitatively	206
Protein Structure Affects How Ligands Bind	209
Oxygen Is Transported in Blood by Hemoglobin	210
Hemoglobin Subunits Are Structurally Similar to Myoglobin	210
Hemoglobin Undergoes a Structural Change on Binding Oxygen	212
Hemoglobin Binds Oxygen Cooperatively	214
Cooperative Ligand Binding Can Be Described Quantitatively	215
Two Models Suggest Mechanisms for Cooperative Binding	215
Hemoglobin Also Transports H ⁺ and CO ₂	216
Oxygen Binding to Hemoglobin Is Regulated by 2,3-Bisphosphoglycerate	218
Sickle-Cell Anemia Is a Molecular Disease of Hemoglobin	219
Complementary Interactions between Proteins and Ligands: The Immune System and Immunoglobulins	221
The Immune Response Features a Specialized Array of Cells and Proteins	222
Self Is Distinguished from Nonself by the Display of Peptides on Cell Surfaces	223
Molecular Interactions at Cell Surfaces Trigger the Immune Response	225
Antibodies Have Two Identical Antigen-Binding Sites	228



Antibodies Bind Tightly and Specifically to Antigen 230
 The Antibody-Antigen Interaction Is the Basis for a Variety of
 Important Analytical Procedures 231

**Protein Interactions Modulated by Chemical Energy: Actin,
 Myosin, and Molecular Motors 233**

The Major Proteins of Muscle Are Myosin and Actin 233
 Additional Proteins Organize the Thin and Thick Filaments into
 Ordered Structures 235
 Myosin Thick Filaments Slide along Actin Thin Filaments 237

Summary 238 Further Reading 239
Problems 240

8 Enzymes 243

An Introduction to Enzymes 244

Most Enzymes Are Proteins 244
 Enzymes Are Classified by the Reactions They Catalyze 246

How Enzymes Work 246

Enzymes Affect Reaction Rates, Not Equilibria 247
 Reaction Rates and Equilibria Have Precise Thermodynamic
 Definitions 249
 A Few Principles Explain the Catalytic Power and Specificity of
 Enzymes 250
 Weak Interactions between Enzyme and Substrate Are Optimized
 in the Transition State 251
 Binding Energy Contributes to Reaction Specificity and
 Catalysis 253
 Specific Catalytic Groups Contribute to Catalysis 255

**Enzyme Kinetics As an Approach to Understanding
 Mechanism 257**

Substrate Concentration Affects the Rate of Enzyme-Catalyzed
 Reactions 257
 The Relationship between Substrate Concentration and Reaction
 Rate Can Be Expressed Quantitatively 259
 ■ **Box 8–1 Transformations of the Michaelis-Menten Equation: The
 Double-Reciprocal Plot 261**
 Kinetic Parameters Are Used to Compare Enzyme Activities 261
 Many Enzymes Catalyze Reactions with Two or More
 Substrates 264
 Pre-Steady State Kinetics Can Provide Evidence for Specific
 Reaction Steps 265
 Enzymes Are Subject to Inhibition 265
 Reversible Inhibition Can Be Competitive, Uncompetitive, or
 Mixed 266



▪ **Box 8–2** *Kinetic Tests for Determining Inhibition Mechanisms* 267

Irreversible Inhibition Is an Important Tool in Enzyme Research and Pharmacology 268

Enzyme Activity Is Affected by pH 269

Examples of Enzymatic Reactions 269

▪ **Box 8–3** *Evidence for Enzyme–Transition State Complementarity* 270

Reaction Mechanisms Illustrate Principles 272

Regulatory Enzymes 278

Allosteric Enzymes Undergo Conformational Changes in Response to Modulator Binding 278

The Regulatory Step in Many Pathways Is Catalyzed by an Allosteric Enzyme 280

The Kinetic Properties of Allosteric Enzymes Diverge from Michaelis-Menten Behavior 280

Some Regulatory Enzymes Undergo Reversible Covalent Modification 281

Phosphoryl Groups Affect the Structure and Catalytic Activity of Proteins 282

Multiple Phosphorylations Allow Exquisite Regulatory Control 284

Some Types of Regulation Require Proteolytic Cleavage of an Enzyme Precursor 286

Some Regulatory Enzymes Use Multiple Regulatory Mechanisms 287

Summary 288 **Further Reading** 289
Problems 290

9 Carbohydrates and Glycobiology 293

Monosaccharides and Disaccharides 294

The Two Families of Monosaccharides Are Aldoses and Ketoses 294

Monosaccharides Have Asymmetric Centers 295

The Common Monosaccharides Have Cyclic Structures 297

Organisms Contain a Variety of Hexose Derivatives 299

Monosaccharides Are Reducing Agents 301

Disaccharides Contain a Glycosidic Bond 301

Polysaccharides 303

Starch and Glycogen Are Stored Fuels 304

Cellulose and Chitin Are Structural Homopolysaccharides 306

Bacterial Cell Walls Contain Peptidoglycans 307

Glycosaminoglycans Are Components of the Extracellular Matrix 308

Glycoconjugates: Proteoglycans, Glycoproteins, and Glycolipids 311

Proteoglycans Are Glycosaminoglycan-Containing Macromolecules of the Cell Surface and Extracellular Matrix 311

Glycoproteins Are Information-Rich Conjugates Containing Oligosaccharides 313

Glycolipids and Lipopolysaccharides Are Membrane Components 314

Oligosaccharide-Lectin Interactions Mediate Many Biological Processes 315

Analysis of Carbohydrates 318

Summary 320 **Further Reading** 321
Problems 322

10 Nucleotides and Nucleic Acids 325

Some Basics 325

Nucleotides and Nucleic Acids Have Characteristic Bases and Pentoses 325

Phosphodiester Bonds Link Successive Nucleotides in Nucleic Acids 329

The Properties of Nucleotide Bases Affect the Three-Dimensional Structure of Nucleic Acids 331

Nucleic Acid Structure 332

DNA Stores Genetic Information 333

DNA Molecules Have Distinctive Base Compositions 334

DNA Is a Double Helix 335

DNA Can Occur in Different Three-Dimensional Forms 337

Certain DNA Sequences Adopt Unusual Structures 339

Messenger RNAs Code for Polypeptide Chains 341

Many RNAs Have More Complex Three-Dimensional Structures 342

Nucleic Acid Chemistry 345

Double-Helical DNA and RNA Can Be Denatured 345

Nucleic Acids from Different Species Can Form Hybrids 347

Nucleotides and Nucleic Acids Undergo Nonenzymatic Transformations 348

Some Bases of DNA Are Methylated 351

The Sequences of Long DNA Strands Can Be Determined 351

The Chemical Synthesis of DNA Has Been Automated 354

Other Functions of Nucleotides 354

Nucleotides Carry Chemical Energy in Cells 354

Adenine Nucleotides Are Components of Many Enzyme Cofactors 356

Some Nucleotides Are Regulatory Molecules 358

Summary 359 Further Reading 360
Problems 361

11 Lipids 363

Storage Lipids 363

Fatty Acids Are Hydrocarbon Derivatives 363

Triacylglycerols Are Fatty Acid Esters of Glycerol 366

Triacylglycerols Provide Stored Energy and Insulation 366

▪ **Box 11–1** *Sperm Whales: Fatheads of the Deep* 367

Many Foods Contain Triacylglycerols 368

Waxes Serve as Energy Stores and Water Repellents 368

Structural Lipids in Membranes 369

Glycerophospholipids Are Derivatives of Phosphatidic Acid 369

Some Phospholipids Have Ether-Linked Fatty Acids 371

Sphingolipids Are Derivatives of Sphingosine 372

Sphingolipids at Cell Surfaces Are Sites of Biological Recognition 373

Phospholipids and Sphingolipids Are Degraded in Lysosomes 374

▪ **Box 11–2** *Inherited Human Diseases Resulting from Abnormal Accumulations of Membrane Lipids* 375

Sterols Have Four Fused Carbon Rings 376


Lipids as Signals, Cofactors, and Pigments 376

Phosphatidylinositols Act as Intracellular Signals 377

Eicosanoids Carry Messages to Nearby Cells 378

Steroid Hormones Carry Messages between Tissues 379

Vitamins A and D Are Hormone Precursors 380



page 411

Vitamins E and K and the Lipid Quinones Are Oxidation-Reduction Cofactors 382

Dolichols Activate Sugar Precursors for Biosynthesis 382

Separation and Analysis of Lipids 383

Lipid Extraction Requires Organic Solvents 384

Adsorption Chromatography Separates Lipids of Different Polarity 384

Gas-Liquid Chromatography Resolves Mixtures of Volatile Lipid Derivatives 385

Specific Hydrolysis Aids in Determination of Lipid Structure 385

Mass Spectrometry Reveals Complete Lipid Structure 386

Summary 386 Further Reading 387

Problems 388

12 Biological Membranes and Transport 389

The Molecular Constituents of Membranes 390

Each Type of Membrane Has Characteristic Lipids and Proteins 390

The Supramolecular Architecture of Membranes 391

A Lipid Bilayer Is the Basic Structural Element of Membranes 392

Membrane Lipids Are in Constant Motion 394

Membrane Proteins Diffuse Laterally in the Bilayer 395

▪ **Box 12-1** *Looking at Membranes* 396

Some Membrane Proteins Span the Lipid Bilayer 396

Peripheral Membrane Proteins Are Easily Solubilized 398

Covalently Attached Lipids Anchor Some Peripheral Membrane Proteins 400

Integral Proteins Are Held in the Membrane by Hydrophobic Interactions with Lipids 400

The Topology of an Integral Membrane Protein Can Sometimes Be Predicted from Its Sequence 402

Integral Proteins Mediate Cell-Cell Interactions and Adhesion 404

Membrane Fusion Is Central to Many Biological Processes 405


Solute Transport across Membranes 408

Passive Transport Is Facilitated by Membrane Proteins 408

Aquaporins Form Hydrophilic Transmembrane Channels for the Passage of Water 410

The Glucose Transporter of Erythrocytes Mediates Passive Transport 411

Chloride and Bicarbonate Are Cotransported across the Erythrocyte Membrane 413



page 418

- **Box 12–2** *Defective Glucose and Water Transport in Two Forms of Diabetes* 414
- Active Transport Results in Solute Movement against a Concentration or Electrochemical Gradient 415
- There Are at Least Four General Types of Transport ATPases 416
- **Box 12–3** *A Defective Ion Channel Causes Cystic Fibrosis* 418
- A P-Type ATPase Catalyzes Active Cotransport of Na^+ and K^+ 420
- ATP-Driven Ca^{2+} Pumps Maintain a Low Concentration of Calcium in the Cytosol 421
- Ion Gradients Provide the Energy for Secondary Active Transport 422
- Ion-Selective Channels Allow Rapid Movement of Ions across Membranes 424
- The Structure of a K^+ Channel Shows the Basis for Its Ion Specificity 424
- The Acetylcholine Receptor Is a Ligand-Gated Ion Channel 426
- The Neuronal Na^+ Channel Is a Voltage-Gated Ion Channel 428
- Ion-Channel Function Is Measured Electrically 429
- Defective Ion Channels Can Have Striking Physiological Consequences 430
- Porins Are Transmembrane Channels for Small Molecules 430
- Summary** 432 **Further Reading** 433
- Problems** 434

13 Biosignaling 437

Molecular Mechanisms of Signal Transduction 437

- **Box 13–1** *Scatchard Analysis Quantifies the Receptor-Ligand Interaction* 439

Gated Ion Channels 441

- Ion Channels Underlie Electrical Signaling in Excitable Cells 441
- The Nicotinic Acetylcholine Receptor Is a Ligand-Gated Ion Channel 443
- Voltage-Gated Ion Channels Produce Neuronal Action Potentials 444
- Neurons Have Receptor Channels That Respond to a Variety of Neurotransmitters 445

Receptor Enzymes 445

- The Insulin Receptor Is a Tyrosine-Specific Protein Kinase 445
- Guanylyl Cyclase Is a Receptor Enzyme That Generates the Second Messenger cGMP 448

G Protein–Coupled Receptors and Second Messengers 449

- The β -Adrenergic Receptor System Acts through the Second Messenger cAMP 449

- The β -Adrenergic Receptor Is Desensitized by Phosphorylation 454
- Cyclic AMP Acts as a Second Messenger for a Number of Regulatory Molecules 454
- Two Second Messengers Are Derived from Phosphatidylinositols 456
- Calcium Is a Second Messenger in Many Signal Transductions 457
- Sensory Transduction in Vision, Olfaction, and Gustation 458**
- Light Hyperpolarizes Rod and Cone Cells of the Vertebrate Eye 458
- Light Triggers Conformational Changes in the Receptor Rhodopsin 460
- Excited Rhodopsin Acts through the G Protein Transducin to Reduce the cGMP Concentration 460
- Signal Amplification Occurs in Rod and Cone Cells 460
- The Visual Signal Is Terminated Quickly 461
- Rhodopsin Is Desensitized by Phosphorylation 462
- Cone Cells Specialize in Color Vision 462
- **Box 13–2** *Color Blindness: John Dalton's Experiment from the Grave* 463
- Vertebrate Olfaction and Gustation Use Mechanisms Similar to the Visual System 463
- G Protein–Coupled Serpentine Receptor Systems Share Several Features 465
- Disruption of G-Protein Signaling Causes Disease 466
- Phosphorylation as a Regulatory Mechanism 467**
- Localization of Protein Kinases and Phosphatases Affects the Specificity for Target Proteins 467
- Regulation of Transcription by Steroid Hormones 468**
- Regulation of the Cell Cycle by Protein Kinases 469**
- The Cell Cycle Has Four Stages 469
- Levels of Cyclin-Dependent Protein Kinases Oscillate 469
- CDKs Regulate Cell Division by Phosphorylating Critical Proteins 473
- Oncogenes, Tumor Suppressor Genes, and Programmed Cell Death 474**
- Oncogenes Are Mutant Forms of the Genes for Proteins that Regulate the Cell Cycle 474
- Defects in Tumor Suppressor Genes Remove Normal Restraints on Cell Division 475
- Apoptosis Is Programmed Cell Suicide 476
- Summary 478 Further Reading 479**
- Problems 481**

III Bioenergetics and Metabolism 485

14 Principles of Bioenergetics 490

Bioenergetics and Thermodynamics 491

Biological Energy Transformations Obey the Laws of Thermodynamics 491

■ **Box 14–1** *Entropy: The Advantages of Being Disorganized* 492

Cells Require Sources of Free Energy 493

The Standard Free-Energy Change Is Directly Related to the Equilibrium Constant 494

Actual Free-Energy Changes Depend on Reactant and Product Concentrations 496

Standard Free-Energy Changes Are Additive 498

Phosphoryl Group Transfers and ATP 499

The Free-Energy Change for ATP Hydrolysis Is Large and Negative 500

■ **Box 14–2** *The Free Energy of Hydrolysis of ATP within Cells: The Real Cost of Doing Metabolic Business* 501

Other Phosphorylated Compounds and Thioesters Also Have Large Free Energies of Hydrolysis 502

ATP Provides Energy by Group Transfers, Not by Simple Hydrolysis 504

ATP Donates Phosphoryl, Pyrophosphoryl, and Adenylyl Groups 506

Assembly of Informational Macromolecules Requires Energy 508

ATP Energizes Active Transport and Muscle Contraction 508

■ **Box 14–3** *Firefly Flashes: Glowing Reports of ATP* 509

Transphosphorylations between Nucleotides Occur in All Cell Types 510

Inorganic Polyphosphate Is a Potential Phosphoryl Group Donor 511

Biochemical and Chemical Equations Are Not Identical 511

Biological Oxidation-Reduction Reactions 512

The Flow of Electrons Can Do Biological Work 512

Oxidation-Reductions Can Be Described as Half-Reactions 513

Biological Oxidations Often Involve Dehydrogenation 514

Reduction Potentials Measure Affinity for Electrons 515

Standard Reduction Potentials Can Be Used to Calculate the Free-Energy Change 516

Cellular Oxidation of Glucose to Carbon Dioxide Requires Specialized Electron Carriers 517

A Few Types of Coenzymes and Proteins Serve as Universal Electron Carriers 518

NADH and NADPH Act with Dehydrogenases as Soluble Electron Carriers 518

Flavin Nucleotides Are Tightly Bound in Flavoproteins 520

Summary 522 Further Reading 523

Problems 524

15 Glycolysis and the Catabolism of Hexoses 527

Glycolysis 527

An Overview: Glycolysis Has Two Phases 528

The Preparatory Phase of Glycolysis Requires ATP 532

The Payoff Phase of Glycolysis Produces ATP and NADH 535

The Overall Balance Sheet Shows a Net Gain of ATP 540

Intermediates Are Channeled between Glycolytic Enzymes 540

Glycolysis Is under Tight Regulation 541

Glucose Catabolism Is Deranged in Cancerous Tissue 541

Fates of Pyruvate under Aerobic and Anaerobic Conditions 542

Pyruvate Is the Terminal Electron Acceptor in Lactic Acid Fermentation 542

■ **Box 15–1** *Glycolysis at Limiting Concentrations of Oxygen: Athletes, Alligators, and Coelacanths* 543

■ **Box 15–2** *Brewing Beer* 544

Ethanol Is the Reduced Product in Alcohol Fermentation 544

Thiamine Pyrophosphate Carries “Active Aldehyde” Groups 545

Microbial Fermentations Yield Other End Products of Commercial Value 546

Feeder Pathways for Glycolysis 547

Glycogen and Starch Are Degraded by Phosphorolysis 547

Other Monosaccharides Enter the Glycolytic Pathway at Several Points 549

Dietary Polysaccharides and Disaccharides Are Hydrolyzed to Monosaccharides 550

Regulation of Carbohydrate Catabolism 551

Regulatory Enzymes Act as Metabolic Valves 551

Glycolysis and Gluconeogenesis Are Coordinately Regulated 553

Phosphofructokinase-1 Is under Complex Allosteric Regulation 554

Hexokinase Is Allosterically Inhibited by Its Reaction Product 555

■ **Box 15–3** *Isozymes: Different Proteins, Same Reaction* 556

Pyruvate Kinase Is Inhibited by ATP 556

Glycogen Phosphorylase Is Regulated Allosterically and Hormonally 557

The Pentose Phosphate Pathway of Glucose Oxidation 558

■ **Box 15–4** *Glucose 6-Phosphate Dehydrogenase Deficiency: Why Pythagoras Wouldn't Eat Falafel* 560

Summary 561 Further Reading 562

Problems 563

16 The Citric Acid Cycle 567

Production of Acetate 568

Pyruvate Is Oxidized to Acetyl-CoA and CO_2 568

The Pyruvate Dehydrogenase Complex Requires Five Coenzymes 569

The Pyruvate Dehydrogenase Complex Consists of Three Distinct Enzymes 570

Intermediates Remain Bound to the Enzyme Surface 570

Reactions of the Citric Acid Cycle 571

The Citric Acid Cycle Has Eight Steps 573

■ **Box 16–1** *Synthases and Synthetases; Ligases and Lyases; Kinases, Phosphatases, and Phosphorylases: Yes, the Names Are Confusing!* 576

The Energy of Oxidations in the Cycle Is Efficiently Conserved 579

■ **Box 16–2** *Citrate: A Symmetrical Molecule That Reacts Asymmetrically* 580

Why Is the Oxidation of Acetate So Complicated? 581

Citric Acid Cycle Components Are Important Biosynthetic Intermediates 583

■ **Box 16–3** *Citrate Synthase, Soda Pop, and the World Food Supply* 583

Anaplerotic Reactions Replenish Citric Acid Cycle Intermediates 584



Biotin in Pyruvate Carboxylase Carries CO_2 Groups 585

Regulation of the Citric Acid Cycle 586

Production of Acetyl-CoA by the Pyruvate Dehydrogenase Complex Is Regulated by Allosteric and Covalent Mechanisms 586

The Citric Acid Cycle Is Regulated at Its Three Exergonic Steps 587

The Glyoxylate Cycle 588

The Glyoxylate Cycle Produces Four-Carbon Compounds from Acetate 589

The Citric Acid and Glyoxylate Cycles Are Coordinately Regulated 590

Summary 592 Further Reading 592
Problems 594

17 Oxidation of Fatty Acids 598

Digestion, Mobilization, and Transport of Fats 599

Dietary Fats Are Absorbed in the Small Intestine 599

Hormones Trigger Mobilization of Stored Triacylglycerols 601

Fatty Acids Are Activated and Transported into Mitochondria 602

β Oxidation 604

The β Oxidation of Saturated Fatty Acids Has Four Basic Steps 604

The Four Steps Are Repeated to Yield Acetyl-CoA and ATP 605

▪ **Box 17–1** *Fat Bears Carry Out β Oxidation in Their Sleep* 606

Acetyl-CoA Can Be Further Oxidized in the Citric Acid Cycle 607

Oxidation of Unsaturated Fatty Acids Requires Two Additional Reactions 607

Complete Oxidation of Odd-Number Fatty Acids Requires Three Extra Reactions 608

▪ **Box 17–2** *Coenzyme B_{12} : A Radical Solution to a Perplexing Problem* 610

Fatty Acid Oxidation Is Tightly Regulated 612

Peroxisomes Also Carry Out β Oxidation 612

Plant Peroxisomes and Glyoxysomes Use Acetyl-CoA from β Oxidation as a Biosynthetic Precursor 613


The β -Oxidation Enzymes of Different Organelles Have Diverged during Evolution 614

Omega Oxidation Occurs in the Endoplasmic Reticulum 614

Genetic Defects in Fatty Acyl-CoA Dehydrogenases Cause Serious Disease 615

Ketone Bodies 615

Ketone Bodies Formed in the Liver Are Exported to Other Organs 616



Extrahepatic Tissues Use Ketone Bodies as Fuels 617
Ketone Bodies Are Overproduced in Diabetes and during Starvation 617

Summary 618 Further Reading 619
Problems 620

18 Amino Acid Oxidation and the Production of Urea 623

Metabolic Fates of Amino Groups 624

Dietary Protein Is Enzymatically Degraded to Amino Acids 626
Pyridoxal Phosphate Participates in the Transfer of α -Amino Groups to α -Ketoglutarate 628

▪ **Box 18–1 Assays for Tissue Damage 631**

Glutamate Releases Ammonia in the Liver 631
Glutamine Transports Ammonia in the Bloodstream 632
Alanine Transports Ammonia from Muscles to the Liver 632
Ammonia Is Toxic to Animals 633

Nitrogen Excretion and the Urea Cycle 634

Urea Is Produced from Ammonia in Five Enzymatic Steps 635
The Citric Acid and Urea Cycles Can Be Linked 636
The Activity of the Urea Cycle Is Regulated at Two Levels 636
Pathway Interconnections Reduce the Energetic Cost of Urea Synthesis 637
Genetic Defects in the Urea Cycle Can Be Life-Threatening 637
Natural Habitat Determines the Pathway for Nitrogen Excretion 638

Pathways of Amino Acid Degradation 639

Several Enzyme Cofactors Play Important Roles in Amino Acid Catabolism 640
Ten Amino Acids Are Degraded to Acetyl-CoA 643
Phenylalanine Catabolism Is Genetically Defective in Some People 646
Five Amino Acids Are Converted to α -Ketoglutarate 648
Four Amino Acids Are Converted to Succinyl-CoA 650
Branched-Chain Amino Acids Are Not Degraded in the Liver 651
▪ **Box 18–2 Scientific Sleuths Solve a Murder Mystery 654**
Asparagine and Aspartate Are Degraded to Oxaloacetate 653
Some Amino Acids Can Be Converted to Glucose, Others to Ketone Bodies 654

Summary 654 Further Reading 655
Problems 656

19 Oxidative Phosphorylation and Photophosphorylation 659

Oxidative Phosphorylation 660

Electron-Transfer Reactions in Mitochondria 660

Electrons Are Funneled to Universal Electron Acceptors 661
Electrons Pass through a Series of Membrane-Bound Carriers 662
Electron Carriers Function in Multienzyme Complexes 666
The Energy of Electron Transfer Is Efficiently Conserved in a Proton Gradient 672

Plant Mitochondria Have Alternative Mechanisms for Oxidizing NADH 673

▪ **Box 19–1 Alternative Respiratory Pathways and Hot, Stinking Plants 674**

ATP Synthesis 675

ATP Synthase Has Two Functional Domains, F_0 and F_1 678
ATP Is Stabilized Relative to ADP on the Surface of F_1 678
The Proton Gradient Drives the Release of ATP from the Enzyme Surface 679

Each β Subunit of ATP Synthase Can Assume Three Different Conformations 680

Rotational Catalysis Is Key to the Binding-Change Mechanism for ATP Synthesis 682

Chemiosmotic Coupling Allows Nonintegral Stoichiometries of O_2 Consumption and ATP Synthesis 683

The Proton-Motive Force Energizes Active Transport 684

Shuttle Systems Are Required for Mitochondrial Oxidation of Cytosolic NADH 685

Regulation of Oxidative Phosphorylation 686

Oxidative Phosphorylation Is Regulated by Cellular Energy Needs 687

Uncoupled Mitochondria in Brown Fat Produce Heat 687

ATP-Producing Pathways Are Coordinately Regulated 688

Mutations in Mitochondrial Genes Cause Human Disease 688

Mitochondria Probably Evolved from Endosymbiotic Bacteria 690

Photosynthesis: Harvesting Light Energy 691

General Features of Photophosphorylation 691

Photosynthesis in Higher Plants Takes Place in Chloroplasts 692

Light Drives Electron Flow in Chloroplasts 692

Light Absorption 693

Chlorophylls Absorb Light Energy for Photosynthesis 693

Accessory Pigments Extend the Range of Light Absorption 696

Chlorophyll Funnel Absorbed Energy to Reaction Centers by Exciton Transfer 697

The Central Photochemical Event: Light-Driven Electron Flow 699

Bacteria Have One of Two Types of Single Photochemical Reaction Centers 699

Kinetic and Thermodynamic Factors Prevent Energy Dissipation by Internal Conversion 702

In Higher Plants, Two Reaction Centers Act in Tandem 702

Spatial Separation of Photosystems I and II Prevents Exciton Larceny 705

The Cytochrome b_6f Complex Links Photosystems II and I 706

Cyanobacteria Use the Cytochrome b_6f Complex and Cytochrome c in Both Oxidative Phosphorylation and Photophosphorylation 706

Water Is Split by the Oxygen-Evolving Complex 707

ATP Synthesis by Photophosphorylation 708

A Proton Gradient Couples Electron Flow and Phosphorylation 708

The Approximate Stoichiometry of Photophosphorylation Has Been Established 709

Cyclic Electron Flow Produces ATP but Not NADPH or O_2 710

The ATP Synthase of Chloroplasts Is Like That of Mitochondria 710

Chloroplasts Probably Evolved from Endosymbiotic Cyanobacteria 711

Diverse Photosynthetic Organisms Use Hydrogen Donors Other Than Water 711

In Halophilic Bacteria, a Single Protein Absorbs Light and Pumps Protons to Drive ATP Synthesis 712

Summary 714 Further Reading 715

Problems 718



page 681

20 Carbohydrate Biosynthesis 722

Gluconeogenesis 723

Conversion of Pyruvate to Phosphoenolpyruvate Requires Two Exergonic Reactions 726

Conversion of Fructose 1,6-Bisphosphate to Fructose 6-Phosphate Is the Second Bypass 728

Conversion of Glucose 6-Phosphate to Free Glucose Is the Third Bypass 728

Gluconeogenesis Is Expensive 729

Citric Acid Cycle Intermediates and Many Amino Acids Are Glucogenic 730

Futile Cycles in Carbohydrate Metabolism Consume ATP 730

Gluconeogenesis and Glycolysis Are Reciprocally Regulated 731

Gluconeogenesis Converts Fats and Proteins to Glucose in Germinating Seeds 733

Biosynthesis of Glycogen, Starch, Sucrose, and Other Carbohydrates 735

UDP-Glucose Is the Substrate for Glycogen Synthesis 736

Glycogen Synthase and Glycogen Phosphorylase Are Reciprocally Regulated 738

ADP-Glucose Is the Substrate for Starch Synthesis in Plants and Glycogen Synthesis in Bacteria 739

UDP-Glucose Is the Substrate for Sucrose Synthesis in Plants 741

Lactose Synthesis Is Regulated in a Unique Way 742

UDP-Glucose Is an Intermediate in the Formation of Glucuronate and Vitamin C 743

Sugar Nucleotides Are Precursors in Bacterial Cell Wall Synthesis 744

▪ **Box 20-1** *Penicillin and β -Lactamase: The Magic Bullet versus the Bulletproof Vest* 746

Photosynthetic Carbohydrate Synthesis 746

Carbon Dioxide Assimilation Occurs in Three Stages 748

Each Triose Phosphate Synthesized from CO_2 Costs Six NADPH and Nine ATP 754

A Transport System Exports Triose Phosphates from the Chloroplast and Imports Phosphate 755

Regulation of Carbohydrate Metabolism in Plants 757

Rubisco Is Subject to Both Positive and Negative Regulation 757

Certain Enzymes of the Calvin Cycle Are Indirectly Activated by Light 758

The Use of Triose Phosphates for Sucrose and Starch Synthesis Is Tightly Regulated in Plants 759



page 805

- Photorespiration Results from Rubisco's Oxygenase Activity 760
 Some Plants Have a Mechanism to Minimize Photorespiration 761
Summary 763 Further Reading 765
Problems 766

21 Lipid Biosynthesis 770

- Biosynthesis of Fatty Acids and Eicosanoids 770**
 Malonyl-CoA Is Formed from Acetyl-CoA and Bicarbonate 770
 Fatty Acids Are Synthesized by a Repeating Reaction Sequence 772
 The Fatty Acid Synthase Complex Has Seven Different Active Sites 772
 Fatty Acid Synthase Receives the Acetyl and Malonyl Groups 774
 The Fatty Acid Synthase Reactions Are Repeated to Form Palmitate 776
 The Fatty Acid Synthase of Some Organisms Is Composed of Multifunctional Proteins 777
 Fatty Acid Synthesis Occurs in the Cytosol of Many Organisms but in the Chloroplasts of Plants 778
 Acetate Is Shuttled out of Mitochondria as Citrate 779
 Fatty Acid Biosynthesis Is Tightly Regulated 780
 Long-Chain Saturated Fatty Acids Are Synthesized from Palmitate 781
 Some Fatty Acids Are Desaturated 781
- **Box 21–1** *Mixed-Function Oxidases, Oxygenases, and Cytochrome P-450* 782
- Eicosanoids Are Formed from 20-Carbon Polyunsaturated Fatty Acids 784
- **Box 21–2** *Cyclooxygenase Isozymes and the Search for a Better Aspirin: Relief Is in (the Active) Site* 786
- Biosynthesis of Triacylglycerols 786**
 Triacylglycerols and Glycerophospholipids Are Synthesized from the Same Precursors 788
 Triacylglycerol Biosynthesis in Animals Is Regulated by Hormones 790
- Biosynthesis of Membrane Phospholipids 791**
 There Are Two Strategies for Attaching Head Groups 791
 Phospholipid Synthesis in *E. coli* Employs CDP-Diacylglycerol 792
 Eukaryotes Synthesize Anionic Phospholipids from CDP-Diacylglycerol 794
 Eukaryotic Pathways to Phosphatidylserine, Phosphatidylethanolamine, and Phosphatidylcholine Are Interrelated 794

- Plasmalogen Synthesis Requires Formation of an Ether-Linked Fatty Alcohol 796
- Sphingolipid and Glycerophospholipid Synthesis Share Precursors and Some Mechanisms 798
- Polar Lipids Are Targeted to Specific Cell Membranes 798
- Biosynthesis of Cholesterol, Steroids, and Isoprenoids 799**
- Cholesterol Is Made from Acetyl-CoA in Four Stages 799
- Cholesterol Has Several Fates 804
- Cholesterol and Other Lipids Are Carried on Plasma Lipoproteins 804
- **Box 21–3** *Apolipoprotein E Alleles Predict Incidence of Alzheimer's Disease* 808
- Cholesteryl Esters Enter Cells by Receptor-Mediated Endocytosis 809
- Cholesterol Biosynthesis Is Regulated by Several Factors 810
- Steroid Hormones Are Formed by Side Chain Cleavage and Oxidation of Cholesterol 812
- Intermediates in Cholesterol Biosynthesis Have Many Alternative Fates 812
- Summary 814 Further Reading 815**
Problems 816

22 Biosynthesis of Amino Acids, Nucleotides, and Related Molecules 818

Overview of Nitrogen Metabolism 819

- The Nitrogen Cycle Maintains a Pool of Biologically Available Nitrogen 819
- Nitrogen Is Fixed by Enzymes of the Nitrogenase Complex 820
- Ammonia Is Incorporated into Biomolecules through Glutamate and Glutamine 823
- Glutamine Synthetase Is a Primary Regulatory Point in Nitrogen Metabolism 824
- Several Classes of Reactions Play Special Roles in the Biosynthesis of Amino Acids and Nucleotides 826

Biosynthesis of Amino Acids 826

- α -Ketoglutarate Gives Rise to Glutamate, Glutamine, Proline, and Arginine 829
- Serine, Glycine, and Cysteine Are Derived from 3-Phosphoglycerate 829
- Three Nonessential and Six Essential Amino Acids Are Synthesized from Oxaloacetate and Pyruvate 831
- Chorismate Is a Key Intermediate in the Synthesis of Tryptophan, Phenylalanine, and Tyrosine 834
- Histidine Biosynthesis Uses Precursors of Purine Biosynthesis 839
- Amino Acid Biosynthesis Is under Allosteric Regulation 839

Molecules Derived from Amino Acids 840

- Glycine Is a Precursor of Porphyrins 840
- **Box 22–1** *Biochemistry of Kings and Vampires* 841
- Degradation of Heme Yields Bile Pigments 842
- Amino Acids Are Required for the Biosynthesis of Creatine and Glutathione 842
- D-Amino Acids Are Found Primarily in Bacteria 843
- Aromatic Amino Acids Are Precursors of Many Plant Substances 843
- Amino Acids Are Converted to Biological Amines by Decarboxylation 844
- **Box 22–2** *Curing African Sleeping Sickness with a Biochemical Trojan Horse* 846

Arginine Is the Precursor for Biological Synthesis of Nitric Oxide 848

Biosynthesis and Degradation of Nucleotides 848

De Novo Purine Synthesis Begins with PRPP 849

Purine Nucleotide Biosynthesis Is Regulated by Feedback Inhibition 852

Pyrimidine Nucleotides Are Made from Aspartate, PRPP, and Carbamoyl Phosphate 853

Pyrimidine Nucleotide Biosynthesis Is Regulated by Feedback Inhibition 855

Nucleoside Monophosphates Are Converted to Nucleoside Triphosphates 855

Ribonucleotides Are the Precursors of Deoxyribonucleotides 856

Thymidylate Is Derived from dCDP and dUMP 860

Degradation of Purines and Pyrimidines Produces Uric Acid and Urea, Respectively 861

Purine and Pyrimidine Bases Are Recycled by Salvage Pathways 862

Overproduction of Uric Acid Causes Gout 863

Many Chemotherapeutic Agents Target Enzymes in the Nucleotide Biosynthetic Pathways 863

Summary 865 Further Reading 866

Problems 867

23 Integration and Hormonal Regulation of Mammalian Metabolism 869

Tissue-Specific Metabolism: The Division of Labor 869

The Liver Processes and Distributes Nutrients 870

Adipose Tissue Stores and Supplies Fatty Acids 873

Muscle Uses ATP for Mechanical Work 874

The Brain Uses Energy for Transmission of Electrical Impulses 876

Blood Carries Oxygen, Metabolites, and Hormones 877

Hormonal Regulation of Fuel Metabolism 878

Epinephrine Signals Impending Activity 878

Glucagon Signals Low Blood Glucose 879

During Fasting and Starvation, Metabolism Shifts to Provide Fuel for the Brain 880

Insulin Signals High Blood Glucose 882

Cortisol Signals Stress, Including Low Blood Glucose 882

Diabetes Is a Defect in Insulin Production or Action 883

Hormones: Diverse Structures for Diverse Functions 884

Hormone Discovery and Purification Requires a Bioassay 884

▪ **Box 23–1** *How Is a Hormone Discovered? The Arduous Pathway to Purified Insulin* 885

Hormones Act through Specific High-Affinity Cellular Receptors 887

Hormones Are Chemically Diverse 889

What Regulates the Regulators? 893

Long-Term Regulation of Body Mass 896

Leptin Was Predicted by the Lipostat Theory 896

Many Factors Regulate Feeding Behavior and Energy Expenditure 898

Leptin Triggers a Regulatory Cascade 898

The Leptin System May Have Evolved to Regulate the Starvation Response 899

Summary 900 Further Reading 901

Problems 902

IV Information Pathways 905

24 Genes and Chromosomes 907

Chromosomal Elements 908

Genes Are Segments of DNA That Code for Polypeptide Chains and RNAs 908

Eukaryotic Chromosomes Are Very Complex 909

Many Eukaryotic Genes Contain Intervening Nontranscribed Sequences (Introns) 910

The Size and Sequence Structure of DNA Molecules 911

Viral DNA Molecules Are Relatively Small 911

Bacteria Contain Chromosomes and Extrachromosomal DNA 912

Eukaryotic Cells Contain More DNA Than Do Prokaryotes 914

Organelles of Eukaryotic Cells Also Contain DNA 915

DNA Supercoiling 915

Most Cellular DNA Is Underwound 917

DNA Underwinding Is Defined by Topological Linking Number 918

Topoisomerases Catalyze Changes in the Linking Number of DNA 921

DNA Compaction Requires a Special Form of Supercoiling 922

Chromatin and Nucleoid Structure 923

Histones Are Small, Basic Proteins 924

Nucleosomes Are the Fundamental Organizational Units of Chromatin 924

Nucleosomes Are Packed into Successively Higher-Order Structures 926

Bacterial DNA Is Also Highly Organized 927

Summary 928 Further Reading 929
Problems 930

25 DNA Metabolism 931

A Word about Terminology 933

DNA Replication 933

DNA Replication Is Governed by a Set of Fundamental Rules 933

DNA Is Degraded by Nucleases 936

DNA Is Synthesized by DNA Polymerases 936

Replication Is Very Accurate 938

E. coli Has at Least Five DNA Polymerases 939

- DNA Replication Requires Many Enzymes and Protein Factors 942
- Replication of the *E. coli* Chromosome Proceeds in Stages 942
- Replication in Eukaryotic Cells Is More Complex 948
- DNA Repair 949**
- Mutations Are Linked to Cancer 949
- All Cells Have Multiple DNA Repair Systems 950
- **Box 25–1** *DNA Repair and Cancer* 953
- The Interaction of Replication Forks with DNA Damage Leads to Recombination or Error-Prone Repair 958
- DNA Recombination 959**
- Homologous Genetic Recombination Has Multiple Functions 960
- Recombination during Meiosis Is Initiated with Double-Strand Breaks 962
- Recombination Requires Specific Enzymes 963
- All Aspects of DNA Metabolism Come Together to Repair Stalled Replication Forks 967
- Site-Specific Recombination Results in Precise DNA Rearrangements 967
- Complete Chromosome Replication Can Require Site-Specific Recombination 970
- Transposable Genetic Elements Move from One Location to Another 970
- Immunoglobulin Genes Are Assembled by Recombination 973
- Summary 975 Further Reading 976**
- Problems 977**

26 RNA Metabolism 979

- DNA-Dependent Synthesis of RNA 980**
- RNA Is Synthesized by RNA Polymerases 980
- RNA Synthesis Is Initiated at Promoters 983
- Transcription Is Regulated 984
- **Box 26–1** *RNA Polymerase Leaves Its Footprint on a Promoter* 985
- Specific Sequences Signal Termination of RNA Synthesis 986
- Eukaryotic Cells Have Three Kinds of Nuclear RNA Polymerases 986
- RNA Polymerase II Requires Many Other Proteins for Its Activity 987
- DNA-Dependent RNA Polymerase Can Be Selectively Inhibited 990
- RNA Processing 990**
- The Introns Transcribed into RNA Are Removed by Splicing 991



RNA Catalyzes Splicing 992
Eukaryotic mRNAs Undergo Additional Processing 997
Multiple Products Are Derived from One Gene by Differential RNA Processing 999
Ribosomal RNAs and tRNAs Also Undergo Processing 1000
Some Events in RNA Metabolism Are Catalyzed by RNA Enzymes 1003
Cellular mRNAs Are Degraded at Different Rates 1005
Polynucleotide Phosphorylase Makes Random RNA-like Polymers 1006

RNA-Dependent Synthesis of RNA and DNA 1007

Reverse Transcriptase Produces DNA from Viral RNA 1007
Retroviruses Cause Cancer and AIDS 1009
▪ **Box 26–2** *Fighting AIDS with Inhibitors of HIV Reverse Transcriptase* 1010
Many Transposons, Retroviruses, and Introns May Have a Common Evolutionary Origin 1010
Telomerase Is a Specialized Reverse Transcriptase 1012
Some Viral RNAs Are Replicated by RNA-Directed RNA Polymerase 1013
RNA Synthesis Offers Important Clues to Biochemical Evolution 1014

Summary 1017 Further Reading 1017
Problems 1019

27 Protein Metabolism 1020

The Genetic Code 1020

The Genetic Code Was Cracked Using Artificial mRNA Templates 1022
▪ **Box 27–1** *Translational Frameshifting and RNA Editing: mRNAs That Change Horses in Midstream* 1026
Wobble Allows Some tRNAs to Recognize More than One Codon 1028
▪ **Box 27–2** *Natural Variations in the Genetic Code* 1030
Overlapping Genes in Different Reading Frames Are Found in Some Viral DNAs 1032

Protein Synthesis 1034

The Ribosome Is a Complex Supramolecular Machine 1035
Transfer RNAs Have Characteristic Structural Features 1037
Stage 1: Aminoacyl-tRNA Synthetases Attach the Correct Amino Acids to Their tRNAs 1039
Stage 2: A Specific Amino Acid Initiates Protein Synthesis 1044
Stage 3: Peptide Bonds Are Formed in the Elongation Stage 1047
Stage 4: Termination of Polypeptide Synthesis Requires a Special Signal 1050
▪ **Box 27–3** *Induced Variation in the Genetic Code: Nonsense Suppression* 1051
Stage 5: Newly Synthesized Polypeptide Chains Undergo Folding and Processing 1053
Protein Synthesis Is Inhibited by Many Antibiotics and Toxins 1054

Protein Targeting and Degradation 1056

Posttranslational Modification of Many Eukaryotic Proteins Begins in the Endoplasmic Reticulum 1057
Glycosylation Plays a Key Role in Protein Targeting 1058
Proteins Are Targeted to Mitochondria and Chloroplasts by Similar Pathways 1061
Signal Sequences for Nuclear Transport Are Not Cleaved 1063

Bacteria Also Use Signal Sequences for Protein Targeting 1064
Cells Import Proteins by Receptor-Mediated Endocytosis 1065
Protein Degradation Is Mediated by Specialized Systems in All
Cells 1066

Summary 1067 Further Reading 1068
Problems 1069

28 Regulation of Gene Expression 1072

Principles of Gene Regulation 1074

RNA Polymerase Binds to DNA at Promoters 1074

Transcription Initiation Is Regulated by Proteins That Bind
to or near Promoters 1074

Most Prokaryotic Genes Are Regulated in Units Called
Operons 1077

The *lac* Operon Is Subject to Negative Regulation 1078

Regulatory Proteins Have Discrete DNA-Binding Domains 1080

Regulatory Proteins Also Have Protein-Protein Interaction
Domains 1084

Regulation of Gene Expression in Prokaryotes 1085

The *lac* Operon Is Subject to Positive Regulation 1086

The *ara* Operon Undergoes Both Positive and Negative Regulation
by a Single Regulatory Protein 1088

Many Genes for Amino Acid Biosynthesis Are Regulated by
Transcription Attenuation 1091

Induction of the SOS Response Requires the Destruction of
Repressor Proteins 1094

Synthesis of Ribosomal Proteins Is Coordinated with rRNA
Synthesis 1095

Some Genes Are Regulated by Genetic Recombination 1097

Regulation of Gene Expression in Eukaryotes 1099

Transcriptionally Active Chromatin Is Structurally Distinct from
Inactive Chromatin 1100

Modifications Increase the Accessibility of DNA 1100

Chromatin Is Remodeled by Acetylation and Nucleosomal
Displacements 1100

Many Eukaryotic Promoters Are Positively Regulated 1101

DNA-Binding Transactivators and Coactivators Facilitate Assembly
of the General Transcription Factors 1102

Three Classes of Proteins Are Involved in Transcriptional
Activation 1102

The Genes Required for Galactose Metabolism in Yeast Are
Subject to Both Positive and Negative Regulation 1104

DNA-Binding Transactivators Have a Modular Structure 1106

Eukaryotic Gene Expression Can Be Regulated by Intercellular and
Intracellular Signals 1106

Regulation Can Occur through Phosphorylation of Nuclear
Transcription Factors 1108

Many Eukaryotic mRNAs Are Subject to Translational
Repression 1108

Development Is Controlled by Cascades of Regulatory
Proteins 1109

Summary 1115 Further Reading 1116
Problems 1117

29 Recombinant DNA Technology 1119

DNA Cloning: The Basics 1119

Restriction Endonucleases and DNA Ligase Yield Recombinant
DNA 1120



page 1145

Cloning Vectors Allow Amplification of Inserted DNA
Segments 1124

Isolating a Gene from a Cellular Chromosome 1128

Cloning a Gene Often Requires a DNA Library 1128

Specific DNA Sequences Can Be Amplified 1129

Hybridization Allows the Detection of Specific Sequences 1131

▪ **Box 29-1** *A Potent Weapon in Forensic Medicine* 1132

DNA Microarrays Provide Compact Libraries for Studying Genes
and Their Expression 1134

Applications of Recombinant DNA Technology 1135

Cloned Genes Can Be Expressed 1135

Cloned Genes Can Be Altered 1136

Yeast Is an Important Eukaryotic Host for Recombinant
DNA 1138

Very Large DNA Segments Can Be Cloned in Yeast Artificial
Chromosomes 1138

▪ **Box 29-2** *The Human Genome and Human Gene Therapy* 1140

Cloning in Plants Is Aided by a Bacterial Plant Parasite 1140

Cloning in Animal Cells Points the Way to Human Gene
Therapy 1145

Recombinant DNA Technology Yields New Products
and Choices 1147

Summary 1148 **Further Reading 1149**
Problems 1150

**Appendix A Common Abbreviations in the
Biochemical Research Literature AP-1**

Appendix B Abbreviated Solutions to Problems AP-4

Illustration Credits IC-1

Glossary G-1

Index I-1