

Contents

List of Figures vii

List of Tables xi

Preface xiii

Part I. Ethnoarchaeology of Mobility

1. Bands as Characteristic of “Mobile Hunter-Gatherers” May Exist Only in the History of Anthropology 3
Lewis R. Binford
2. The Different Dimensions of Mobility among the Nukak Foragers of the Colombian Amazon 23
Gustavo G. Politis
3. Locational Analysis of Yanomamö Gardens and Villages Observed in Satellite Imagery 44
Nathan Craig and Napoleon A. Chagnon
4. Mobility and Houses in Southwestern Madagascar: Ethnoarchaeology among the Mikea and Their Neighbors 75
Robert L. Kelly, Lin Poyer, and Bram Tucker
5. How Much Land Do the Wana Use? 108
Michael S. Alvard
6. Forager Landscape Use and Residential Organization 127
Russell D. Greaves

Part II. Archaeological Studies of Mobility

7. Changing Mobility Roles at the Advent of Agriculture: A Biobehavioral Reconstruction 155
Marsha D. Ogilvie
8. The Grass Is Greener on the Other Side: A Study of Pastoral Mobility on the Eurasian Steppe of Southeastern Kazakhstan 184
Claudia Chang
9. From Atlatl to Bow and Arrow: Implicating Projectile Technology in Changing Systems of Hunter-Gatherer Mobility 201
Pei-Lin Yu
10. Two Steps Forward, One Step Back: The Inference of Mobility Patterns from Stone Tools 221
Frédéric Sellet

11. Local Raw Material Exploitation and Prehistoric Hunter-Gatherer
Mobility 240
Paul T. Thacker
12. Cycles of Aridity and Human Mobility: Risk Minimization among Late
Pleistocene Foragers of the Western Desert, Australia 262
Peter Veth

List of Contributors 283

Index 285

Figures

- 1.1. Log_{10} density by kilometers moved annually for mobile terrestrial animal-dependent cases 7
- 1.2. Log_{10} density by kilometers moved annually for mobile terrestrial plant-dependent cases 7
- 1.3. Log_{10} density by kilometers moved annually for mobile aquatic resource-dependent cases 8
- 1.4. Log_{10} density by kilometers moved annually for minimally mobile/non-mobile terrestrial plant-dependent cases 9
- 1.5. Log_{10} density by kilometers moved annually for minimally mobile/non-mobile aquatic resource-dependent cases 10
- 1.6. Number of conventions for augmenting kinship marked on plot of kilometers moved annually by subsistence diversity 13
- 2.1. Location of the Nukak territory in the Department of Guaviare (Colombia) 25
- 2.2. Approximate location of the four main regional groups (*munu*) 27
- 2.3. Construction of a new rainy-season residential camp 29
- 2.4. Displacement of a band during a residential move 30
- 2.5. Nukak man during a daily foraging trip 33
- 2.6. Hunting party seeking peccaries 35
- 2.7. Nukak man performing a nonacoustic ritual after the hunting of a monkey 36
- 3.1. Map showing the location of the two study areas 46
- 3.2. Tassel Cap transformed brightness factor image, indicating the location of select cultural features visible in the subscene 57
- 3.3. Digitized cultural features identified in the transformed Landsat 5 TM data and the 500-m buffer rings used to explore the distribution of garden area 60
- 3.4. Mean garden area divided by buffer area across all distance buffer classes 64
- 3.5. Mean old garden area divided by buffer area across all distance buffer classes 64
- 4.1. Map of the northern part of the Mikea Forest, showing all villages and hamlets 77
- 4.2. Architecture in villages and hamlets 80
- 4.3. Expedient shelters found in hamlets and camps 84

- 4.4. Histogram showing feature diversity with means for the villages, forest hamlets, seasonal hamlets, and foraging camps 89
- 4.5. Histogram showing coefficients of variation with means for villages, forest hamlets, and seasonal hamlets 94
- 5.1. Map of Morowali Nature Reserve, Sulawesi, Indonesia 109
- 5.2. Typical Wana house site with two visible house structures surrounded by fallow rice fields 111
- 5.3. Frequency distribution of ranges for the sample of 22 men 115
- 5.4. Plot of Log Body Mass and Log Home Range 118
- 5.5. Plot of Log Home Range and Log Percent of Diet Derived from Hunting for hunter-gatherers 120
- 6.1. Location of Pumé population in Venezuela 128
- 6.2. Location of Doro Aná study area and neighboring Pumé communities 129
- 6.3. Precipitation at Doro Aná study site, 1992–1993 131
- 6.4. Doro Aná dry-season architecture, 1993 132
- 6.5. Doro Aná wet-season camp, 1990 133
- 6.6. Hunting trips by Pumé men, 1992–1993 134
- 6.7. Fishing trips by Pumé men, 1992–1993 135
- 6.8. Wild root collection by Pumé women, 1992–1993 136
- 7.1. Longitudinal sections of femora illustrating differences in cortical bone thickness between an early *Homo* specimen and a contemporary specimen 156
- 7.2. Overview map of the three study areas in the American Southwest 159
- 7.3. Femoral shape index (I_x/I_y) values reflecting decreasing mobility levels as dependence on maize increases 168
- 7.4. Right femoral cross sections at 50% of bone length, showing size and shape changes from foraging to early agriculture to late agriculture 169
- 9.1. Bar graph of pre- and post-transitional projectile points for the study areas 203
- 9.2. Transition by lithic tool density and ^{14}C date 204
- 9.3. Transition by lithic tool density and large mammal species frequency 205
- 9.4. Transition by n tool classes and ^{14}C date 206
- 9.5. Space requirements for launching different projectiles 210
- 9.6. Transition by effective temperature and ^{14}C date 211
- 9.7. Study regions by annual rainfall and net above-ground productivity 212
- 9.8. Regional variation in projected forager population density by ^{14}C date 215

- 12.1. Location of key Pleistocene sites in the Western Desert 265
- 12.2. Proposed relationship between artifact diversity and residential mobility 269
- 12.3. Martu custodian at engraving site showing a highly patinated anthropomorph with complex pecked infill near the central Canning Stock Route 274
- 12.4. Trail of engraved “bush-turkey” tracks—intaglio Panaramitee style—as commonly found throughout the Western Desert 274
- 12.5. Diminutive pigment anthropomorph with exaggerated headdress and arranged parallel boomerangs 275
- 12.6. Complex superimposition involving multiple phases of art production 275

Tables

- 1.1. Augmentation 15
- 2.1. Daily Foraging Trips during the Dry Season 34
- 2.2. Daily Foraging Trips during the Rainy Season 34
- 3.1. Walking Times and Distances Traveled for Five Horticultural Groups 55
- 3.2. Landsat Thematic Mapper Imagery Metadata 57
- 3.3. Summary Results of Village and Garden Distributions from Both Study Areas 61
- 4.1. Summary of Main and Secondary Support Post Size by Settlement Type 87
- 4.2. Data from Settlements 88
- 4.3. House Type by Vorehe Neighborhood, 1998 91
- 4.4. Summary of Observations 98
- 6.1. Female and Male Subsistence Trips, 1992–1993 130
- 7.1. I_x/I_y Values by Sex and Subsistence 168
- 8.1. Chronology of Tuzusai 1, Tseganka 8, and Taldy Bulak 2 191
- 8.2. Survey Results from the Talgar Alluvial Fan and the Turgen-Asi Surveys 193
- 9.1. Projectile Point Transition Sites in the Analysis 203
- 10.1. Proportion of Local and Exotic Raw Materials, in Number of Nodules 227
- 10.2. Hell Gap Locality One, Number of Tools According to Nodule Type 228
- 11.1. Radiocarbon Dates for the Late Upper Paleolithic and Epipaleolithic Assemblages of the Rio Maior Vicinity 247
- 11.2. Lithic Tool Assemblage Diversity 250
- 11.3. Informal Tool Production on On-Site or Near-Site Raw Materials 251
- 12.1. Behavioral and Archaeological Correlates of Resource Structure Model 263
- 12.2. Values for Index of Fragmentation and Macropod Tooth Breakage from Serpent's Glen, Kaalpi, Puntutjarpa, and Intirtekwerle 267
- 12.3. Estimated Artifact Discard Rates from Pre–Last Glacial Maximum and Holocene Layers from Pleistocene Western Desert Sites 268
- 12.4. Mean Weight of Amorphous Retouched Artifacts in Grams, Puritjarra 268
- 12.5. Mean Weights of Total Artifacts in Grams, Puritjarra, Pit N19 268

- 12.6. Artifact Diversity from Western Desert Sites 270
- 12.7. Artifact Diversity Values for Pleistocene Assemblages from Western Desert Sites 271
- 12.8. Mean Number of Whole Grindstones Located at Sites Adjacent to Permanent, Semipermanent, and Ephemeral Water Sources 272