

Protein Targeting  
Proteolytic Enzymes  
★ Pulsed Field Gel  
Electrophoresis  
Radioisotopes in Biology  
Receptor Biochemistry  
Receptor-Ligand Interactions  
RNA Processing I and II  
Signal Transduction  
Solid Phase Peptide  
Synthesis  
Transcription Factors  
Transcription and Translation  
Tumour Immunobiology  
Virology  
Yeast

---

# Neural Cell Culture

## A Practical Approach

---

Edited by

JAMES COHEN

*Division of Anatomy and Cell Biology,  
UMDS – Guy's Campus, London Bridge, London SE1 9RT*

and

GRAHAM P. WILKIN

*Department of Biochemistry,  
Imperial College of Science, Technology and Medicine,  
Kensington, London SW7 2AZ*

  
at  
OXFORD UNIVERSITY PRESS  
Oxford New York Tokyo

Oxford University Press, Walton Street, Oxford OX2 6DP

Oxford New York  
Athens Auckland Bangkok Bombay  
Calcutta Cape Town Dar es Salaam Delhi  
Florence Hong Kong Istanbul Karachi  
Kuala Lumpur Madras Madrid Melbourne  
Mexico City Nairobi Paris Singapore  
Taipei Tokyo Toronto

and associated companies

Berlin Bonn

Oxford is a trade mark of Oxford University Press

Published in the United States  
by Oxford University Press Inc.

© Oxford University Press, 1995

F 3 c / 68



981036

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, without the prior permission in writing of Oxford University Press. Within the UK, exceptions are allowed in respect of any fair dealing for the purpose of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patents Act, 1988, or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency. Enquiries concerning reproduction outside those terms and in other countries should be sent to the Rights Department, Oxford University Press, at the address above.

This book is sold subject to the condition that it shall not, by way of trade or otherwise, be lent, re-sold, hired out, or otherwise circulated without the publisher's prior consent in any form of binding or cover other than that in which it is published and without a similar condition including this condition being imposed on the subsequent purchaser.

Users of books in the Practical Approach Series are advised that prudent laboratory safety procedures should be followed at all times. Oxford University Press makes no representation, express or implied, in respect of the accuracy of the material set forth in books in this series and cannot accept any legal responsibility or liability for any errors or omissions that may be made.

A catalogue record for this book is available from the British Library

Library of Congress Cataloging-in-Publication Data

Neural cell culture: a practical approach/edited by James Cohen and Graham P. Wilkin.

(Practical approach series; 163)

Includes bibliographical references and index.

1. Neurons—Growth—Laboratory manuals. 2. Cell culture—Laboratory manuals. I. Cohen, James, Dr. II. Wilkin, Graham P. III. Series.

[DNLM: 1. Neurons—cytology. 2. Tissue Culture—methods.

WL 102.5 N4922 1995]

QP357.N47 1995 612.8'0724—dc20 95-39515

ISBN 0 19 963485 8 (Hbk)

ISBN 0 19 963484 x (Pbk)

Typeset by Footnote Graphics, Warminster, Wilts  
Printed in Great Britain by Information Press Ltd, Eynsham, Oxon.

es, users of this manual should be  
 irectly covered here. This selective  
 into greater depth in the individual  
 culties and technical tips pertaining  
 cell types. In all cases the objective  
 first locate the tissue of interest, to  
 isolate the relevant cells in as viable  
 under optimum conditions for further

is different from most books in the  
 s given a fully illustrated guide to  
 e. The difficulty of this task varies  
 ental stage, size and accessibility of  
 is greatly assisted by the availability  
 microscope with both incident (pref-  
 , and high quality dissecting tools.  
 chapters.

n gives a simple step by step account  
 the various cultures, there are a  
 with which the reader is assumed to  
 nique, an obvious prerequisite for  
 The establishment of an adequate  
 of good culture laboratory practise  
 e extensively covered by others (see  
 guidance).

e the individual authors who have  
 e probably the most fastidious and  
 d, we are grateful for the generosity  
 aring their expertise in this manual  
 some of the pitfalls and get a head

James Cohen  
 Graham P. Wilkin

# Contents

|   |     |
|---|-----|
| <i>List of contributors</i>   | xvi |
| <i>Abbreviations</i>  | xix |
| <b>I. CNS neurons</b>   | 1   |
| <b>1. Cerebellar Granule cells</b>  | 3   |
| <i>Martin A. Cambray-Deakin</i>   |     |
| 1. Introduction   | 3   |
| 2. Initial preparation  | 3   |
| Stock solutions   | 3   |
| Buffers and media for cell culture  | 4   |
| 3. Granule cells in culture   | 11  |
| References  | 13  |
| <b>2. Cerebellar Purkinje neurons</b>                                     | 15  |
| <i>Susana Cohen-Cory</i>  |     |
| 1. Introduction   | 15  |
| 2. Nutrient media   | 16  |
| Nutrient medium supplemented with serum                                   | 16  |
| Chemically defined, serum-free medium                                     | 17  |
| 3. Dissection and tissue preparation                                      | 18  |
| Optimal stage for growing Purkinje neurons                                | 18  |
| Removal of embryos  | 19  |
| Cerebellar dissection from embryonic rat                                  | 19  |
| 4. Tissue dissociation, plating densities, and conditions for cell growth | 20  |
| Mechanical and enzymatic tissue dissociation                              | 20  |
| Determination of cell yields and plating density                          | 22  |
| Conditions for cell growth  | 22  |
| 5. Identification of Purkinje neurons                                     | 22  |
| Acknowledgements  | 24  |
| References  | 24  |

|   |    |
|---|----|
| <b>3. Nigral and striatal neurons</b>                                       | 25 |
| <i>Roger Barker and Alan Johnson</i>  |    |
| 1. Introduction   | 25 |
| 2. Equipment  | 25 |
| 3. Solutions and reagents   | 28 |
| 4. Nigral cultures  | 29 |
| 5. Striatal cultures  | 36 |
| 6. Concluding remarks   | 36 |
| Acknowledgements  | 39 |
| References  | 39 |
| <br>  |    |
| <b>4. Septal neurons</b>  | 41 |
| <i>Clive Svendsen</i>   |    |
| 1. Introduction   | 41 |
| 2. Standard techniques for culturing, staining, and counting septal neurons | 42 |
| The sandwich technique  | 42 |
| 3. Quantitative and qualitative analysis of septal cultures                 | 46 |
| Cell counting and area measurements   | 46 |
| Appearance of sandwich cultures and comparison with traditional methods     | 47 |
| Staining methods to identify neurons and glia                               | 48 |
| 4. Variables that affect neuronal survival using the sandwich technique     | 51 |
| References  | 52 |
| <br>  |    |
| <b>5. Proliferation and differentiation in retinal cell cultures</b>        | 55 |
| <i>Laura Lillien</i>  |    |
| 1. Introduction   | 55 |
| Retinal development <i>in vivo</i>  | 55 |
| Use of <i>in vitro</i> systems to study the control of retinal development  | 56 |
| 2. Culture preparation  | 57 |
| Culture media   | 57 |
| Dissection of retina  | 58 |
| 'Minimal' systems: monolayer and collagen gel cultures                      | 60 |
| 'Maximal' systems: aggregate and explant cultures                           | 61 |

ts  
ns

25

36

36

39

39

41

41

ng, staining, and counting

42

42

analysis of septal cultures

46

ents

46

and comparison with traditional

47

ons and glia

48

survival using the sandwich

51

52

ntiation in retinal cell

55

55

55

ne control of retinal development

56

57

57

58

d collagen gel cultures

60

explant cultures

61

3. Use of retroviruses expressing lineage markers 63

4. Differentiation 64

    Cell type markers 64

    Lineage markers 64

    Lamination 65

    'Transplantation' *in vitro* 65

References 66

6. Purified embryonic motoneurons 69

*Christopher E. Henderson, Evelyne Bloch-Gallego, and William Camu*

    1. Introduction 69

    2. Purification strategy 70

        Choice of species 70

        Choice of embryo age 70

        Choice of purification method 71

    3. Experimental methods 72

    Acknowledgements 80

    References 81

II. CNS glia and non-neural cells 83

7. Astrocytes 85

*Derek R. Marriott, Warren D. Hirst, and M. Cecilia Ljungberg*

    1. Introduction 85

    2. Mixed primary glial cultures 86

    3. Mixed primary astroglial cultures from *adult* tissue 91

    4. Preparation of type-2 astrocytes 93

    Acknowledgements 95

    References 96

8. Oligodendrocyte lineage cells from neonatal rat brain 97

*Ellen J. Collarini*

    1. Introduction 97

Contents

|   |            |
|---|------------|
| 2. Establishing mixed glial cultures                                      | 98         |
| 3. Isolation of oligodendrocyte precursor cells from mixed glial cultures | 100        |
| Acknowledgements  | 103        |
| References  | 105        |
| <br>  |            |
| <b>9. Microglia: the tissue macrophage of the CNS</b>                     | <b>107</b> |
| <i>M. Nicola Woodroffe and M. Louise Cuzner</i>                           |            |
| 1. General introduction   | 107        |
| 2. Isolation of microglia   | 108        |
| Introduction  | 108        |
| Dissociation of CNS tissue  | 109        |
| Separation of microglia   | 109        |
| Advantages and disadvantages of the methods                               | 114        |
| Cell yields   | 114        |
| Culture media   | 114        |
| 3. Cellular markers for microglia   | 115        |
| 4. Microglial morphology  | 117        |
| Acknowledgements  | 118        |
| References  | 118        |
| <br>  |            |
| <b>10. Brain endothelium</b>  | <b>121</b> |
| <i>David Male</i>   |            |
| 1. Introduction   | 121        |
| 2. Isolation of capillary fragments                                       | 121        |
| General considerations  | 121        |
| 3. Growth conditions  | 123        |
| Substrata   | 123        |
| Growth media and conditions   | 124        |
| Passaging the cells   | 126        |
| 4. Phenotyping  | 127        |
| 5. Problems   | 128        |
| 6. CNS endothelium from other species                                     | 129        |
| References  | 129        |

|     |                               |   |     |
|-----|-------------------------------|---|-----|
| 98  |                               |   |     |
| 100 | cursor cells from mixed glial |   |     |
| 103 |                               |   |     |
| 105 |                               |   |     |
| 107 | phage of the CNS              |   |     |
|     | <i>Cuzner</i>                 |   |     |
| 107 |                               |   |     |
| 108 |                               |   |     |
| 108 |                               |   |     |
| 109 |                               |   |     |
| 109 |                               |   |     |
| 114 | methods                       |   |     |
| 114 |                               |   |     |
| 114 |                               |   |     |
| 115 |                               |   |     |
| 117 |                               |   |     |
| 118 |                               |   |     |
| 118 |                               |   |     |
| 121 |                               |   |     |
| 121 |                               |   |     |
| 123 |                               |   |     |
| 123 |                               |   |     |
| 124 |                               |   |     |
| 126 |                               |   |     |
| 127 |                               |   |     |
| 128 |                               |   |     |
| 129 |                               |   |     |
| 129 |                               |   |     |
|     |                               | <b>III. PNS neurons and glia</b>  | 131 |
|     |                               | <b>11. Neural crest cells: strategies to generate lineage diversification <i>in vitro</i></b> | 133 |
|     |                               | <i>Jean-Loup Duband, Muriel Delannet, and Frédérique Monier</i>                               |     |
|     |                               | 1. Introduction   | 133 |
|     |                               | 2. Primary culture of neural crest cells  | 136 |
|     |                               | Truncal neural crest  | 136 |
|     |                               | Chick cranial neural crest  | 143 |
|     |                               | 3. Establishing conditions for differentiation of neural crest cells <i>in vitro</i>          | 146 |
|     |                               | Cloning neural crest cells  | 146 |
|     |                               | Factors affecting neural crest cell differentiation   | 147 |
|     |                               | Markers of neural crest cell differentiation  | 149 |
|     |                               | Acknowledgements  | 151 |
|     |                               | References  | 151 |
|     |                               | <b>12. Cranial sensory neurons</b>  | 153 |
|     |                               | <i>Alun M. Davies</i>   |     |
|     |                               | 1. Introduction   | 153 |
|     |                               | 2. Dissection techniques  | 153 |
|     |                               | Early cranial sensory ganglia from chicken embryos  | 155 |
|     |                               | Mid-embryonic cranial sensory neurons from chicken embryos                                    | 156 |
|     |                               | Trigeminal ganglia from mouse embryos   | 161 |
|     |                               | Nodose ganglia from mouse embryos   | 164 |
|     |                               | 3. Dissociation of dissected neural tissue  | 165 |
|     |                               | 4. Separation of neurons from non-neuronal cells  | 168 |
|     |                               | Differential adhesion   | 169 |
|     |                               | Gravity sedimentation   | 169 |
|     |                               | 5. Culturing isolated neurons   | 170 |
|     |                               | Culture substratum  | 170 |
|     |                               | Preparation of the culture medium   | 171 |
|     |                               | Seeding the neurons   | 173 |
|     |                               | Neuronal survival   | 173 |
|     |                               | Acknowledgements  | 174 |
|     |                               | References  | 174 |

|  |     |
|--|-----|
| <b>13. Avian ciliary and lumbar sympathetic ganglion neurons</b> | 177 |
| <i>Rae Nishi</i>   |     |
| 1. Introduction  | 177 |
| 2. Dissection of ciliary and lumbar sympathetic ganglia          | 178 |
| Comments   | 178 |
| Suggested age of embryos to use for dissections                  | 178 |
| 3. Dissociation of ganglia                                       | 181 |
| Comments   | 181 |
| 4. Culturing ciliary and sympathetic ganglia                     | 185 |
| Comments   | 185 |
| Medium   | 185 |
| Reduction of the number of non-neuronal cells                    | 187 |
| References   | 188 |
| <br>   |     |
| <b>14. Enteric ganglion cells</b>                                | 189 |
| <i>M. Jill Saffrey</i>   |     |
| 1. Introduction  | 189 |
| 2. Problems in the isolation of intramural ganglia               | 191 |
| 3. Dissection of intact enteric ganglia from the gut wall        | 191 |
| Myenteric ganglia  | 191 |
| Submucous plexus ganglia   | 196 |
| 4. Explant cultures of isolated ganglia                          | 196 |
| Culture chambers, substrates, and media                          | 196 |
| Method of explantation   | 197 |
| Guinea-pig myenteric plexus explants                             | 197 |
| Rat myenteric plexus explants                                    | 199 |
| Guinea-pig submucous plexus explants                             | 199 |
| 5. Purified populations of enteric ganglion cells                | 199 |
| Enteric neurons  | 199 |
| Enteric glial cells  | 200 |
| 6. Dissociated cell cultures of postnatal enteric ganglion cells | 201 |
| Dissociation of isolated enteric ganglia                         | 201 |
| Acknowledgements   | 202 |
| References   | 202 |
| <br>   |     |
| <b>15. Mouse olfactory epithelium</b>                            | 205 |
| <i>Anne L. Calof, Jose L. Guevara, and Melinda K. Gordon</i>     |     |
| 1. Introduction  | 205 |



|                             |     |
|-----------------------------|-----|
| ts                          |     |
| ar sympathetic              | 177 |
|                             | 177 |
| sympathetic ganglia         | 178 |
|                             | 178 |
| dissections                 | 178 |
|                             | 181 |
|                             | 181 |
| c ganglia                   | 185 |
|                             | 185 |
| neural cells                | 185 |
|                             | 187 |
|                             | 188 |
|                             | 189 |
|                             | 189 |
| mural ganglia               | 191 |
| ia from the gut wall        | 191 |
|                             | 191 |
|                             | 196 |
| lia                         | 196 |
| media                       | 196 |
|                             | 197 |
| ts                          | 197 |
|                             | 199 |
| nts                         | 199 |
| nglion cells                | 199 |
|                             | 199 |
|                             | 200 |
| atal enteric ganglion cells | 201 |
| lia                         | 201 |
|                             | 202 |
|                             | 202 |
| um                          | 205 |
| nd Melinda K. Gordon        |     |
|                             | 205 |

Contents

|   |     |
|---|-----|
| 2. Dissection and purification of olfactory epithelium from mouse embryos | 206 |
| Dissection  | 206 |
| 3. Culturing olfactory epithelium explants                                | 209 |
| Preparation of substrata for explant cultures                             | 210 |
| Culture media   | 211 |
| Culturing explants  | 211 |
| Growth factor requirements  | 213 |
| 4. Culture of isolated neurons and neuronal precursors                    | 213 |
| Preparation of substrata for dissociated neuronal cell fraction           | 214 |
| Suspension culture and isolation of the neuronal cell fraction            | 215 |
| 5. Analysis of cell types within olfactory epithelium cultures            | 217 |
| Olfactory receptor neuron markers   | 217 |
| Olfactory Schwann cell (ensheathing cell) markers                         | 217 |
| Sustentacular cell marker   | 218 |
| Basal cell marker   | 218 |
| Acknowledgements  | 218 |
| References  | 218 |

**16. Schwann cell culture** 221

*Louise Morgan*

|  |     |
|--|-----|
| 1. Introduction  | 221 |
| 2. Nerve dissociation                                  | 221 |
| Desheathing  | 222 |
| Dissociation   | 225 |
| Schwann cell yield                                     | 226 |
| 3. Maintaining Schwann cells <i>in vitro</i>           | 227 |
| Schwann cell purification                              | 227 |
| 4. Alternative methods for culturing Schwann cells     | 229 |
| 5. Manipulation of Schwann cells <i>in vitro</i>       | 232 |
| Schwann cell mitogens                                  | 232 |
| Use of mitogens to expand Schwann cell numbers         | 232 |
| 6. Schwann cell phenotype <i>in vitro</i>              | 234 |
| 7. Schwann cells from various species                  | 234 |
| 8. Transformed Schwann cells and schwannoma cell lines | 236 |
| References   | 236 |

|              |     |
|--------------|-----|
| <i>Index</i> | 239 |
|--------------|-----|