

Vehicle Systems and Driver Modelling

DSP, human-to-vehicle interfaces, driver behavior,
and safety

Edited by

Hüseyin Abut, John H.L. Hansen, Kazuya Takeda,
Gerhard Schmidt, and Hanseok Ko

DE GRUYTER

Contents

Preface — XIII

List of contributing authors — XIX

Part I: Vehicle System and Safety

Navid Shokouhi, Seyed Omid Sadjadi, Amardeep Sathyanarayana, and John H.L. Hansen

- 1 Analysis of in-vehicle speech activity towards driver safety assessment — 3**
 - 1.1 Introduction — 3
 - 1.2 System description — 5
 - 1.3 Data collection — 6
 - 1.3.1 Recordings — 8
 - 1.4 Conversation analysis — 9
 - 1.4.1 Conversation feature extraction — 9
 - 1.4.1.1 Turn taking rate — 9
 - 1.4.1.2 Overlapped speech rate — 9
 - 1.4.1.2.1 Average spectral aperiodicity — 10
 - 1.4.1.2.2 Kurtosis — 10
 - 1.4.1.2.3 Spectral flatness measure — 10
 - 1.4.1.2.4 Mel-frequency cepstral coefficients (MFCCs) — 10
 - 1.4.1.2.5 Log energy — 10
 - 1.4.2 Overlapped speech detection framework — 11
 - 1.5 Driving performance evaluation — 12
 - 1.6 Results and analysis — 14
 - 1.7 Conclusions — 16
 - 1.8 References — 16

Akihiro Yamaguchi, Kenya Sato, Tatsuya Yamakawa, Shinya Honda, and Hiroaki Takada

- 2 Stochastic behavior modeling for driver assistance using stream data processing — 19**
 - 2.1 Introduction — 19
 - 2.2 Overview — 20
 - 2.2.1 Concept — 20
 - 2.2.2 Target problem and contribution — 21
 - 2.3 Stochastic driver model — 22
 - 2.3.1 Driver model generation — 22
 - 2.3.2 Pedal force prediction — 22

2.4	Low-dimensional driver model with unformulated features —	23
2.4.1	Motivation —	23
2.4.2	Unformulated feature —	24
2.4.3	Dimension reduction —	24
2.4.4	Evaluation method —	25
2.4.4.1	Evaluation 1 —	25
2.4.4.2	Evaluation 2 —	25
2.4.4.3	Evaluation 3 —	26
2.4.5	Evaluation results —	26
2.4.5.1	Evaluation 1 —	26
2.4.5.2	Evaluation 2 —	27
2.4.5.3	Evaluation 3 —	27
2.5	Control fusion of human and driver models —	29
2.5.1	Motivation —	29
2.5.2	Weight assignment analysis —	29
2.5.3	Weight assignment method —	32
2.6	Implementation on data streams —	33
2.6.1	Method —	33
2.6.2	Evaluation —	34
2.7	Conclusions —	34
2.8	References —	35

Robert Baran and Hanseok Ko

3	Using real road driving data to calibrate a model of front-end collision risk —	37
3.1	Introduction —	37
3.2	Modeling collision risk —	39
3.2.1	Instantaneous risk —	39
3.2.2	Distribution of risk factors —	40
3.2.3	Retrospective risk —	41
3.3	Risk function re-estimation —	42
3.3.1	Survival analysis —	42
3.3.2	Case-control analysis —	46
3.4	Conclusions —	50
3.5	References —	50

Part II: Driver Modeling

Nanxiang Li and Carlos Busso

4	Driver mirror-checking action detection: Using multi-modal signals —	55
4.1	Introduction —	55

4.2	Related work —	57
4.3	Data Collection —	58
4.3.1	UTDrive platform and database —	59
4.3.2	Mirror-checking annotation —	61
4.4	Analysis of mirror-checking actions —	62
4.4.1	Secondary tasks and mirror-checking actions —	62
4.4.2	Driving maneuvers and mirror-checking actions —	64
4.5	Detection of mirror-checking actions —	66
4.5.1	Feature extraction —	66
4.5.2	Classification of mirror-checking actions —	68
4.6	Conclusions —	71
4.7	References —	72

Katherine Driggs-Campbell, Victor Shia, and Ruzena Bajcsy

5	Probabilistic driver modeling: Characterizing human behavior for semiautonomous vehicles —	77
5.1	Introduction —	78
5.1.1	Literature review of driver modeling —	80
5.2	Modeling methodology —	81
5.2.1	Methods —	82
5.2.2	Probabilistic driver modeling —	84
5.2.3	Tools for data analysis —	85
5.2.3.1	Probability distributions —	86
5.2.3.2	Distribution testing —	87
5.2.3.3	Trajectory generation —	87
5.3	Data collection —	88
5.4	Results and analysis —	89
5.4.1	Distribution results —	89
5.4.2	Trajectory results —	91
5.4.3	Analysis of human behavior —	92
5.4.3.1	Classifying drivers —	92
5.5	Semiautonomous framework —	94
5.5.1	Switched control —	96
5.5.2	Augmented control —	96
5.6	Conclusion —	97
5.7	References —	97

Amardeep Sathyanarayana, Nitish Krishnamurthy, and John H.L. Hansen

6	Driving distance based analysis of driving maneuvers —	99
6.1	Introduction —	99
6.2	Data description —	102
6.3	Distance-based framing —	102
6.4	Experiment: Maneuver recognition —	106

- 6.5 Experimental results — 107
- 6.6 Conclusions — 108
- 6.7 References — 108

Dini Handayani, Abdul Wahab, Norhaslinda Kamaruddin, and Hüseyin Abut

7 Correlation of neurophysiological measurement of anxiety and driving behavior — 111

- 7.1 Introduction — 111
- 7.1.1 Emotion and mood modeling — 113
- 7.2 Experimental design — 114
- 7.2.1 Subjects — 114
- 7.2.2 Material — 114
- 7.2.3 Procedure — 115
- 7.3 Methodology — 115
- 7.3.1 Data acquisition — 115
- 7.3.2 Feature extraction — 116
- 7.3.3 Signal preprocessing — 116
- 7.3.4 Classification — 116
- 7.3.5 Mood formulation — 117
- 7.4 Analysis of results — 118
- 7.5 Discussion — 120
- 7.6 Conclusions — 121
- 7.7 References — 121

Pongtep Angkititrakul, Seong-Jun Hahm, Chiyomi Miyajima, Kazuya Takeda, and John H.L. Hansen

8 Adaptation techniques for stochastic driver behavior modeling — 123

- 8.1 Introduction — 123
- 8.2 Car-following — 124
- 8.3 Stochastic driver modeling — 125
- 8.4 Model adaptation — 125
- 8.4.1 Maximum A Posteriori (MAP) — 126
- 8.4.2 Maximum Likelihood Linear Regression (MLLR) — 126
- 8.4.3 Eigenvoice (EV) — 127
- 8.5 Mixture model regression — 127
- 8.6 Experimental evaluation — 128
- 8.6.1 Driving corpus and data preprocessing — 128
- 8.6.2 Feature vector — 128
- 8.6.3 Experimental results — 129
- 8.6.3.1 Driver adaptation — 129
- 8.6.3.2 On-line adaptation — 129
- 8.7 Conclusions — 130
- 8.8 References — 130

Chiyomi Miyajima, Masataka Mori, Takatsugu Hirayama, Norihide Kitaoka, and Kazuya Takeda

- 9 Integrated modeling of driver gaze and vehicle operation behavior during lane changes — 133**
 - 9.1 Introduction — 133
 - 9.2 Driving data — 134
 - 9.2.1 Collection of driving data — 134
 - 9.2.2 Representation of driver behavior — 135
 - 9.2.3 Evaluation of risk — 136
 - 9.3 Integrated modeling of gaze and vehicle operation behavior — 137
 - 9.3.1 Modeling using discrete hidden Markov models — 137
 - 9.3.2 Comparison of HMM parameters in safe and risky lane change models — 138
 - 9.4 Model evaluation — 139
 - 9.4.1 Detection of risky lane changes — 139
 - 9.4.2 Risky lane change detection experiment — 139
 - 9.5 Conclusion — 140
 - 9.6 References — 141

Part III: Signal Processing for HVI

Timo Matheja, Markus Buck, and Tim Fingscheidt

- 10 Speaker activity detection for distributed microphone systems in cars — 145**
 - 10.1 Introduction — 145
 - 10.2 System overview — 146
 - 10.3 Robust speaker activity detection — 147
 - 10.3.1 Signal power ratios — 147
 - 10.3.2 Basic full-band speaker activity detection — 148
 - 10.3.3 Enhanced full-band speaker activity detection — 150
 - 10.3.4 Frequency-selective speaker activity detection — 153
 - 10.4 Evaluation — 155
 - 10.5 Conclusions — 159
 - 10.6 References — 160

Wooil Kim

- 11 Speech enhancement employing feature domain reconstruction for robust in-vehicle speech recognition — 161**
 - 11.1 Introduction — 161
 - 11.2 Speech enhancement employing cepstral feature reconstruction — 162

- 11.3 Noise estimation employing variational model composition method — 163
 - 11.3.1 Variational model composition — 164
 - 11.3.2 Speech model estimation — 164
 - 11.3.3 Noise estimation — 165
 - 11.3.4 Spectral subtraction with noise estimates — 166
- 11.4 Experimental results — 166
- 11.5 Conclusions — 168
- 11.6 References — 168

Ryunosuke Tanishige, Daisuke Deguchi, Keisuke Doman, Yoshito Mekada, Ichiro Ide, Hiroshi Murase, and Naoki Nitanda

- 12 **Driver adaptive prediction for pedestrian detectability using in-vehicle camera images — 171**
 - 12.1 Introduction — 171
 - 12.2 Personalized detectability prediction — 172
 - 12.2.1 Features — 173
 - 12.2.1.1 Target pedestrian features — 173
 - 12.2.1.2 Contrast features — 173
 - 12.2.1.3 Global features — 176
 - 12.2.2 Prediction of the detectability — 176
 - 12.2.2.1 Construction phase — 176
 - 12.2.2.2 Prediction phase — 176
 - 12.3 Data set construction by human subjects — 176
 - 12.4 Experiments and discussion — 177
 - 12.5 Conclusion — 179
 - 12.6 References — 179

Takuya Kawasaki, Naoya Ukai, Takumi Seko, Satoshi Tamura, Satoru Hayamizu, Chiyomi Miyajima, Norihide Kitaoka, and Kazuya Takeda

- 13 **An audio-visual in-car corpus “CENSREC-2-AV” for robust bimodal speech recognition — 181**
 - 13.1 Introduction — 181
 - 13.2 CENSREC-1-AV — 183
 - 13.3 CENSREC-2-AV — 184
 - 13.3.1 Overview — 184
 - 13.3.2 Comparison with CENSREC-1-AV — 186
 - 13.4 Construction of CENSREC-2-AV — 187
 - 13.4.1 Building audio data — 187
 - 13.4.2 Building visual data — 187
 - 13.5 Discussion — 188
 - 13.6 Conclusion — 190
 - 13.7 References — 190

Vasudev Kandade Rajan, Sebastian Rohde, Gerhard Schmidt, and Jochen Withopf

14	Array-based speech enhancement for microphones on seat belts — 191
14.1	Introduction — 191
14.2	SNR comparison — 192
14.3	Seat belt microphones — 193
14.4	Signal processing for belt mics — 194
14.4.1	Echo and feedback cancellation — 195
14.4.1.1	Principle of the echo canceler — 196
14.4.1.2	Accounting for the movement of the belt mics — 197
14.4.1.3	Trigger approach to handle room changes — 197
14.4.2	Noise estimation — 199
14.4.2.1	Detection of stationary noise — 199
14.4.2.2	Detection of instationary noise — 200
14.4.3	Microphone combination — 201
14.4.3.1	SNR-based microphone combination — 201
14.4.3.2	Localization and beamforming approach — 201
14.4.3.2.1	Localization — 202
14.4.3.2.2	Beamformer — 204
14.4.4	Postfilter — 205
14.5	Evaluation — 206
14.6	Conclusions — 207
14.7	References — 207

Christian Lüke, Anne Theiß, Gerhard Schmidt, Rabea Landgraf, Tina John, and Oliver Niebuhr

15	How to create a clean Lombard speech database using loudspeakers — 209
15.1	Introduction — 209
15.2	Ambiance simulation — 210
15.2.1	Environmental recordings — 211
15.2.2	Creation of loudspeaker signals — 212
15.2.3	Calibration of the simulation — 212
15.2.4	Definitions and assumptions — 213
15.2.5	Approach — 214
15.2.5.1	Pseudoinverse — 214
15.2.5.2	Qualitative consideration — 215
15.2.6	Implementation — 215
15.2.6.1	Measurement of the impulse responses — 216
15.2.6.2	Measurement of the PSDs of the loudspeaker signals — 216
15.2.6.3	Calculation of the impact PSDs — 216
15.2.6.4	Adjustment of the overall gain of a loudspeaker — 216
15.2.6.5	Simplified pseudoinverse — 216
15.2.6.6	Calculation of the increase and decrease factors — 217

15.2.6.7	Adaptation —	217
15.2.7	Results and outlook —	218
15.3	Speech recordings —	218
15.3.1	Setup —	218
15.3.2	Noise cancellation —	221
15.3.3	Noise suppression —	221
15.3.4	Results —	222
15.4	Conclusion and outlook —	223
15.5	References —	225

Index —	227
----------------	------------