



Abstract Sensor Event Processing to Achieve Dynamic Composition of Cyber-Physical Systems

DISSERTATION

zur Erlangung des akademischen Grades

Doktoringenieur (Dr.-Ing.)

angenommen durch die Fakultät für Informatik
der Otto-von-Guericke-Universität Magdeburg

von Dipl.-Inform. Christoph Steup

geb. am 29.01.1985 in Halle (Saale)

Gutachterinnen/Gutachter

Prof. Dr. rer. nat. Jörg Kaiser

Prof. Dr. s.c. ETH Kay Uwe Römer

Prof. Dr.-Ing. Christian Diedrich

Magdeburg, den 19.02.2018

Contents

Table of Figures	XI
Table of Tables	XIII
Table of Listings	XV
Table of Algorithms	XVII
Table of Acronyms	XXI
1. Introduction	1
1.1. Motivation	1
1.2. Example Scenarios	1
1.2.1. Distributed Event Detection: WSN to Detect Forest Fires	2
1.2.2. Semi-Autonomous Systems: Vehicular Collision Warning System	3
1.2.3. Fully-Autonomous Systems: Dynamic Robot Navigation	4
1.3. Goals	6
2. Challenges of Dynamically Composed Cyber-Physical-System (CPS)	7
2.1. Definition: Cyber-Physical Systems	7
2.1.1. Properties	8
2.1.2. Data and Information	8
2.1.3. Context	9
2.2. Functional Decomposition of CPS	10
2.2.1. Smart Connection Layer	11
2.2.2. Data-to-Information Conversion Level	12
2.2.3. Cyber Layer	13
2.2.4. Cognition Layer	17
2.2.5. Configuration Level	18
2.2.6. Summary	21
2.3. Component View of CPS	21
2.3.1. Sensing	21
2.3.2. Actuation	24
2.3.3. Processing	25
2.3.4. Communication	26
2.3.5. Storage and User Interface	28

2.4. Summary	29
3. State of the Art	33
3.1. Comparison Criteria	33
3.1.1. Couplings	33
3.1.2. Context	33
3.1.3. Quality	33
3.1.4. Distribution Type	34
3.1.5. Filter Model	34
3.1.6. Filter Expressiveness	34
3.1.7. Processing Model	35
3.1.8. Processing Expressiveness	36
3.1.9. Resource Efficiency	36
3.2. Sensor Description Framework (SDF)	36
3.3. Communication Middlewares	41
3.3.1. Publish/Subscribe Middlewares	41
3.3.2. Wireless Sensor Network (WSN) Middlewares	46
3.3.3. Wireless Sensor Network (WSN) Ontology Systems	52
3.4. Complex Event Detection Systems	57
3.5. Stream Processing Frameworks	62
3.6. Context Frameworks	68
3.7. Conclusion	73
4. Abstract Sensor Event Information Architecture (ASEIA)	75
4.1. Goals	75
4.2. General Architecture	76
4.3. Sensor Information and Context	81
4.3.1. Attribute Context	81
4.3.2. Uncertainty Model	82
4.3.3. Time Model	86
4.3.4. Space Model	87
4.3.5. Producer ID	88
4.4. Abstract Sensor Event Model	88
4.4.1. Attribute Values	91
4.4.2. Attribute Units	91
4.4.3. Scale Representation	92
4.4.4. Attribute Operations	93
4.4.5. Event Schemes and Event Format	94
4.4.6. Event Hierarchy	95
4.4.7. Semantic Annotation - Event IDs	98
4.4.8. Format Hashes	100

4.5. Abstract Sensor Event Transformations	101
4.5.1. Selection	104
4.5.2. Attribute Transformations	105
4.5.3. Event Transformations	108
4.5.4. Complementary Sensor Fusion Transformations	108
4.5.5. Cooperative Sensor Fusion Transformations	110
4.5.6. Concurrent Fusion	113
4.5.7. Aggregation Transformation	116
4.5.8. Kalman Transformations	119
4.5.9. Uncertainty-aware Hybrid Clock Synchronization	125
4.6. Abstract Sensor Event Transformation Engine	133
4.6.1. Automatic Configuration of Generic Transforms	134
4.6.2. Representing Rules as Knowledge Graph	135
4.6.3. ASETTE Channel Creation	138
4.6.4. Buffering Incoming Events	139
4.6.5. Activating Transformations	141
4.7. Summary	143
5. Implementation	145
5.1. ASETTE Implementation and Language Bindings	145
5.1.1. ASETTE Implementation Language	146
5.1.2. CPS Application Binding	146
5.1.3. Transformation Implementation	148
5.2. Implementation of the Publish/Subscribe (P/S) Overlay	149
5.2.1. Overview of the Implementation	149
5.2.2. CPS Abstract Sensor Event (ASE) API	152
5.2.3. Transformation ASE API	157
5.2.4. Implementation of the Knowledge Base	162
5.2.5. Implementation of Adapters	165
5.3. Extension on Run Time	169
5.3.1. Insertion of Additional Transformations	170
5.3.2. Plugins	171
5.3.3. LLVM-based compiler/interpreter	171
5.4. Summary	171
6. Evaluation	173
6.1. Hybrid Clock Synchronization	173
6.1.1. Simulation Setup	173
6.1.2. Beacon Interval Analysis	174
6.1.3. Topology Analysis	174
6.1.4. Small Scale Wireless Sensor Network Setup	182
6.1.5. Single-Hop Synchronization	182

6.1.6. Multi-Hop Synchronization	183
6.1.7. Comparison with related protocols	184
6.2. Robotic Navigation Test	185
6.2.1. Scenario	185
6.2.2. Tests	190
6.2.3. Results	190
6.3. Automotive Scenario	191
6.3.1. Scenario	192
6.3.2. Implementation	192
6.3.3. Distributed Virtual ACC Sensor	196
6.3.4. Results of the Basic Evaluation Test Case	202
6.3.5. Speed Results of the UTM Transformation Graph	203
6.3.6. Speed Results of the Road Transformation Graph	203
6.3.7. Distance Results UTM Transformation Graph	207
6.3.8. Distance Results Road Transformation Graph	207
6.3.9. Delay Analysis	210
6.3.10. Event Rate Analysis	210
6.3.11. Performance Analysis	212
6.4. Scalability Analysis	214
6.4.1. Sub-Topology Analysis	219
6.4.2. Subscriber and Publisher Scalability	222
6.5. Summary	223
7. Conclusion	225
Bibliography	243
A. Additional Evaluation Results of the Automotive Scenario	245