Nanostructured Ceramics

Characterization and Analysis

Debasish Sarkar



CRC Press is an imprint of the Taylor & Francis Group, an informa business

Contents

Preface			xiii
Acknow	ledgmen	t	xvii
Author			xix
1. Nan	. Nanoscale Ceramics		
1.1	Introduction		1
1.2	Confin	ement and Functional Change in Nanoscale	2
	1.2.1	Density of States	2
	1.2.2	Confinement and Band Gap	3
	1.2.3	Surface Area to Volume	6
	1.2.4	Surface Atom Density	8
	1.2.5	Surface Energy and Dangling Bonds	9
	1.2.6	Gibbs Free Energy and Critical Radius	10
	1.2.7	Cohesive Energy	11
	1.2.8	Lattice Parameters and Strains	13
	1.2.9	Frequency	15
	1.2.10	Velocity and Motion in Fluid	16
1.3	Classif	fication of Ceramics	17
	1.3.1	Traditional Ceramics	19
	1.3.2	Advanced Ceramics	20
1.4	Ration	ale of Energy, Environment, and Health Materials	22
1.5	Handl	ing and Ethical Issues	23
1.6	Concli	ading Remarks	24
Refe	erences		25
			0.5
2. Mat	Material Characterizations		
2.1	Introd	uction	2/
2.2	Therm	nal Analysis	2/
	2.2.1	Differential Scanning Calorimetry and TG Patterns	28
	2.2.2	Specific Heat Capacity	30
	2.2.3	Enthalpy Change	31
	2.2.4	Kinetics and Activation Energy of Crystallization	31
2.3	X-Ray	Diffraction Analysis	33
	2.3.1	Indexing and d-Spacing	34
	2.3.2	Theoretical Density	36
	2.3.3	Phase Identification and Quantification	38
	2.3.4	Crystallite Size and Microstrain	39
2.4	Transi	mission Electron Microscopic Analysis	41
	2.4.1	Indexing of Polycrystal	44
	2.4.2	Indexing of Single Crystal	44
	2.4.3	Morphology, d-Spacing, and Indexing of WO ₃	45

	2.5	Particl	e Size and Surface Area	
		2.5.1	Statistical Analysis of Particle Size	
		2.5.2	Surface Area and Particle Pore Size	48
	2.6	Spectr	oscopy Analysis	50
		2.6.1	Photoluminescence Spectra	51
		2.6.2	Raman Spectroscopy	54
		2.6.3	X-Ray Photoelectron Spectroscopy	55
		2.6.4	Ultraviolet Visible and Diffuse Reflection Spectroscopy	58
		2.6.5	Fourier Transformation Infrared	61
	2.7		uding Remarks	
		ences		63
3.	Surfa	ce and	Suspension Phenomena	67
	3.1	Introd	uction	67
	3.2	Surfac	e Wetting	68
		3.2.1	Contact Angle and Hysteresis	68
		3.2.2	Critical Parameters for Superhydrophobic Surface	71
		3.2.3	Critical Parameters for Superhydrophilic Surface	72
		3.2.4	Critical Boundary in Hydrophilic and Hydrophobic Surface	72
	3.3		e Tension	74
	0.0	3.3.1	Surface Tension Estimation Protocols	
		3.3.2	Critical Surface Tension	
		3.3.3	Influence of Foreign Elements in Surface Tension	
	3.4		dal Suspension	79
	0.1	3.4.1	Electrical Double Layer	80
		3.4.2	Electrostatic Stabilization	
		3.4.3	Steric Stabilization	
		3.4.4	Electrosteric Stabilization	
		3.4.5	Zeta Potential and Isoelectric Point of SiO ₂ and MgO: Influence	
		0.1.0	of pH	85
		3.4.6	Zeta Potential and Isoelectric Point of ZrO ₂ : Influence of pH	
		0.1.0	and Particle Size	86
		3.4.7	Packing Fraction and Sedimentation	
	3.5		sity of Suspension	
	0.0	3.5.1	Rheology of Suspensions	
		3.5.2	Particle Size and Volume Fraction on Viscosity	
	3.6		uding Remarks	
		ences	uung Kenarks	
	Kerei	CIICCS		
4	Phot	ocataly	tic Phenomena	95
Τ.	4.1	Introd	luction	95
	4.2		catalyst for Photo-Degradation	
	1.4	4.2.1	Band Gap and Valence Band-Conduction Band Position	
		4.2.2	Electron-Hole Charge Transportation Phenomena	
		4.2.2	Role of Scavenger	
		4.2.3	Surface Modifications	
		4.2.4	Influence of Particle Size	
	4.3		catalyst for Photo-Electrochemical Cell	
	4.3	1 1 1 0 1 0	Regenerative Photo-Electrochemical Cell (Solar Cells)	 102
		エハノ	- IN.EV.IN.IGHIYO I INAN TAKUHOGINGHINGI COH NOMAL COHOL	100

		4.3.2	Photo-Synthetic Solar Cells	105
			4.3.2.1 Electrochemical Photo-Electrolytic Cells	105
			4.3.2.2 Electrochemical Photocatalytic Cells	106
		4.3.3	Semiconductor-Electrolyte Interaction and Band Bending	106
		4.3.4	Conventional Materials for Photo-Electrochemical Cells	107
		4.3.5	Output and Governing Parameters for Photo-Electrochemical Cells	107
	4.4		ıding Remarks	113
	Refer	ences		113
5.	Magı	netics a	nd Piezoelectrics	117
	5.1	Introd	uction	117
	5.2	Magne	etic Phenomena	119
		5.2.1	Magnetic Moment	119
		5.2.2	Ferrimagnetic Behavior of Soft and Hard Ferrites	120
		5.2.3	Superparamagnetic Behavior	121
		5.2.4	Magnetization and Hysteresis	123
		5.2.5	Magnetocrystalline Anisotropic Constant (K)	124
		5.2.6	Specific Loss Powers	125
		5.2.7	Magnetoresistance Change	126
		5.2.8	Exchange-Spring Magnet	127
		5.2.9	Particle Size Effect on Magnetic Saturation	128
	5.3	Piezoelectric Phenomena		
		5.3.1	Ferroelectric Behaviors	130
		5.3.2	Dielectric Permittivity and Loss	132
		5.3.3	Piezoelectric Constants	133
		5.3.4	Role of Grain Size on Dielectrics and Piezoelectrics	138
	5.4		uding Remarks	
		rences		142
	recter	crices		
6.	Mecl	hanical	Properties	145
	6.1	Introd	uction	145
	6.2	Elastic	Moduli	145
	0.2	6.2.1	Single Phase Nanocrystalline Ceramics	146
		6.2.2	Multi-Phase Nanocrystalline Ceramics	148
		6.2.3	Relation in Elastic Modulus and Porosity	149
		6.2.4	Effect of Grain Size and Porosity	150
	6.3	Strene	th	151
	0.5	6.3.1	Compressive Strength	151
		6.3.2	Flexural Strength	153
		6.3.3	Effect of Grain Size on Strength	154
		6.3.4	Effect of Porosity on Strength	
	6.4		ill Modulus	156
	6.5	Fracti	re Toughness	158
	0.5	6.5.1	Competitive Single Edge "V" Notch Beam and Indentation	
		0.5.1	Toughness	159
		6.5.2	Effect of Grain Size on Toughness	161
	6.6 Hardness			
	0.0	6.6.1	Vickers Indentation	
		6.6.2	Hardness by Penetration Depth	
		0.0.4	THE COLOR OF T CHECKER COLOR - OP CALL	

x Contents

		6.6.3	Effect of Grain Size	166	
		6.6.4	Effect of Load	167	
	6.7	Fatigu	e of Ceramics	168	
	6.8	Superplasticity			
	6.9	Friction and Wear			
	6.10		uding Remarks		
_		_	10 / 0 7 11 7	4 2	
7.		Nanostructured Ceramics for Renewable Energy			
	7.1 7.2	Introduction			
	1.2	Solar Cell			
		7.2.1	Background		
		7.2.1	Importance of Nanostructured TiO ₂ , Anatase		
		7.2.3	Materials and Methods		
		7.2.3	Working Principle of Dye-Sensitized Solar Cell		
		7.2.5	Characterization and Analysis		
		7.2.6	Research and Development Scope		
	7.3		Structured WO ₃ /TiO ₂ for H ₂ Gas through H ₂ O Splitting,	101	
	7.5		m Cell	191	
		7.3.1	Background		
		7.3.1	Importance of Dual Semiconductors		
		7.3.3	Materials and Methods		
		7.3.4	Working Principle		
		7.3.5	Characterization and Analysis		
		7.3.6	Research and Development Scope		
	7.4	Nanostructured WO ₃ /TiO ₂ for Solar to Electrical Energy and			
	,.1	Harvesting, Photovoltaically Self-Charging Battery			
		7.4.1	Background	186	
		7.4.2	Materials and Methods		
		7.4.3	Working Principle		
		7.4.4	Characterization and Analysis		
		7.4.5	Research and Development Scope		
	7.5		structured ZrO ₂ for Gaseous Fuel to Electric Energy		
		7.5.1	Background		
		7.5.2	Importance of Nanostructured YSZ		
		7.5.3	Materials and Method		
		7.5.4	Working Principle		
		7.5.5	Characterization and Analysis		
		7.5.6	Research and Development Scope		
	7.6		structured BaTiO ₃ for Mechanical to Electrical Energy		
		7.6.1	Background		
		7.6.2	Importance of Nanostructured BaTiO ₃		
		7.6.3	Materials and Method		
		7.6.4	Working Principle		
		7.6.5	Characterization and Analysis		
		7.6.6	Research and Development Scope		
	7.7		uding Remarks		

8.	Nano	structi	red Ceramics for Environment	201	
	8.1	Introd	uction	201	
	8.2	Nanostructured WO ₃ for Electrochromic Smart Glass			
		8.2.1	Background	202	
		8.2.2	Materials and Method	203	
		8.2.3	Working Principle	203	
		8.2.4	Characterization and Analysis	204	
		8.2.5	Research and Development Scope	206	
	8.3	Nanos	structured WO ₃ -ZnO for Pollutant Dye Degradation	206	
		8.3.1	Background	206	
		8.3.2	Materials and Method	207	
		8.3.3	Working Principle	207	
		8.3.4	Characterization and Analysis	209	
		8.3.5	Research and Development Scope	211	
	8.4		anically Induced Waste Water Treatment	211	
		8.4.1	Background	211	
		8.4.2	Materials and Method	213	
		8.4.3	Working Principle	213	
		8.4.4	Characterization and Analysis	214	
		8.4.5	Research and Development Scope	215	
	8.5	Purifi	cation of High Salinity Waste Water	216	
	0.0	8.5.1	Background	216	
		8.5.2	Materials and Methods	217	
		8.5.3	Working Principle	217	
		8.5.4	Characterization and Analysis	218	
		8.5.5	Research and Development Scope	219	
	8.6	Self-C	Eleaning Coating	219	
	0.0	8.6.1	Background	219	
		8.6.2	Importance of Nanostructured TiO ₂ for Self-Cleaning	220	
		8.6.3	Materials and Methods	220	
		8.6.4	Working Principle	220	
		8.6.5	Characterization and Analysis	222	
		8.6.6	Research and Future Scope	222	
	8.7	Concl	uding Remarks	223	
		rences		223	
	ICIC.	icrices.			
_			10 1 C H M	225	
9.		ostruct	ured Ceramics for Health	225	
	9.1	Introd	duction	225 226	
	9.2		structured ZrO ₂ for Dental Ceramic Blank	220 226	
		9.2.1	Background	220 227	
		9.2.2	Advantages of Nanostructured Zirconia	<u>44</u> 7	
		9.2.3	Materials and Method		
		9.2.4	Characterization and Analysis	220	
		9.2.5	Research and Development Scope	449 220	
	9.3		structured Zirconia Toughened Alumina Femoral Ball Head	∠ວ∪ າຊ∩	
		9.3.1	Background	∠ <i>∆</i> ∪ 220	
		9.3.2	Advantage of Nanostructured Zirconia Toughened Alumina Materials and Method		
		933	Materials and Method	∠⊃1	

		9.3.4	Characterization and Analysis	231
		9.3.5	Research and Development Scope	
	9.4	Nano	Hydroxyapatite-Gelatin Porous Bone Scaffold	
		9.4.1	Background	
		9.4.2	Advantage of Nano Hydroxyapatite in Scaffold	
		9.4.3	Materials and Method	
		9.4.4	Characterization and Analysis	
		9.4.5	Research and Development Scope	
	9.5	Nanos	structured ZnO for Cancer Therapy	
		9.5.1	Background	
		9.5.2	Advantages of Nanostructured Hollow ZnO	
		9.5.3	Materials and Method	
		9.5.4	Working Principle	
		9.5.5	Characterization and Analysis	
		9.5.6	Research and Development Scope	
	9.6	Nanos	scale Core-Shell Ferrite for Hyperthermia	
		9.6.1	Background	
		9.6.2	Advantages of Core-Shell Nanoparticles	243
		9.6.3	Materials and Method	
		9.6.4	Working Principle	244
		9.6.5	Characterization and Analysis	244
		9.6.6	Research and Development Scope	246
	9.7	Concl	uding Remarks	
	Refe		-	
10.	Prob	lems aı	nd Answers	251
ĺnc	łex .			262