

FREIBERGER FORSCHUNGSSHEFTE  
Herausgegeben vom Rektor der TU Bergakademie Freiberg

B 380    Werkstofftechnologie

**The Solubility and Oxidation Behavior  
of Arsenic, Antimony and Bismuth  
in Copper Electrorefining**

*Vrauke Zeibig*

## Content

Symbols and Abbreviations.....	VI
1 Introduction.....	1
2 Literature review.....	4
2.1 The electrochemical behavior of arsenic, antimony and bismuth .....	4
2.2 The dissolution and precipitation behavior of arsenic, antimony and bismuth..9	
2.2.1 Solubility data from literature.....	9
2.2.2 Precipitation data from literature.....	11
2.3 Redox reactions of arsenic and antimony in sulphuric acid and copper electrolyte .....	16
2.3.1 Oxidation data from literature .....	16
2.3.2 Thermodynamic consideration with the software FactSage 7.0.....	19
3 Material and Methods .....	28
3.1 Experimental set-ups and procedures.....	28
3.1.1 Dissolution and solubility tests.....	28
3.1.2 Oxidation tests.....	31
3.1.3 Electrolysis tests .....	33
3.2 Characterization methods and analysis.....	37
3.3 Error analysis.....	39
4 Part 1: The establishment of equilibrium between arsenic, antimony and bismuth in copper electrolyte with technical anodes .....	45
4.1 Low impure anodes As <sub>0.7</sub> Sb <sub>0.2</sub> Bi <sub>0.1</sub> from primary smelters.....	45
4.2 Medium impure anodes As <sub>3.0</sub> Sb <sub>0.9</sub> Bi <sub>0.2</sub> from primary smelters.....	65
4.3 Medium impure anodes As <sub>2.1</sub> Sb <sub>0.4</sub> Bi <sub>0.4</sub> from primary smelters.....	73

4.4	Highly impure anodes As <sub>4.6</sub> Sb <sub>0.8</sub> Bi <sub>0.2</sub> from primary smelters .....	83
4.5	Low impure anodes As <sub>0.8</sub> Sb <sub>0.5</sub> Bi <sub>0.2</sub> from secondary smelters .....	89
4.6	Low impure anodes As <sub>0.2</sub> Sb <sub>0.6</sub> Bi <sub>0.2</sub> from secondary smelters .....	92
4.7	Summary of part 1: Parameters that significantly influence the establishment of the equilibrium .....	99
5	Part 2: Active control of the trivalent concentration of arsenic and antimony in copper electrolyte by oxygen regulation.....	101
5.1	Active control of the oxidation behavior of arsenic by means of oxygen supply .....	101
5.2	Active control of the oxidation behavior of antimony by means of oxygen supply .....	105
5.3	Summary of part 2: Methods to effectively prevent the contamination of cathodes during copper electrorefining despite changing input conditions.....	108
6	Final conclusions.....	109
	Appendix.....	113
	Figures.....	122
	Tables.....	126
	References.....	129