

FREIBERGER FORSCHUNG SHEFTE  
Herausgegeben vom Rektor der TU Bergakademie Freiberg

B 381    Werkstoffwissenschaft/Werkstofftechnologie

**On the stability of metastable phases  
in nanoscaled TiN/(Al,Ti)N multilayers**

*Ulrike Ratayski*

# Contents

<b>Introduction</b> . . . . .	1
<b>1 Titanium - Aluminium - Nitride</b> . . . . .	3
1.1 Overview - the historic role of $Ti_{1-x}Al_xN$ . . . . .	3
1.2 Crystalline phases in the Ti-Al-N system . . . . .	4
1.2.1 The stable modifications of TiN and AlN . . . . .	4
1.2.2 Metastable phases in the TiN-AlN system . . . . .	6
1.3 Thermodynamic assessment of the TiN-AlN system . . . . .	8
1.3.1 Thermodynamic stability of TiN and AlN modifications . . . . .	8
1.3.2 The pseudobinary phase diagram of TiN - AlN . . . . .	10
1.4 A brief review on $Ti_{1-x}Al_xN$ thin films and TiN/AlN multilayers . . . . .	14
1.4.1 Monolithic $Ti_{1-x}Al_xN$ coatings . . . . .	14
1.4.2 TiN/AlN multilayer coatings . . . . .	19
<b>2 X-ray scattering by low-dimensional structures</b> . . . . .	21
2.1 Wide-angle X-ray scattering . . . . .	21
2.1.1 X-ray line profile fitting . . . . .	22
2.1.2 Microstructure parameters enclosed in the peak position . . . . .	23
2.1.3 Microstructure parameters enclosed in the integral width . . . . .	29
2.2 Small-angle X-ray scattering . . . . .	30
2.2.1 The dynamical (optical) theory applied to low-dimensional structures . . . . .	31
2.2.2 The semikinematical theory . . . . .	34
2.2.3 Effect of interface corrugation on specular X-ray reflection . . . . .	35
2.2.4 Diffusely scattered intensities . . . . .	36
<b>3 Experimental details</b> . . . . .	39
3.1 Preparation by cathodic arc evaporation . . . . .	39
3.1.1 $Ti_{1-x}Al_xN$ monolithic coatings . . . . .	39
3.1.2 TiN/(Al,Ti)N multilayer coatings . . . . .	41
3.2 Laboratory details on the heat treatment procedure . . . . .	42

3.3	Electron probe microanalysis . . . . .	44
3.4	Laboratory setup for X-ray diffraction experiments . . . . .	45
3.5	Investigations by transmission electron microscopy . . . . .	47
3.5.1	Energy-dispersive X-ray spectroscopy . . . . .	47
3.5.2	Electron-energy loss spectroscopy . . . . .	48
3.6	In-situ characterization by synchrotron experiments . . . . .	52
<b>4</b>	<b>Microstructure and properties of monolithic <math>Ti_{1-x}Al_xN</math> thin films</b> .	<b>55</b>
4.1	Microstructure of as-deposited $Ti_{1-x}Al_xN$ thin films . . . . .	55
4.1.1	Effect of the sample position on the chemical composition and the deposition rate . . . . .	56
4.1.2	Phase composition and microstructure properties . . . . .	59
4.1.3	Mechanical properties of as-deposited monolithic $Ti_{1-x}Al_xN$ coatings	71
4.2	Thermal stability of $Ti_{1-x}Al_xN$ coatings deposited by CAE . . . . .	72
4.2.1	The fcc- $Ti_{1-x}Al_xN$ phase affected by the annealing temperature . .	72
4.2.2	Reduction of the chemical fluctuations in $Ti_{1-x}Al_xN$ coatings . . .	75
4.2.3	Mechanical properties . . . . .	78
<b>5</b>	<b>Preparation of periodical composition fluctuations in <math>Ti_{1-x}Al_xN</math> coatings</b> . . . . .	<b>81</b>
5.1	Implementation of periodical composition fluctuations . . . . .	81
5.2	Design and development of periodic structure model applied to SAXS analysis . . . . .	82
5.3	TiN/(Al,Ti)N multilayers prepared at identical cathode currents . . . . .	84
5.3.1	Chemical and phase composition of as-deposited multilayers . . . . .	86
5.3.2	Microstructure of Ti- and Al-rich domains . . . . .	87
5.4	The role of the cathode current applied to the Al cathode . . . . .	94
5.4.1	Chemical and phase composition affected by $I_{Al}$ . . . . .	95
5.4.2	Solubility of Al in fcc-(Ti,Al)N affected by $I_{Al}$ . . . . .	97
5.4.3	Multilayer architecture of TiN/(Al,Ti)N affected by $I_{Al}$ . . . . .	99
5.4.4	Interfaces in nanoscaled TiN/(Al,Ti)N coatings . . . . .	107
5.5	The role of the cathode current applied to the Ti cathode . . . . .	108
5.5.1	Chemical and phase composition affected by $I_{Ti}$ . . . . .	109
5.5.2	Solubility of Al in the fcc-(Ti,Al)N affected by $I_{Ti}$ . . . . .	112
5.5.3	Multilayer architecture affected by $I_{Ti}$ . . . . .	114
5.5.4	The origin of the pseudo cubic phase in TiN/(Al,Ti)N multilayers .	117

5.6 Formation of lattice strains in TiN/AlN multilayer coatings . . . . .	128
<b>6 The thermal stability of TiN/(Al,Ti)N multilayers . . . . .</b>	<b>133</b>
6.1 Covered chemical composition and temperature region . . . . .	133
6.2 Strain-induced stabilization of fcc-(Ti,Al)N in multilayer coatings . . . . .	135
6.2.1 Thermally activated solubility of Al in the fcc-(Ti,Al)N phase . . . . .	136
6.2.2 Conservation of the multilayer architecture . . . . .	138
6.2.3 Effect of the local lattice strain in multilayers . . . . .	140
6.3 Thermally activated transition of metastable phases in TiN/(Al,Ti)N coatings . . . . .	143
6.3.1 Thermal activated microstructure evolution in TiN/(Al,Ti)N multilayers . . . . .	143
6.3.2 Conservation of the multilayer architecture . . . . .	148
<b>7 Conclusions and perspectives . . . . .</b>	<b>151</b>
<b>Appendix . . . . .</b>	<b>I</b>
<b>A The elastic modulus body . . . . .</b>	<b>III</b>
<b>B Dislocation contrast factors . . . . .</b>	<b>V</b>
<b>C Species flux affected by <math>I_{Al}</math> and <math>I_{Ti}</math> . . . . .</b>	<b>VII</b>
<b>References . . . . .</b>	<b>XXII</b>