

# Glass-Ceramic Technology

Third Edition

*Wolfram Höland*  
*George H. Beall*



**WILEY**

## Contents

**Introduction to the Third Edition** *xi*

**History** *xiii*

<b>1</b>	<b>Principles of Designing Glass-Ceramic Formation</b>	<b>1</b>
1.1	Advantages of Glass-Ceramic Formation	1
1.1.1	Processing Properties	1
1.1.2	Thermal Properties	2
1.1.3	Optical Properties	3
1.1.4	Chemical Properties	3
1.1.5	Biological Properties	3
1.1.6	Mechanical Properties	3
1.1.7	Electrical and Magnetic Properties	3
1.2	Factors of Design	4
1.3	Crystal Structures and Mineral Properties	4
1.3.1	Crystalline Silicates	4
1.3.1.1	Nesosilicates	5
1.3.1.2	Sorosilicates	5
1.3.1.3	Cyclosilicates	5
1.3.1.4	Inosilicates	6
1.3.1.5	Phyllosilicates	7
1.3.1.6	Tectosilicates	7
1.3.2	Phosphates	27
1.3.2.1	Apatite	27
1.3.2.2	Orthophosphates and Diphosphates	29
1.3.2.3	Metaphosphates	30
1.3.3	Oxides	31
1.3.3.1	TiO <sub>2</sub>	32
1.3.3.2	ZrO <sub>2</sub>	32
1.3.3.3	MgAl <sub>2</sub> O <sub>4</sub> (Spinel)	33
1.4	Nucleation	34
1.4.1	Homogeneous Nucleation	36
1.4.2	Heterogeneous Nucleation	38
1.4.3	Kinetics of Homogeneous and Heterogeneous Nucleation	39
1.4.4	Limits of the Classical Nucleation and Crystallization Theory (CNT) and New Approaches	42
1.4.5	Examples of Applying the Nucleation Theory in the Development of Glass-Ceramics	44

1.4.5.1	Internal (Volume) Nucleation	44
1.4.5.2	Surface Nucleation	48
1.4.5.3	Temperature–Time–Transformation Diagrams	50
1.5	Crystal Growth	53
1.5.1	Primary Growth	54
1.5.2	Anisotropic Growth	55
1.5.3	Surface Growth	61
1.5.4	Dendritic and Spherulitic Crystallization	62
1.5.4.1	Phenomenology	62
1.5.4.2	Dendritic and Spherulitic Crystallization Applications	64
1.5.5	Secondary Grain Growth	64
<b>2</b>	<b>Composition Systems for Glass-Ceramics</b>	<b>67</b>
2.1	Alkaline and Alkaline Earth Silicates	67
2.1.1	SiO <sub>2</sub> –Li <sub>2</sub> O (Lithium Disilicate)	67
2.1.1.1	Stoichiometric Composition	67
2.1.1.2	Nonstoichiometric Multicomponent Compositions	69
2.1.2	SiO <sub>2</sub> –BaO (Sanbornite)	78
2.1.2.1	Stoichiometric Barium Disilicate	78
2.1.2.2	Multicomponent Glass-Ceramics	79
2.2	Aluminosilicates	80
2.2.1	SiO <sub>2</sub> –Al <sub>2</sub> O <sub>3</sub> (Mullite)	80
2.2.2	SiO <sub>2</sub> –Al <sub>2</sub> O <sub>3</sub> –Li <sub>2</sub> O (β-Quartz Solid Solution, β-Spodumene Solid Solution)	82
2.2.2.1	β-Quartz Solid Solution Glass-Ceramics	82
2.2.2.2	β-Spodumene Solid Solution Glass-Ceramics	86
2.2.3	SiO <sub>2</sub> –Al <sub>2</sub> O <sub>2</sub> –Na <sub>2</sub> O (Nepheline)	88
2.2.4	SiO <sub>2</sub> –Al <sub>2</sub> O <sub>3</sub> –Cs <sub>2</sub> O (Pollucite)	91
2.2.5	SiO <sub>2</sub> –Al <sub>2</sub> O <sub>3</sub> –MgO (Cordierite, Enstatite, Forsterite)	93
2.2.5.1	Cordierite Glass-Ceramics	93
2.2.5.2	Enstatite Glass-Ceramics	97
2.2.5.3	Forsterite Glass-Ceramics	99
2.2.6	SiO <sub>2</sub> –Al <sub>2</sub> O <sub>3</sub> –CaO (Wollastonite)	101
2.2.7	SiO <sub>2</sub> –Al <sub>2</sub> O <sub>3</sub> –ZnO (Zn-Stuffed β-Quartz, Willemite-Zincite)	103
2.2.7.1	Zinc-Stuffed β-Quartz Glass-Ceramics	103
2.2.7.2	Willemite and Zincite Glass-Ceramics	105
2.2.8	SiO <sub>2</sub> –Al <sub>2</sub> O <sub>3</sub> –ZnO–MgO (Spinel, Gahnite)	105
2.2.8.1	Spinel Glass-Ceramic without β-Quartz	105
2.2.8.2	β-Quartz-Spinel Glass-Ceramics	107
2.2.9	SiO <sub>2</sub> –Al <sub>2</sub> O <sub>3</sub> –CaO (Slag Sital)	108
2.2.10	SiO <sub>2</sub> –Al <sub>2</sub> O <sub>3</sub> –K <sub>2</sub> O (Leucite)	111
2.2.11	SiO <sub>2</sub> –Ga <sub>2</sub> O <sub>3</sub> –Al <sub>2</sub> O <sub>3</sub> –Li <sub>2</sub> O–Na <sub>2</sub> O–K <sub>2</sub> O (Li–Al–Gallate Spinel)	114
2.2.12	SiO <sub>2</sub> –Al <sub>2</sub> O <sub>3</sub> –SrO–BaO (Sr–Feldspar–Celsian)	115
2.3	Fluorosilicates	118
2.3.1	SiO <sub>2</sub> –(R <sup>3+</sup> ) <sub>2</sub> O <sub>3</sub> –MgO–(R <sup>2+</sup> )O–(R <sup>+</sup> ) <sub>2</sub> O–F (Mica)	118
2.3.1.1	Alkaline Phlogopite Glass-Ceramics	119
2.3.1.2	Alkali-Free Phlogopite Glass-Ceramics	124
2.3.1.3	Tetrasilicic Mica Glass-Ceramic	125
2.3.2	SiO <sub>2</sub> –Al <sub>2</sub> O <sub>3</sub> –MgO–CaO–ZrO <sub>2</sub> –F (Mica, Zirconia)	126
2.3.3	SiO <sub>2</sub> –CaO–R <sub>2</sub> O–F (Canasite)	128

- 2.3.4  $\text{SiO}_2\text{-MgO-CaO-(R}^+\text{)}_2\text{O-F}$  (Amphibole) 132
- 2.4 Silicophosphates 136
- 2.4.1  $\text{SiO}_2\text{-CaO-Na}_2\text{O-P}_2\text{O}_5$  (Apatite) 136
- 2.4.2  $\text{SiO}_2\text{-MgO-CaO-P}_2\text{O}_5\text{-F}$  (Apatite, Wollastonite) 137
- 2.4.3  $\text{SiO}_2\text{-MgO-Na}_2\text{O-K}_2\text{O-CaO-P}_2\text{O}_5$  (Apatite) 138
- 2.4.4  $\text{SiO}_2\text{-Al}_2\text{O}_3\text{-MgO-CaO-Na}_2\text{O-K}_2\text{O-P}_2\text{O}_5\text{-F}$  (Mica, Apatite) 139
- 2.4.5  $\text{SiO}_2\text{-MgO-CaO-TiO}_2\text{-P}_2\text{O}_5$  (Apatite, Magnesium Titanate) 143
- 2.4.6  $\text{SiO}_2\text{-Al}_2\text{O}_3\text{-CaO-Na}_2\text{O-K}_2\text{O-P}_2\text{O}_5\text{-F}$  (Needlelike Apatite) 144
- 2.4.6.1 Formation of Needlelike Apatite as a Parallel Reaction to Rhenanite 147
- 2.4.6.2 Formation of Needlelike Apatite from Disordered Spherical Fluoroapatite 151
- 2.4.7  $\text{SiO}_2\text{-Al}_2\text{O}_3\text{-CaO-Na}_2\text{O-K}_2\text{O-P}_2\text{O}_5\text{-F/Y}_2\text{O}_3, \text{B}_2\text{O}_3$  (Apatite and Leucite) 152
- 2.4.7.1 Fluoroapatite and Leucite 152
- 2.4.7.2 Silicate Oxyapatite and Leucite 153
- 2.4.8  $\text{SiO}_2\text{-CaO-Na}_2\text{O-P}_2\text{O}_5\text{-F}$  (Rhenanite) 156
- 2.5 Iron Silicates 158
- 2.5.1  $\text{SiO}_2\text{-Fe}_2\text{O}_3\text{-CaO}$  158
- 2.5.2  $\text{SiO}_2\text{-Al}_2\text{O}_3\text{-FeO-Fe}_2\text{O}_3\text{-K}_2\text{O}$  (Mica, Ferrite) 159
- 2.5.3  $\text{SiO}_2\text{-Al}_2\text{O}_3\text{-Fe}_2\text{O}_3\text{-(R}^+\text{)}_2\text{O-(R}^{2+}\text{)O}$  (Basalt) 160
- 2.6 Phosphates 163
- 2.6.1  $\text{P}_2\text{O}_5\text{-CaO}$  (Metaphosphates) 163
- 2.6.2  $\text{P}_2\text{O}_5\text{-CaO-TiO}_2$  166
- 2.6.3  $\text{P}_2\text{O}_5\text{-Na}_2\text{O-BaO}$  and  $\text{P}_2\text{O}_5\text{-TiO}_2\text{-WO}_3$  167
- 2.6.3.1  $\text{P}_2\text{O}_5\text{-Na}_2\text{O-BaO}$  System 167
- 2.6.3.2  $\text{P}_2\text{O}_5\text{-TiO}_2\text{-WO}_3$  System 167
- 2.6.4  $\text{P}_2\text{O}_5\text{-Al}_2\text{O}_3\text{-CaO}$  (Apatite) 167
- 2.6.5  $\text{P}_2\text{O}_5\text{-B}_2\text{O}_3\text{-SiO}_2$  169
- 2.6.6  $\text{P}_2\text{O}_5\text{-SiO}_2\text{-Li}_2\text{O-ZrO}_2$  170
- 2.6.6.1 Glass-Ceramics Containing 16 wt%  $\text{ZrO}_2$  171
- 2.6.6.2 Glass-Ceramics Containing 20 wt%  $\text{ZrO}_2$  171
- 2.6.7  $\text{P}_2\text{O}_5\text{-FeO-Na}_2\text{O}$  (Pyrophosphate) 174
- 2.7 Ion Exchange in Glass-Ceramics 174
- 2.8 Rare Earth-Doped Light-Transmitting Glass-Ceramics 186
- 2.8.1 Ce:YAG Glass-Ceramics for White LEDs 186
- 2.8.2 Eu, Dy:  $\text{SrAl}_2\text{O}_4$  Transparent Glass-Ceramics with Long Phosphorescence and High Brightness 188
- 2.8.3  $\text{Eu}^{2+}$ -Activated  $\beta\text{-Ca}_2\text{SiO}_4$  and  $\text{Ca}_3\text{Si}_2\text{O}_7$  Green and Red Phosphors for White LEDs 191
- 2.8.4 Transparent (Er,Yb) $\text{NbO}_4$ - $\beta$ -Quartz Solid Solution Glass-Ceramics 193
- 2.9 Extension of Glass-Ceramic Systems Developed on the Basis of Multifold Nucleation and Crystallization Mechanisms 193
- 2.9.1 Sr-apatite-Leucite/Pollucite/Rb-leucite 194
- 2.9.1.1 Internal Nucleation and Crystallization 194
- 2.9.1.2 Internal Mechanisms Combined with Surface Nucleation and Crystallization 195
- 2.9.2 Lithium Disilicate-Apatite Glass-Ceramic 197
- 2.9.3 Lithium Disilicate and Cesium Aluminosilicate Glass-Ceramics 203
- 2.9.4 Lithium Disilicate-Diopside/Wollastonite Glass-Ceramic 205
- 2.9.5 Lithium Disilicate-Niobate/Tantalate Glass-Ceramic 207
- 2.9.6 Quartz-Lithium Disilicate Glass-Ceramic 207
- 2.9.7 Transparent Glass-Ceramics Based on Lithium Disilicate and Petalite 209

2.10	Other Systems	210
2.10.1	Perovskite-Type Glass-Ceramics	210
2.10.1.1	$\text{SiO}_2\text{-Nb}_2\text{O}_5\text{-Na}_2\text{O-(BaO)}$	210
2.10.1.2	$\text{SiO}_2\text{-Al}_2\text{O}_3\text{-TiO}_2\text{-PbO}$	211
2.10.1.3	$\text{SiO}_2\text{-Al}_2\text{O}_3\text{-K}_2\text{O-Ta}_2\text{O}_5\text{-Nb}_2\text{O}_5$	212
2.10.2	$\text{SiO}_2\text{-B}_2\text{O}_3\text{-TiO}_2\text{-La}_2\text{O}_3$ System	213
2.10.3	Transparent and Highly Crystalline $\text{BaAl}_4\text{O}_7$ Glass-Ceramics	213
2.10.4	Chalcogenide Glass-Ceramics	214
2.10.5	Ilmenite-Type ( $\text{SiO}_2\text{-Al}_2\text{O}_3\text{-Li}_2\text{O-Ta}_2\text{O}_5$ ) Glass-Ceramics	214
2.10.6	$\text{B}_2\text{O}_3\text{-BaFe}_{12}\text{O}_{19}$ (Barium Hexaferrite) or ( $\text{BaFe}_{10}\text{O}_{15}$ ) Barium Ferrite	214
2.10.7	$\text{SiO}_2\text{-Al}_2\text{O}_3\text{-BaO-TiO}_2$ (Barium Titanate)	215
2.10.8	$\text{Bi}_2\text{O}_3\text{-SrO-CaO-CuO}$	216
<b>3</b>	<b>Microstructure Control</b>	<b>217</b>
3.1	Solid State Reactions	217
3.1.1	Isochemical Phase Transformation	217
3.1.2	Reactions Between Phases	218
3.1.3	Exsolution	218
3.1.4	Use of Phase Diagrams to Predict Glass-Ceramic Assemblages	218
3.2	Microstructure Design	219
3.2.1	Nanocrystalline Microstructures	219
3.2.2	Cellular Membrane Microstructures	221
3.2.3	Coast-and-Island Microstructure	222
3.2.4	Dendritic Microstructures	225
3.2.5	Relict Microstructures	227
3.2.6	House-of-Cards Microstructures	228
3.2.6.1	Nucleation Reactions	229
3.2.6.2	Primary Crystal Formation and Mica Precipitation	229
3.2.7	Cabbage-Head Microstructures	229
3.2.8	Acicular Interlocking Microstructures	235
3.2.9	Lamellar Twinned Microstructures	237
3.2.10	Preferred Crystal Orientation	238
3.2.11	Crystal Network Microstructures	240
3.2.12	Nature as an Example	242
3.2.13	Nanocrystals	242
3.3	Control of Key Properties	243
3.3.1	General	243
3.3.2	Multifold Nucleation and Crystallization	245
3.3.2.1	Control of Mechanical and Thermal Properties	245
3.3.2.2	Control of Optical and Thermal Properties	245
3.3.2.3	Control of Mechanical and Optical Properties	246
3.3.2.4	Control of Mechanical and Magnetic Properties	246
3.3.2.5	Control of Biological and Mechanical Properties	246
3.4	Methods and Measurements	246
3.4.1	Chemical System and Crystalline Phases	246
3.4.2	Determination of Crystal Phases	247
3.4.3	Kinetic Process of Crystal Formation	249
3.4.4	Determination of Microstructure	252
3.4.5	Mechanical, Optical, Electrical, Chemical, and Biological Properties	252

- 3.4.5.1 Optical Properties and Chemical Composition of Glass-Ceramics 254
- 3.4.5.2 Mechanical Properties and Microstructure of Glass-Ceramics 254
- 3.4.5.3 Electrical Properties 256
- 3.4.5.4 Chemical Properties 256
- 3.4.5.5 Biological Properties 257
- 4 Applications of Glass-Ceramics 259**
  - 4.1 Technical Applications 259
    - 4.1.1 Radomes 259
    - 4.1.2 Photosensitive and Etched Patterned Materials 259
      - 4.1.2.1 Fotoform<sup>®</sup> and Fotoceram<sup>®</sup> 259
      - 4.1.2.2 Foturan<sup>®</sup> 262
      - 4.1.2.3 Additional Products 265
    - 4.1.3 Machinable Glass-Ceramics 265
      - 4.1.3.1 MACOR<sup>®</sup> and DICOR<sup>®</sup> 265
      - 4.1.3.2 Vitronit<sup>™</sup> 268
      - 4.1.3.3 Photoveel<sup>™</sup> 269
    - 4.1.4 Magnetic Memory Disk Substrates 269
    - 4.1.5 Liquid Crystal Displays 273
  - 4.2 Consumer Applications 273
    - 4.2.1  $\beta$ -Spodumene Solid-Solution Glass-Ceramic 273
    - 4.2.2  $\beta$ -Quartz Solid-Solution Glass-Ceramic 274
  - 4.3 Optical Applications 279
    - 4.3.1 Telescope Mirrors 279
      - 4.3.1.1 Requirements for Their Development 279
      - 4.3.1.2 Zerodur<sup>®</sup> Glass-Ceramics 279
    - 4.3.2 Integrated Lens Arrays 281
    - 4.3.3 Applications for Luminescent Glass-Ceramics 283
      - 4.3.3.1 Cr-Doped Mullite for Solar Concentrators 283
      - 4.3.3.2 Cr-Doped Gahnite Spinel for Tunable Lasers and Optical Memory Media 286
      - 4.3.3.3 Rare-Earth Doped Oxyfluorides for Amplification, Upconversion, and Quantum Cutting 287
      - 4.3.3.4 Chromium ( $\text{Cr}^{4+}$ )-Doped Forsterite,  $\beta$ -Willemite, and Other Orthosilicates for Broad Wavelength Amplification 293
      - 4.3.3.5  $\text{Ni}^{2+}$ -Doped Gallate Spinel for Amplification and Broadband Infrared Sources 295
      - 4.3.3.6 YAG Glass-Ceramic Phosphor for White LED 300
    - 4.3.4 Optical Components 300
      - 4.3.4.1 Glass-Ceramics for Fiber Bragg Grating Athermalization 300
      - 4.3.4.2 Laser-Induced Crystallization for Optical Gratings and Waveguides 306
      - 4.3.4.3 Glass-Ceramic Ferrule for Optical Connectors 307
      - 4.3.4.4 Applications for Transparent ZnO Glass-Ceramics with Controlled Infrared Absorbance and Microwave Susceptibility 308
  - 4.4 Medical and Dental Glass-Ceramics 309
    - 4.4.1 Glass-Ceramics for Medical Applications 310
      - 4.4.1.1 CERABONE<sup>®</sup> 310
      - 4.4.1.2 CERAVITAL<sup>®</sup> 311
      - 4.4.1.3 BIOVERIT<sup>®</sup> 312
    - 4.4.2 Glass-Ceramics for Dental Restoration 313
      - 4.4.2.1 Moldable Glass-Ceramics for Metal-Free Dental Restorations 314

4.4.2.2	Machinable Glass-Ceramics	324
4.4.2.3	Fusion of Glass-Ceramics on High Toughness Sintered Ceramics	332
4.4.2.4	Leucite-Apatite Glass-ceramic on Metal Frameworks and Metal-Free Restorations	335
4.5	Electrical and Electronic Applications	339
4.5.1	Insulators	339
4.5.2	Electronic Packaging	340
4.5.2.1	Requirements for Their Development	340
4.5.2.2	Properties and Processing	341
4.5.2.3	Applications	342
4.5.3	Dielectric Glass-Ceramics for GHz Electronics	343
4.6	Architectural Applications	345
4.7	Coatings and Solders	347
4.8	Glass-Ceramics for Energy Applications	348
4.8.1	Glass-Ceramic Components for Batteries	349
4.8.1.1	Glass-Ceramics as Cathodes for Lithium or Sodium Ion Batteries and Glass as Anodes	349
4.8.1.2	Electrolytes	349
4.8.2	Joining Materials for Solid Oxide Fuel Cell Components	350
4.9	Application of Glass-Ceramic Principle to Functional Materials	352
4.10	Forming Processes for Glass-Ceramics	352
4.10.1	Pressing	352
4.10.2	Casting	353
4.10.3	Spinning (Centrifugal Casting)	353
4.10.4	Rolling	354
4.10.5	Float Process	354
4.10.6	Direct Forming or Reforming of Glass-Ceramics	357
<b>5</b>	<b>Future Directions</b>	<b>358</b>
	<b>Appendix A: Twenty-one Figures of 23 Crystal Structures</b>	<b>360</b>
	<b>References</b>	<b>381</b>
	<b>Index</b>	<b>415</b>