

Institut für Erd- und Umweltwissenschaften  
Mathematisch-Naturwissenschaftliche Fakultät  
Universität Potsdam

**Selenite pseudomorphs: from formation to  
metamorphism—the "Rosetta Marble", Anatolia**

**Franziska Scheffler**

**Kummulative Dissertation  
zur Erlangung des akademischen Grades  
Doktor der Naturwissenschaften (Dr. rer. nat.)**

**supervized by  
Prof. Dr. Roland Oberhänsli  
Prof. Dr. Adrian Immenhauser**

**Potsdam, April 2019; Disputationsdatum: 08.11.2019**

---

## Contents

<b>1. Introduction</b>	<b>13</b>
1.1. Context and Objectives . . . . .	13
1.2. Organization of the thesis . . . . .	15
<b>2. The Rosetta Marbles from Fesleğen, Ören Unit, SW Anatolia</b>	<b>18</b>
<b>3. Sedimentologic to metamorphic processes recorded in the high-pressure/ low-temperature Mesozoic Rosetta Marble of Anatolia</b>	<b>20</b>
3.1. Introduction . . . . .	20
3.2. Geotectonic setting . . . . .	21
3.3. Stratigraphic position of Rosetta Marble in Anatolia . . . . .	23
3.4. Methods . . . . .	24
3.5. Field and petrographic data . . . . .	24
3.5.1. Ören Unit: type locality Fesleğen . . . . .	24
3.5.2. Karaböğürtlen . . . . .	30
3.5.3. Afyon zone . . . . .	32
3.5.4. Tavşanlı zone . . . . .	35
3.5.5. Antalya–Bitlis block . . . . .	35
3.6. Geochemical data . . . . .	38
3.6.1. Strontium and sulphur concentrations . . . . .	38
3.6.2. Cathodoluminescence microscopy . . . . .	38
3.6.3. White mica–quartz–water thermobarometry . . . . .	39
3.6.4. Aragonite inclusions in quartz . . . . .	39
3.7. Interpretation: precursor mineral of calcite rods . . . . .	41
3.8. Discussion . . . . .	42
3.8.1. Aragonite pseudomorphs . . . . .	42
3.8.2. Selenite replacement by carbonate . . . . .	43
3.8.3. Selenite growth conditions and palaeoenvironmental implications . . . . .	44
3.9. Conclusions . . . . .	46
<b>4. A lost Tethyan evaporitic basin — Evidence from a Cretaceous meta-selenite – red chert association in the Eastern Mediterranean realm</b>	<b>48</b>
4.1. Introduction . . . . .	48
4.2. Plate tectonic setting, regional tectonostratigraphic framework, and study sites . . . . .	49
4.3. Case setting: The Rosetta Marble . . . . .	50
4.4. Materials and methods . . . . .	52
4.4.1. Field work and sample material . . . . .	52
4.4.2. Optical analyses . . . . .	52
4.4.3. Geochemical analyses . . . . .	53
4.5. Data presentation . . . . .	53
4.5.1. Stratigraphy and Sedimentology . . . . .	53
4.5.2. Morphological features and growth orientation of meta-selenites . . . . .	54
4.5.3. Geochemical data . . . . .	65

4.6.	Interpretation and discussion . . . . .	70
4.6.1.	Sections studied in the bathymetric context of a lost Cretaceous evaporitic basin . . . . .	70
4.6.2.	Interpretation of the selenite–radiolarite couplets . . . . .	72
4.6.3.	Rosetta selenites interpreted in their environmental context and comparison with analogue deposits . . . . .	73
4.6.4.	Interpretation of meta-selenite geochemical data in the context of subduction and exhumation pathways . . . . .	78
4.6.5.	Arguments for a Mid-Late Cretaceous salinity crisis in the Middle Tethys and comparison with Aptian evaporites in the Proto-Atlantic . . . . .	83
4.7.	Conclusions . . . . .	84
<b>5.</b>	<b>Conclusions</b>	<b>86</b>
5.1.	Summary and Conclusions . . . . .	86
5.2.	Perspectives . . . . .	87
5.3.	Open questions and final remarks . . . . .	93
	<b>Appendices</b>	<b>95</b>
<b>A.</b>	<b>Climatic and geochemical implications of Archean pedogenic gypsum in the Moodies Group (~ 3.2 Ga), Barberton Greenstone Belt, South Africa</b>	<b>95</b>
A.1.	Introduction . . . . .	95
A.2.	Geological setting . . . . .	96
A.3.	Methods . . . . .	98
A.4.	Stratigraphy and facies . . . . .	98
A.5.	Petrography and micromorphology of concretions . . . . .	101
A.5.1.	Sandstone petrography . . . . .	101
A.5.2.	Morphology of concretions . . . . .	104
A.5.3.	Other evaporitic features . . . . .	111
A.6.	Discussion . . . . .	112
A.6.1.	Timing of concretionary growth . . . . .	112
A.6.2.	Chemical conditions and ion provenance . . . . .	114
A.6.3.	Silification and late (burial) diagenesis . . . . .	115
A.6.4.	Concretion stratigraphy . . . . .	115
A.6.5.	Pedogenic processes . . . . .	116
A.7.	Conclusions . . . . .	117
A.8.	Supplementary material . . . . .	118
<b>B.</b>	<b>Supplementary material to "A lost Tethyan evaporitic basin — Evidence from a Cretaceous meta-selenite – red chert association in the Eastern Mediterranean realm"</b>	<b>122</b>
	<b>References</b>	<b>134</b>