

# Transparent Ceramics

*Materials, Processing, and Applications*

*Adrian Goldstein, Andreas Krell, and Zeev Burshtein*

**WILEY**



## Contents

	Foreword	<i>xiii</i>
	Acknowledgments	<i>xv</i>
	General Abbreviations	<i>xvii</i>
1	Introduction	<i>1</i>
1.1	Importance of Transparent Ceramics: The Book's Rationale Topic and Aims	<i>1</i>
1.2	Factors Determining the Overall Worth of Transparent Ceramics	<i>2</i>
1.2.1	Technical Characteristics	<i>2</i>
1.2.2	Fabrication and Characterization Costs	<i>3</i>
1.2.3	Overview of Worth	<i>3</i>
1.3	Spectral Domain for Ceramics High Transmission Targeted in This Book	<i>3</i>
1.3.1	High Transmission Spectral Domain	<i>3</i>
1.3.2	Electromagnetic Radiation/Solid Interaction in the Vicinity of the Transparency Domain	<i>4</i>
1.4	Definition of Transparency Levels	<i>4</i>
1.5	Evolution of Transmissive Ability Along the Ceramics Development History	<i>6</i>
1.5.1	Ceramics with Transparency Conferred by Glassy Phases	<i>6</i>
1.5.2	The First Fully Crystalline Transparent Ceramic	<i>7</i>
1.5.3	A Brief Progress History of All-Crystalline Transparent Ceramics	<i>8</i>
2	Electromagnetic Radiation: Interaction with Matter	<i>11</i>
2.1	Electromagnetic Radiation: Phenomenology and Characterizing Parameters	<i>11</i>
2.2	Interference and Polarization	<i>13</i>
2.3	Main Processes which Disturb Electromagnetic Radiation After Incidence on a Solid	<i>13</i>
2.3.1	Refraction	<i>14</i>
2.3.2	Reflection	<i>17</i>
2.3.3	Birefringence	<i>20</i>
2.3.4	Scattering	<i>22</i>
2.3.4.1	Scattering by Pores	<i>22</i>
2.3.4.2	Scattering Owed to Birefringence	<i>24</i>
2.3.5	Absorption	<i>27</i>
2.3.5.1	Transition Metal and Rare-Earth Cations in Transparent Ceramic Hosts	<i>27</i>
2.3.5.2	Absorption Spectra of Metal and Rare-Earth Cations Located in TC Hosts	<i>28</i>
2.3.5.2.1	Transition Metal and Rare-Earth Cations' Electronic Spectra: Theoretical Basis	<i>29</i>
2.3.5.2.1.1	Electronic States of a Cation in Free Space	<i>29</i>
2.3.5.2.2	Absorption Spectra of Transition Metal and Rare-Earth Cations: Examples	<i>50</i>
2.3.5.2.2.1	The Considered Solid Hosts	<i>50</i>
2.4	Physical Processes Controlling Light Absorption in the Optical Window Vicinity	<i>54</i>
2.4.1	High Photon Energy Window Cutoff: Ultraviolet Light Absorption in Solids	<i>54</i>
2.4.2	Low Photon Energy Window Cutoff: Infrared Light Absorption in Solids	<i>58</i>
2.4.2.1	Molecular Vibrations	<i>58</i>
2.4.2.2	Solid Vibrations	<i>59</i>
2.4.2.3	Acoustic Modes	<i>61</i>
2.4.2.4	Optical Modes	<i>62</i>

2.5	Thermal Emissivity	66
2.6	Color of Solids	67
2.6.1	Quantitative Specification of Color	67
2.6.2	Coloration Mechanisms: Coloration Based on Conductive Colloids	71
3	Ceramics Engineering: Aspects Specific to Those Transparent	73
3.1	Processing	73
3.1.1	List of Main Processing Approaches	73
3.1.2	Powder Compacts Sintering	73
3.1.2.1	Configuration Requirements for High Green Body Sinterability: Factors of Influence	73
3.1.2.2	Powder Processing and Green-Body Forming	77
3.1.2.2.1	Agglomerates	77
3.1.2.2.2	Powder Processing	80
3.1.2.2.3	Forming Techniques	81
3.1.2.2.3.1	Press Forming	81
3.1.2.2.3.2	Liquid-Suspensions Based Forming	84
3.1.2.2.3.3	Slip-Casting Under Strong Magnetic Fields	86
3.1.2.2.3.4	Gravitational Deposition, Centrifugal-Casting, and Filter-Pressing	88
3.1.2.3	Sintering	89
3.1.2.3.1	Low Relevancy of Average Pore Size	89
3.1.2.3.2	Pore Size Distribution Dynamics During Sintering	89
3.1.2.3.3	Grain Growth	93
3.1.2.3.4	Methods for Pores Closure Rate Increase	93
3.1.2.3.4.1	Liquid Assisted Sintering	94
3.1.2.3.4.2	Pressure Assisted Sintering	94
3.1.2.3.4.3	Sintering Under Electromagnetic Radiation	96
3.1.2.3.4.4	Sintering Slip-Cast Specimens Under Magnetic Field	97
3.1.2.3.4.5	Reaction-Preceded Sintering	97
3.1.2.3.4.6	Use of Sintering Aids	98
3.1.3	Bulk Chemical Vapor Deposition (CVD)	98
3.1.4	Glass-Ceramics Fabrication by Controlled Glass Crystallization	98
3.1.4.1	Introduction	98
3.1.4.2	Glass Crystallization: Basic Theory	100
3.1.4.2.1	Nucleation	100
3.1.4.2.2	Crystal Growth	102
3.1.4.2.3	Phase Separation in Glass	102
3.1.4.2.4	Crystal Morphologies	103
3.1.4.3	Requirements for the Obtainment of Performant Glass-Ceramics	103
3.1.4.3.1	Nucleators	103
3.1.4.4	Influence of Controlled Glass Crystallization on Optical Transmission	104
3.1.4.4.1	Full Crystallization	105
3.1.5	Bulk Sol-Gel	105
3.1.6	Polycrystalline to Single Crystal Conversion via Solid-State Processes	107
3.1.7	Transparency Conferred to Non-cubic Materials by Limited Lattice Disorder	109
3.1.8	Transparent Non-cubic Nanoceramics	109
3.1.9	Grinding and Polishing	109
3.2	Characterization	111
3.2.1	Characterization of Particles, Slurries, Granules, and Green Bodies Relevant in Some Transparent Ceramics Fabrication	111
3.2.1.1	Powder Characterization	112
3.2.1.2	Granules Measurement and Slurry Characterization	113
3.2.1.3	Green-Body Characterization	114
3.2.2	Scatters Topology Illustration	115
3.2.2.1	Laser-Scattering Tomography (LST)	116

3.2.3	Discrimination Between Translucency and High Transmission Level	116
3.2.4	Bulk Density Determination from Optical Transmission Data	117
3.2.5	Lattice Irregularities: Grain Boundaries, Cations Segregation, Inversion	118
3.2.6	Parasitic Radiation Absorbers' Identification and Spectral Characterization	123
3.2.6.1	Absorption by Native Defects of Transparent Hosts	123
3.2.7	Detection of ppm Impurity Concentration Levels	124
3.2.8	Mechanical Issues for Windows and Optical Components	126
4	Materials and Their Processing	131
4.1	Introduction	131
4.1.1	General	131
4.1.2	List of Materials and Their Properties	131
4.2	Principal Materials Description	131
4.2.1	Mg and Zn Spinel	131
4.2.1.1	Mg-Spinel	131
4.2.1.1.1	Structure	131
4.2.1.1.2	Fabrication	136
4.2.1.1.3	Properties of Spinel	146
4.2.1.2	Zn-Spinel	152
4.2.2	$\gamma$ -Al-oxynitride	152
4.2.2.1	Composition and Structure	152
4.2.2.2	Processing	154
4.2.2.2.1	Fabrication Approaches	154
4.2.2.2.2	Powder Synthesis	155
4.2.2.2.3	Green Parts Forming. Sintering	155
4.2.2.3	Characteristics of Densified Parts	156
4.2.3	Transparent and Translucent Alumina	157
4.2.3.1	Structure	158
4.2.3.1.1	Utility of T-PCA	158
4.2.3.2	Processing of Transparent Ceramic Alumina	159
4.2.3.2.1	Raw Materials	159
4.2.3.2.2	Processing	159
4.2.3.3	Properties of Transparent Alumina	163
4.2.4	Transparent Magnesia and Calcia	163
4.2.4.1	Structure	164
4.2.4.2	Raw Materials and Processing	165
4.2.4.3	Properties	167
4.2.4.4	Transparent Calcium Oxide	169
4.2.5	Transparent YAG and Other Garnets	169
4.2.5.1	Structure, Processing, and Properties of YAG	170
4.2.5.1.1	Processing	170
4.2.5.1.2	Properties of YAG	174
4.2.5.2	LuAG	177
4.2.5.3	Garnets Based on Tb	178
4.2.5.4	Garnets Based on Ga	179
4.2.5.5	Other Materials Usable for Magneto-Optical Components	179
4.2.6	Transparent Yttria and Other Sesquioxides	180
4.2.6.1	Structure of $Y_2O_3$	180
4.2.6.2	Processing of $Y_2O_3$	181
4.2.6.2.1	$Y_2O_3$ Powders	181
4.2.6.2.2	Processing Approaches	181
4.2.6.2.3	Discussion of Processing	185
4.2.6.3	Properties of $Y_2O_3$	187

4.2.6.4	Other Sesquioxides with Bixbyite Lattice	187
4.2.6.4.1	Sc <sub>2</sub> O <sub>3</sub>	188
4.2.6.4.2	Lu <sub>2</sub> O <sub>3</sub>	189
4.2.7	Transparent Zirconia	190
4.2.7.1	Structure: Polymorphism, Effect of Alloying	190
4.2.7.2	Processing–Transparency Correlation in Cubic Zirconia Fabrication	192
4.2.7.2.1	Zirconia Powders	192
4.2.7.2.2	Forming and Sintering	193
4.2.7.3	Properties	194
4.2.7.3.1	Density of Zirconias	194
4.2.7.4	Types of Transparent Zirconia	195
4.2.7.4.1	TZPs	195
4.2.7.4.2	Cubic ZrO <sub>2</sub>	195
4.2.7.4.3	Monoclinic Zirconia	196
4.2.7.4.4	Electronic Absorption	197
4.2.8	Transparent Metal Fluoride Ceramics	198
4.2.8.1	Crystallographic Structure	199
4.2.8.2	Processing of Transparent-Calcium Fluoride	199
4.2.8.3	Properties	200
4.2.9	Transparent Chalcogenides	201
4.2.9.1	Composition and Structure	201
4.2.9.2	Processing	201
4.2.9.3	Properties	203
4.2.10	Ferroelectrics	203
4.2.10.1	Ferroelectrics with Perovskite-Type Lattice	203
4.2.10.2	PLZTs: Fabrication and Properties	204
4.2.10.2.1	Electro-optic Properties of PLZTs	207
4.2.10.3	Other Perovskites Including Pb	207
4.2.10.4	Perovskites Free of Pb	208
4.2.10.4.1	Ba Metatitanate	208
4.2.10.4.2	Materials Based on the Potassium Niobate-sodium Niobate System	209
4.2.11	Transparent Glass-Ceramics	210
4.2.11.1	Transparent Glass Ceramics Based on Stuffed β-Quartz Solid Solutions	210
4.2.11.2	Transparent Glass Ceramics Based on Crystals Having a Spinel-Type Lattice	212
4.2.11.3	Mullite-Based Transparent Glass-Ceramics	213
4.2.11.4	Other Transparent Glass-Ceramics Derived from Polinary Oxide Systems	214
4.2.11.5	Oxyfluoride Matrix Transparent Glass-Ceramics	214
4.2.11.6	Transparent Glass-Ceramics Including Very High Crystalline Phase Concentration	216
4.2.11.6.1	Materials of Extreme Hardness (Al <sub>2</sub> O <sub>3</sub> –La <sub>2</sub> O <sub>3</sub> , ZrO <sub>2</sub> )	216
4.2.11.6.2	TGCs of High Crystallinity Including Na <sub>3</sub> Ca Silicates	216
4.2.11.6.3	Materials for Scintillators	217
4.2.11.7	Pyroelectric and Ferroelectric Transparent Glass-Ceramics	217
4.2.12	Cubic Boron Nitride	222
4.2.13	Ultrahard Transparent Polycrystalline Diamond Parts	222
4.2.13.1	Structure	222
4.2.13.2	Fabrication	224
4.2.13.3	Properties	225
4.2.14	Gallium Phosphide (GaP)	225
4.2.15	Transparent Silicon Carbide and Nitride and Aluminium Oxynitride	226
5	TC Applications	227
5.1	General Aspects	227
5.2	Brief Description of Main Applications	227
5.2.1	Envelopes for Lighting Devices	227

5.2.2	Transparent Armor Including Ceramic Layers	229
5.2.2.1	Armor: General Aspects	229
5.2.2.1.1	The Threats Armor Has to Defeat (Projectiles)	229
5.2.2.1.2	The Role of Armor	230
5.2.2.1.3	Processes Generated by the Impact of a Projectile on a Ceramic Strike-Face (Small Arm Launchers)	231
5.2.2.1.4	Final State of the Projectile/Armor Impact Event Participants	234
5.2.2.1.4.1	Armor Performance Descriptors	235
5.2.2.1.5	Characteristics which Influence Armor Performance	236
5.2.2.1.6	Ceramic Armor Study and Design	236
5.2.2.2	Specifics of the Transparent-Ceramic Based Armor	239
5.2.2.3	Materials for Transparent Armor	243
5.2.2.3.1	Ceramics	243
5.2.2.3.2	Single Crystals	245
5.2.2.3.3	Glass-Ceramics	246
5.2.2.3.4	Glasses	248
5.2.2.4	Examples of Transparent Ceramics Armor Applications	248
5.2.3	Infrared Windows	249
5.2.3.1	The Infrared Region	249
5.2.3.2	Background Regarding Heavy Duty Windows	249
5.2.3.2.1	Threats to Missile IR Domes: Material Characteristics Relevant for Their Protection	249
5.2.3.2.1.1	Impact of Particulates (Erosion)	249
5.2.3.2.1.2	Thermal Shock	250
5.2.3.3	Applications of infrared transparent ceramics	251
5.2.3.3.1	Missile Domes and Windows for Aircraft-Sensor Protection	251
5.2.3.3.2	Laser Windows: Igniters, Cutting Tools, LIDARs	251
5.2.3.3.2.1	Igniters	251
5.2.3.3.2.2	LIDAR-Windows	252
5.2.3.3.3	Windows for Vacuum Systems	252
5.2.3.4	Ceramic Materials Optimal for the Various IR Windows Applications	252
5.2.3.4.1	Competitor Materials: Glasses and Single Crystals	253
5.2.3.4.2	Glasses	253
5.2.3.4.3	Single Crystals	253
5.2.3.4.4	Sapphire	254
5.2.3.4.5	Crystals for the 8–12 $\mu\text{m}$ Window	254
5.2.3.5	Radomes	254
5.2.4	Transparent Ceramics for Design, Decorative Use, and Jewelry	254
5.2.5	Components of Imaging Optic Devices (LENSES)	258
5.2.6	Dental Ceramics	260
5.2.7	Applications of Transparent Ferroelectric and Pyroelectric Ceramics	262
5.2.7.1	Flash Goggles	263
5.2.7.2	Color Filter	263
5.2.7.3	Stereo Viewing Device	264
5.2.7.4	Applications of Second-Generation (Non-PLZT) Ferroelectric Ceramics	265
5.2.8	Applications of Ceramics with Magnetic Properties	265
5.2.9	Products Based on Ceramic Doped with Transition and/or Rare-Earth Cations	267
5.2.9.1	Gain Media for Solid-State Lasers	267
5.2.9.1.1	Lasers: Definition and Functioning Mechanisms	267
5.2.9.1.1.1	Lasing Mechanisms	267
5.2.9.1.2	Laser Systems Efficiency: Characterizing Parameters	277
5.2.9.1.3	Laser Oscillators and Amplifiers	277
5.2.9.1.4	Device Operation Related Improvements Allowing Increase of Ceramic Lasers Performance	278
5.2.9.1.4.1	Diode Lasers as Pumping Sources	278
5.2.9.1.4.2	Cryogenic Operation	278
5.2.9.1.4.3	Cavity-Loss Control	279

5.2.9.1.4.4	Laser Output Signal Manipulation	280
5.2.9.1.4.5	Lasing Device Configuration Optimization	281
5.2.9.1.4.6	ThinZag Configuration	281
5.2.9.1.4.7	Virtual Point Source Pumping	282
5.2.9.1.5	Ceramic Gain Media (Host + Lasant Ion) Improvements	283
5.2.9.1.5.1	The Hosts	283
5.2.9.1.5.2	Principal Lasing Cations Operating in Ceramic Hosts	289
5.2.9.1.6	Applications of Ceramic Lasers	299
5.2.9.1.6.1	Materials Working	299
5.2.9.1.6.2	Laser Weapons	300
5.2.9.1.6.3	Combustion Ignitors: Cars and Guns	300
5.2.9.1.6.4	Other Applications	300
5.2.9.2	Q-switches	303
5.2.9.2.1	General	303
5.2.9.2.2	Transition Metal Cations Usable for Switching	304
5.2.9.2.2.1	Co <sup>2+</sup>	304
5.2.9.2.2.2	Cr <sup>4+,5+</sup>	306
5.2.9.2.2.3	V <sup>3+</sup>	308
5.2.9.2.2.4	Cr <sup>2+</sup> (d <sup>4</sup> ), Fe <sup>2+</sup> (d <sup>6</sup> )	309
5.2.9.3	Ceramic Phosphors for Solid State Lighting Systems	309
5.2.9.3.1	Artificial Light Sources: General Considerations	309
5.2.9.3.1.1	Conventional Light Sources Powered by Electricity	310
5.2.9.3.1.2	Incandescent Lamps	311
5.2.9.3.1.3	Discharge Lamps	311
5.2.9.3.1.4	Fluorescent Lamps	313
5.2.9.3.1.5	Solid-State Lighting Sources	313
5.2.9.3.2	Transparent Bulk Ceramics Based Phosphors for Light Sources Based on LEDs	314
5.2.9.3.2.1	Ce <sup>3+</sup> :YAG and Ce <sup>3+</sup> , RE <sup>3+</sup> :YAG Phosphors	314
5.2.9.3.2.2	Bathochrome Moving (Redshifting) of Ce <sup>3+</sup> Emission by YAG Lattice Straining	318
5.2.9.3.2.3	Summary of SSLs	321
5.2.9.4	Scintillators	321
6	Future Developments	325
7	Conclusions	327
	References	329
	Index	357