



MAX-PLANCK-GESellschaft

TECHNISCHE UNIVERSITÄT MÜNCHEN
MAX-PLANCK-INSTITUT FÜR QUANTENOPTIK

Methods for Quantum Dynamics, Localization and Quantum Machine Learning

Nicola Pancotti

Vollständiger Abdruck der von der Fakultät für Physik
der Technischen Universität München
zur Erlangung des akademischen Grades eines
Doktors der Naturwissenschaften (Dr. rer. nat.)
genehmigten Dissertation.

Vorsitzender: Prof. Dr. Alexander Holleitner

Prüfer der Dissertation: 1. Hon.-Prof. Dr. Ignacio Cirac
2. Prof. Dr. Frank Pollmann

Die Dissertation wurde am 20.02.2020 bei der Technischen Universität München
eingereicht und durch die Fakultät für Physik am 29.06.2020 angenommen.

Contents

I Introduction

II Localization in Quantum Many-Body Systems 11

1	Almost conserved operators in nearly many-body localized systems	13
1.1	Model	14
1.1.1	Methods	14
1.1.2	Extreme value theory	16
1.2	Structure of the slow operators	16
1.3	Average commutator	19
1.4	Extreme value theory	20
1.4.1	Numerical results	20
1.4.2	Interpretation in terms of Griffiths effects	21
1.4.3	Extreme value theory	23
1.5	Discussion	24
2	The Quantum East model	27
2.1	Quantum East model	28
2.1.1	Symmetries of the quantum East model	30
2.1.2	The special case $s = 0$	30
2.2	Ground state localization phase transition	31
2.3	Eigenstates for large system sizes	33
2.3.1	The ground state for large system sizes	33
2.3.2	Excited states for large system sizes	33
2.4	The super-spin picture	35
2.4.1	Dynamical properties of the super-spin states	37
2.5	Non-thermal excited states in small system sizes	39
2.5.1	Entropy of the exact eigenstates	39
2.5.2	Small- δ eigenstates	41
2.5.3	Geometric entanglement	42
2.5.4	Numerical approximation of non-thermal excited states for large sizes	43
2.6	Perturbation theory	43
2.7	Computation of the variance	47
2.8	Conclusions and Outlook	48

III	Quantum Thermodynamics	53
3	Shortcuts to Isothermality	55
3.1	Isothermal processes	56
3.2	Speed-ups to isothermality	58
3.2.1	Steps 1 and 3 : Taming the dissipation when the interaction is increased or decreased	59
3.2.2	Step 2: Isothermal part of the process	61
3.2.3	Full protocol	61
3.2.4	Optimal protocols and decay of dissipation	62
3.3	Efficiency at maximum power through speed-ups to isothermality	63
3.4	Numerical results	65
3.4.1	The Caldeira-Leggett model	66
3.4.2	The resonant-level model	69
3.5	Extensions to more general dissipations	72
3.6	Solution of the resonant-level model	73
3.7	Conclusions	75
IV	Quantum Machine Learning	77
4	Machine Learning for Quantum Systems	79
4.1	Variational Monte Carlo with Tensor Networks and Neural-Network States	81
4.1.1	The Variational Monte Carlo method	81
4.1.2	Variational Monte Carlo method with Tensor Networks	82
4.1.3	Variational Monte Carlo method with Neural Networks	84
4.2	Relationship between Tensor-Network and Neural-Network states	86
4.2.1	Jastrow wave functions, RBM and the Majumdar-Gosh model	87
4.2.2	Short-range RBM are EPS	88
4.2.3	Fully-connected RBM are SBS	88
4.2.4	Generalizing RBM to non-local SBS	89
4.3	Application to chiral topological states	92
4.3.1	RBM can describe a Laughlin state exactly	92
4.3.2	Numerical approximation of a Laughlin state	93
4.3.3	Numerical approximation of a chiral spin liquid	94
4.4	Jastrow wave functions are Restricted Boltzmann Machines	98
4.5	Optimization procedure	99
4.6	Conclusion	100
5	Supervised Learning with Quantum Techniques	103
5.1	Graphical Models and Generalized Tensor Networks	104
5.1.1	Graphical models	104
5.1.2	Tensor networks	105
5.1.3	Tensor networks and graphical models duality	107
5.1.4	Duality with copy tensors	108
5.1.5	Application to restricted Boltzmann machines	109

5.1.6	Relationship with models used in quantum physics	110
5.1.7	Generalized Tensor Networks	111
5.2	Supervised Learning Algorithm	115
5.2.1	Supervised Learning with Restricted Boltzmann Machines	115
5.2.2	Supervised Learning with Generalized Tensor Networks	116
5.3	Learning Feature Vectors of Data	117
5.4	Numerical Experiments	120
5.4.1	Image Classification	121
5.4.2	Environmental Sound Classification	123
5.5	Conclusion	124
6	Unsupervised Learning with Quantum Techniques	125
6.1	Tensor-network models of probability distributions	126
6.2	Relationship to hidden Markov models and quantum circuits	128
6.2.1	Hidden Markov models are non-negative matrix product states	129
6.2.2	Quantum circuits are Born machines or locally purified states	130
6.3	Expressive power of tensor-network representations	131
6.4	Learning algorithms	134
6.4.1	Maximum likelihood estimation	135
6.4.2	Approximate non-negative tensor factorization	136
6.5	Numerical experiments	136
6.5.1	Random tensor factorizations	137
6.5.2	Maximum likelihood estimation on realistic data sets	137
6.6	Conclusion	138
V	Conclusions	139