

Assessing pesticide effects on macroinvertebrates under field relevant conditions

Von der Fakultät für Mathematik, Informatik und
Naturwissenschaften der RWTH Aachen University zur Erlangung
des akademischen Grades eines Doktors der Naturwissenschaften
genehmigte Dissertation

vorgelegt von

Naeem Shahid, M.S.

aus

Kasur, Pakistan

Berichter:

Prof. Dr. Matthias Liess

Prof. Dr. Andreas Schäffer

Tag der mündlichen Prüfung: 09.11.2020

Diese Dissertation ist auf den Internetseiten der
Universitätsbibliothek online verfügbar.

Contents

| | |
|--|-----------|
| Abstract | ix |
| Zusammenfassung | xi |
| 1 Background | 1 |
| 1.1 Use of pesticides | 1 |
| 1.2 Fate and transport of pesticides | 2 |
| 1.3 Monitoring of pesticide exposure | 5 |
| 1.4 Biological monitoring of pesticide effects | 7 |
| 1.5 Resistance development | 7 |
| 1.6 Pesticides mixtures and risk assessment | 9 |
| 1.7 Environmental stressors | 12 |
| 1.8 Metabolomic responses | 13 |
| 1.9 Objectives and outline of the thesis | 13 |
| 2 Adaptation of <i>Gammarus pulex</i> to insecticides | 15 |
| 2.1 Abstract | 15 |
| 2.2 Introduction | 16 |
| 2.3 Materials and methods | 17 |
| 2.3.1 Description of investigated streams | 17 |
| 2.3.2 Characterization of pesticide contamination | 18 |
| Sampling | 18 |
| Chemicals and reagents | 18 |
| LC-HRMS target screening | 18 |
| 2.3.3 Exposure calculation | 19 |
| 2.3.4 Sampling of test organisms | 20 |
| 2.3.5 Characterizing the ecological effects of pesticide contamination | 20 |
| 2.3.6 Acute toxicity tests | 21 |
| 2.3.7 Statistical analysis | 21 |
| 2.4 Results | 22 |
| 2.4.1 Pesticide exposure | 22 |
| 2.4.2 Effects on community structure | 23 |
| 2.4.3 Adaptation of <i>Gammarus pulex</i> to pesticides | 24 |
| 2.5 Discussion | 25 |
| 2.5.1 Pesticide exposure and effects on community structure | 25 |
| 2.5.2 Resistance acquisition | 27 |
| 2.6 Conclusions | 29 |
| 2.7 Supporting Information | 29 |

| | | |
|----------|--|-----------|
| 2.8 | Acknowledgements | 29 |
| 3 | Pesticide body burden as a measure of toxic pressure | 31 |
| 3.1 | Abstract | 31 |
| 3.2 | Introduction | 32 |
| 3.3 | Materials and methods | 33 |
| 3.3.1 | Description of the study sites | 33 |
| 3.3.2 | Sampling of <i>Gammarus pulex</i> and water | 34 |
| 3.3.3 | Sample preparation and extraction | 34 |
| 3.3.4 | GC-MS/MS analysis | 35 |
| 3.3.5 | LC-HRMS analysis | 35 |
| 3.3.6 | Calculation of chemical activity and partition coefficients | 36 |
| 3.3.7 | Calculation of pesticide exposure | 37 |
| 3.3.8 | Characterizing effects of pesticides on the macroinvertebrate community | 38 |
| 3.3.9 | Identification of insecticide tolerance in <i>Gammarus pulex</i> | 38 |
| 3.3.10 | Data analysis | 39 |
| 3.4 | Results | 40 |
| 3.4.1 | Pesticide residues in individuals of <i>Gammarus pulex</i> | 40 |
| 3.4.2 | Pesticides in the water samples | 40 |
| 3.4.3 | Estimation of aquatic pesticide exposure | 40 |
| 3.4.4 | Ecological effect assessment | 42 |
| 3.5 | Discussion | 44 |
| 3.5.1 | Pesticide exposure derived from water samples and body burden | 44 |
| 3.5.2 | Comparison of pesticide exposure with pesticide effects | 47 |
| 3.6 | Conclusions | 48 |
| 3.7 | Acknowledgements | 48 |
| 3.8 | Author Contributions | 49 |
| 3.9 | Supporting Information | 49 |
| 4 | Environmental stress increases synergistic effects of pesticide mixtures | 51 |
| 4.1 | Abstract | 51 |
| 4.2 | Introduction | 52 |
| 4.3 | Materials and Methods | 54 |
| 4.3.1 | Test organisms | 54 |
| 4.3.2 | Exposure to contaminants | 55 |
| 4.3.3 | Chemical analysis of the test media | 56 |
| 4.3.4 | Statistics and comparison of predictive models | 56 |
| 4.4 | Results | 58 |
| 4.4.1 | Synergistic potential of azole fungicide prochloraz | 58 |
| 4.4.2 | Interaction of three stressors including both pesticides and food limitation | 59 |
| 4.5 | Discussion | 62 |
| 4.6 | Conclusions | 64 |
| 4.7 | Author contributions | 64 |

| | | |
|----------|--|------------|
| 4.8 | Supporting information | 64 |
| 5 | Pesticide-induced metabolic changes and environmental stress | 65 |
| 5.1 | Abstract | 65 |
| 5.2 | Introduction | 66 |
| 5.3 | Materials and methods | 67 |
| 5.3.1 | Culture of test organisms | 67 |
| 5.3.2 | Exposure to esfenvalerate and food stress | 68 |
| 5.3.3 | Sample preparation | 69 |
| 5.3.4 | Targeted Metabolomics | 69 |
| 5.3.5 | Materials | 69 |
| 5.3.6 | Data analysis | 70 |
| 5.4 | Results | 70 |
| 5.4.1 | Pesticide effect on overall metabolite content | 70 |
| 5.4.2 | Effect of pesticide exposure on metabolite classes | 72 |
| 5.4.3 | The effect of pesticide exposure on individual metabolites | 75 |
| 5.5 | Discussion | 75 |
| 5.5.1 | Amino acids | 76 |
| 5.5.2 | Glycerophospholipids | 76 |
| 5.5.3 | Sphingolipids | 77 |
| 5.5.4 | Acylcarnitines | 77 |
| 5.5.5 | Sugars | 78 |
| 5.5.6 | Author Contributions | 79 |
| 5.5.7 | Acknowledgements | 79 |
| 6 | Discussion and outlook | 81 |
| 6.1 | Development of pesticide tolerance | 81 |
| 6.2 | Use of pesticide body burden to assess the ecological effects in streams | 82 |
| 6.3 | Interaction between pesticide mixtures and environmental stress | 83 |
| 6.4 | Metabolomic response to multiple stress | 84 |
| 6.5 | Implications for the ecological risk assessment and outlook | 85 |
| 6.5.1 | Adaptation to pesticides and prevailing factors | 85 |
| 6.5.2 | Assessment of pesticide exposure | 86 |
| 6.5.3 | Multiple stressors | 86 |
| 6.5.4 | Metabolomics and toxicology | 87 |
| A | Supporting Information for chapter 2 | 89 |
| B | Supporting Information for chapter 3 | 95 |
| C | Supporting Information for chapter 4 | 111 |
| D | Supporting Information for chapter 5 | 117 |
| | Bibliography | 129 |
| | Contributions to the published articles and chapters | 159 |
| | Acknowledgements | 161 |
| | Curriculum Vitae | 163 |