

# LAND SEISMIC CASE STUDIES

for Near-Surface Modeling and Subsurface Imaging

Investigations in Geophysics Series No. 21

ÖZ YILMAZ

M. Lee Bell, Volume Editor  
Susan C. Stamm, Copy Editor  
Lianjie Huang, Managing Editor

Society of Exploration Geophysicists  
*The international society of applied geophysicists*  
Tulsa, Oklahoma, USA

## TABLE OF CONTENTS

### PREFACE

### INTRODUCTION

- Marine versus Land Seismic Data 2
- The Outline of This Book 7
- A Reality Check on Full-Wave Inversion Applied to Land Seismic Data 31
- A Reality Check on Machine Learning Applied to Land Seismic Data Analysis 37

### Chapter 1

## SEISMIC CHARACTERIZATION OF THE NEAR-SURFACE

- 1.0 Introduction 43**
- 1.1 The Near-Surface in Exploration Seismology 47**
  - Shot-Receiver Statics 48
  - Floating Datum and Intermediate Datum 48
  - Statics and Topography 49
  - P- and S-Wave Statics 49
  - Surface Waves as Coherent Linear Noise 50
- 1.2 Wave Phenomenon in the Near-Surface 63**
  - Wave Partitioning at a Layer Boundary 63
  - Wave Phenomenon at the Source Location 65
  - Anisotropy in the Near-Surface 65
  - Wave Phenomenon at the Receiver Location 66
  - Optimum Source-Receiver Orientations for Recording Reflection Modes 67
- 1.3 Near-Surface Velocities 82**
  - Seismic Wave Velocities in Rocks 82
  - Seismic Wave Velocities in Soils 83
  - Seismic Wave Velocities in Topsoil 84
  - Seismic Wave Velocities in Soft Shallow Water-Bottom Sediments 84
    - Polarity of Water-Bottom Multiples 85
    - P-wave Velocity in the Golden Horn Mud Layer 86
    - Poroacoustic Behavior of Soft Water-Bottom Sediments 86
- 1.4 Surface Waves 96**
  - Model Experiments 96
  - Field Experiments 97
  - Rayleigh-Wave Dispersion 98
  - Effect of Soil-Bedrock Velocity Contrast 98
  - Effect of Soil-Column Thickness 99
  - Effect of Soil-Column Velocities 99
  - Effect of Soil-Column Geometry 99
  - Effect of Soil-Column Heterogeneities 100
  - Effect of Wave Attenuation 100
  - Effect of Topography 101
  - Effect of 3D Recording Geometry 102
  - Guided Waves 102

## Chapter 2 NEAR-SURFACE MODELING BY INVERSION

- 2.0 Introduction 151**
- 2.1 Traveltime Inversion 156**
  - Model Experiments 156
    - Near-Surface with Vertical Velocity Gradient 156
    - Near-Surface with Horizontal Layers 156
    - Near-Surface with Moderate Lateral Velocity Variations 157
    - Near-Surface with Strong Lateral Velocity Variations 157
    - Near-Surface with Layers with Arbitrary Geometry 158
  - Field Verification of Traveltime Inversion 158
- 2.2 Complex Near-Surface Model with Discrete Layers 178**
  - First-Break Picking 178
  - Reciprocal Errors 178
  - Building the Initial Model 178
  - Iterative Tomography Modeling 178
  - Evaluation of the Tomography Model 179
  - Computing Shot-receiver Statics 179
- 2.3 Complex Near-Surface Model with Velocity Gradient 189**
  - Iterative Tomography Modeling 189
  - Quality Control for Traveltime Inversion 190
  - Application of Shot-receiver Statics 190
- 2.4 Full-Wave Inversion 198**
  - Complex Near-Surface Model with Discrete Layers 199
  - Cascading Traveltime Inversion and Full-Wave Inversion 200
  - Tomostatics versus FWI Statics 201
- 2.5 The Hidden Layer and Shingling First Arrivals 215**
  - Hidden Layer Associated with Mild Velocity Reversal 216
  - Hidden Layer Associated with Strong Velocity Reversal 216
- 2.6 The S-Wave Velocity Estimation by Inversion 228**
  - Rayleigh-Wave and Love-Wave Inversion 228
  - Traveltime Inversion of SH-SH Data 230

## Chapter 3 NEAR-SURFACE MODELING BY IMAGING

- 3.0 Introduction 239**
- 3.1 Complex Near-Surface Model with Velocity Gradient 241**
  - The Equivalent-Medium Model of the Near-Surface 241
  - Computing Shot-Receiver Statics 242
- 3.2 Complex Near-Surface Model with Discrete Layers 246**
  - The i-stats Workflow 246
  - Computing Shot-Receiver Statics 246

## Chapter 4 NEAR-SURFACE CASE STUDIES

- 4.0 Introduction 255**
- 4.1 Case Study: Sand Dunes of North Africa 257**
  - Modeling by Inversion 257
  - Modeling by Imaging 258
- 4.2 Case Study: Buried Statics of the Middle East 273**
  - Modeling by Inversion 273
  - Modeling by Imaging 274

- 4.3 Case Study: Glacial Tills of Western Canada 289**
  - Modeling by Inversion 289
  - Modeling by Imaging 289
- 4.4 Case Study: Karstic Formations of Western Siberia 299**
  - Modeling by Inversion 299
  - Modeling by Imaging 299
- 4.5 Case Study 1: Refraction Residual Statics 310**
  - Traveltime Tomography 310
  - Shot-Receiver Statics Corrections 310
  - Reflection-Based Residual Statics Corrections 311
  - Refraction-Based Residual Statics Corrections 311
- 4.6 Case Study 2: Refraction Residual Statics 325**
  - Traveltime Tomography 325
  - Shot-Receiver Statics Corrections 325
  - Residual Statics Corrections 326
- 4.7 Case Study 3: Refraction Residual Statics 340**
  - Traveltime Tomography 340
  - Shot-Receiver Statics Corrections 340
  - Residual Statics Corrections 340
- 4.8 3D Case Study 355**
  - 3D Near-Surface Modeling 355
  - Shot-Receiver Statics Corrections 356

## Chapter 5

### SIGNAL PROCESSING OF LAND SEISMIC DATA

- 5.0 Introduction 381**
  - The Average Amplitude Spectrum 382
  - The  $f - k$  Spectrum 382
  - The Time-Variant Spectrum 382
  - The Autocorrelogram 383
- 5.1 Single-Channel Signal Processing 384**
  - Shot-Receiver Statics Corrections 384
  - Geometric Spreading Correction 384
  - Time-Variant Spectral Whitening 385
  - Deconvolution 385
  - Residual Statics Corrections 386
  - Practical Aspects of Deconvolution — A Review 386
    - The Convolutional Model 386
    - Deconvolution Filter Design 388
    - Vibroseis Deconvolution 390
- 5.2 Multichannel Signal Processing 408**
  - Surface-Wave Removal — A Perpetual Struggle 409
  - Avoiding Surface Waves in Acquisition 411

## Chapter 6

### LAND SEISMIC DATA ACQUISITION CASE STUDIES

- 6.0 Introduction 451**
- 6.1 Case Study: Large-Offset 2D Seismic Surveys for Thrust Belt Imaging in Turkey 454**
  - Large-Offset Data Acquisition 454
  - Near-Surface Modeling 454
  - Signal Processing 455
  - Subsurface Modeling and Imaging 455

- 6.2 Case Study: Large-Offset 2D Seismic Survey for Thrust Belt Imaging in China 464**
  - Large-Offset Data Acquisition 464
  - Near-Surface Modeling 464
  - Signal Processing 464
  - Subsurface Modeling and Imaging 465
- 6.3 Case Studies: Swath-Line Data Acquisition 470**
  - Swath-Line Case Study from Northwest China 470
  - Swath-Line Case Study from Southeast Turkey 471
- 6.4 Spatial Sampling of the Seismic Wavefield 477**
- 6.5 SH-SH Imaging 484**
  - Joint PP and SH-SH Data Acquisition 484
  - The Need for SH-SH Data 485
  - Joint PP and SH-SH Data Analysis: A Case Study from Arizona 485

## Chapter 7 IMAGING COMPLEX STRUCTURES

- 7.0 Introduction 497**
- 7.1 Concepts in Seismic Imaging — A Review 499**
  - Horizontal and Vertical Displacements by Migration 499
  - Implications for Survey Design 499
  - Migration in the  $f - k$  Domain 500
  - Migration Strategies 500
  - Lateral Velocity Variations 501
  - Velocity-Depth Ambiguity 503
  - The Need for Imaging in Three Dimensions 503
  - An Unresolved Problem with 3D Residual Statics Corrections 505
- 7.2 Image-Based Estimation of RMS and Interval Velocities 516**
  - Velocity Picking from Vertical Semblance Spectra 516
  - Velocity Picking from Time Slices 516
  - Horizon-Consistent Velocity Picking 516
  - Image-Based Velocity-Depth Model Estimation 517
- 7.3 Circumventing Velocity Uncertainty in Imaging Complex Structures 530**
  - Back to the Future: Return of the DMO 530
  - The i-cube Workflow 531
  - The Problem of Event Nonstationarity 533

## Chapter 8 2D SEISMIC CASE STUDIES

- 8.0 Introduction 559**
- 8.1 Case Study 1 561**
  - Near-Surface Modeling 561
  - Statics Corrections 562
  - Signal Processing 562
  - Subsurface Imaging 563
- 8.2 Case Study 2 584**
  - Near-Surface Modeling 584
  - Statics Corrections 584
  - Signal Processing 585
  - Subsurface Imaging 585
- 8.3 Case Study 3 597**
  - Near-Surface Modeling 597
  - Statics Corrections 597
  - Signal Processing 597
  - Subsurface Imaging 598

- 8.4 Case Study 4 610**
  - Near-Surface Modeling 610
  - Statics Corrections 610
  - Signal Processing 610
  - Subsurface Imaging 611
- 8.5 Case Study 5 627**
  - Near-Surface Modeling 627
  - Statics Corrections 627
  - Signal Processing 627
  - Subsurface Imaging 628
- 8.6 Case Study 6 644**
  - Near-Surface Modeling 644
  - Statics Corrections 644
  - Signal Processing 644
  - Subsurface Imaging 645
- 8.7 Case Study 7 673**
  - Near-Surface Modeling 673
  - Statics Corrections 673
  - Signal Processing 673
  - Subsurface Imaging 674
- 8.8 Case Study 8 684**
  - Near-Surface Modeling 684
  - Statics Corrections 684
  - Signal Processing 684
  - Subsurface Imaging 685
- 8.9 Case Study 9 695**
  - Near-Surface Modeling 695
  - Statics Corrections 695
  - Signal Processing 695
  - Multiple Reflections 695

## Chapter 9 3D SEISMIC CASE STUDIES

- 9.0 Introduction 711**
- 9.1 3D Case Study 1 716**
  - 3D Near-Surface Modeling 716
  - Shot-Receiver Tomostatics Corrections 717
  - Signal Processing 718
  - Residual Statics Corrections 719
  - 3D RMS Velocity Estimation 720
  - 3D Prestack Time Migration 720
  - 3D Interval Velocity Estimation and Time-to-Depth Conversion 720
- 9.2 3D Case Study 2 796**
  - 3D Near-Surface Modeling 796
  - Shot-Receiver Tomostatics Corrections 797
  - Signal Processing 798
  - Residual Statics Corrections 798
  - 3D RMS Velocity Estimation 799
  - 3D Prestack Time Migration 800
  - 3D Interval Velocity Estimation and Time-to-Depth Conversion 800
- 9.3 3D Case Study 3 875**
  - 3D Near-Surface Modeling 875
  - Shot-Receiver Tomostatics Corrections 876
  - Signal Processing 877

	Residual Statics Corrections	877
	3D RMS Velocity Estimation	878
	3D Prestack Time Migration	879
	3D Interval Velocity Estimation and Time-to-Depth Conversion	879
<b>9.4</b>	<b>3D Case Study 4</b>	<b>944</b>
	3D Near-Surface Modeling	944
	Shot-Receiver Tomostatics Corrections	945
	Refraction and Reflection Residual Statics Corrections	945
	Signal Processing	946
	3D RMS Velocity Estimation	946
	3D Prestack Time Migration	946
	3D Interval Velocity Estimation and Time-to-Depth Conversion	947

**REFERENCES 1035****INDEX 1041**