

# **Femtosecond Laser-Matter Interactions**

Solid-Plasma-Solid Transformations  
at the Extreme Energy Density

**Eugene G. Gamaly**



**JENNY STANFORD  
PUBLISHING**

# Contents

<i>Preface</i>	xvii
<i>List of frequently used symbols</i>	xxiii
<b>1. Basics of Laser–Matter Interactions: Light and Matter</b>	<b>1</b>
1.1 Laser Beam	1
1.1.1 Macroscopic Electrodynamics	1
1.1.2 Polarization States	2
1.1.3 Spectral Structure	3
1.1.4 Temporal/Spatial Shape of the Incident Laser Pulse Intensity	4
1.1.5 Focussing Positions of the Laser Beam on/in a Target	5
1.1.6 Focussing to Diffraction Limit with the High NA Lens	6
1.1.7 Diffraction-Free Beams	8
1.2 The Matter	9
1.2.1 Electrons' Oscillations and Scattering in the High-Frequency Electromagnetic Field	10
1.2.2 The Drude Model for the Permittivity of Simple Plasma in the High-Frequency Electric Field	11
1.2.2.1 Electrons' plasma frequency	12
1.2.2.2 Critical density of electrons	13
1.2.3 Absorbed Energy Density	14
1.2.4 Hierarchy of the Laser-Affected Material Transformations as a Function of Laser Intensity/Fluence	15
1.2.4.1 Melting	16

1.2.4.2	Ablation	16
1.2.4.3	Atomic field intensity	17
1.2.4.4	The relativistic intensity	18
1.3	Summary	18
<b>2.</b>	<b>Interaction with Metals</b>	<b>21</b>
2.1	Interaction of the Plane Wave with a Metal Layer	22
2.2	Electron and Lattice Temperature, Energy Balance, Two-Temperature Approximation	25
2.3	Temperature Dependence of the Electronic and Lattice Heat Capacity	26
2.4	Electrons Relaxation Processes in the Laser-Affected Metal	28
2.4.1	Electron–Electron Collisions	28
2.4.2	Electron–Phonon Momentum Transfer	29
2.4.3	Electron–Phonon Energy Transfer	31
2.4.4	Electron-to-Ion Momentum and Energy Transfer	34
2.4.5	Electron-to-Ion Energy Exchange Time	35
	2.4.5.1 Non-ideality effects	36
	2.4.5.1 Effects of the oscillations in high-frequency electromagnetic field on the electrons' collision rate	37
2.5	Modification of the Electron Distribution Function: From the Fermi–Dirac to the Maxwell–Boltzmann	39
2.6	Electronic Heat Conduction	42
2.7	Summary	46
<b>3.</b>	<b>Interaction with Dielectrics</b>	<b>47</b>
3.1	Ionization in the Strong High-Frequency Electric Field: Electrons Transfer from the Valence to Conduction Band and to Continuum	48
3.1.1	Tunnelling Ionization Rate in the Limit $\gamma \ll 1$	50

3.1.1.1	Linear polarization	50
3.1.1.2	Tunnel ionization in the elliptically polarized electric field	51
3.1.2	Multi-Photon Ionization Rate	51
3.1.2.1	Linear polarization	51
3.1.2.2	Time dependence of the ionization degree produced by the Gaussian laser pulse with the MPI domination	53
3.1.2.3	Circular polarization	53
3.1.3	Ionization by the Electron Impact	54
3.1.3.1	Transition to the avalanche regime	57
3.1.4	Distribution Function of Electrons Transferred to the Conduction Band in Dielectrics	58
3.2	Electrons' Collision Rates: Momentum and Energy Transfer	58
3.2.1	Electron-Phonon Collisions	59
3.2.2	Momentum and Energy Transfer Collisions in a Dielectric Converted to Plasma	60
3.2.3	Effects of the Electrons' Oscillations in the HF Field on the Collision Rates	61
3.3	Transient Permittivity in the Laser-Affected Dielectric	61
3.3.1	Non-Linear Contributions to the Permittivity at the Low Intensity ( $I \ll I_{at}$ )	62
3.3.2	Kerr-Nonlinearity in Silica: Temperature Dependence	63
3.3.3	Permittivity in the Intense-Laser-Excited Dielectric	64
3.3.3.1	Reaching the state $\epsilon_{re} = 0$	65
3.4	Laser Interaction with the Electrically Inhomogeneous Dielectric	66

3.4.1	Normal Incidence	67
3.4.2	Oblique Incidence	68
3.4.2.1	s-Polarization	68
3.4.2.2	p-Polarization	69
3.4.2.3	Band gap modification and collapse	70
3.5	Energy Density Thresholds for Achieving the Major Steps in Dielectric-Plasma Transformation	71
3.5.1	Threshold to Achieve the State Where $\epsilon_{re} = 0$	72
3.5.2	Threshold Fluence for Transferring All Valence Electrons to the Conduction Band	73
3.5.3	Ionization Threshold: Transfer Electrons to the Solid Plasma State	73
3.6	Energy Equations: Two-Temperature Approximation	73
3.7	Linear and Non-Linear Heat Conduction: Transition from Heat Transfer in Solid to That in Plasma	74
3.7.1	Heat Diffusion in the Isotropic Medium	74
3.7.2	Thermal Conduction in Dielectrics: Energy Carriers are Phonons	75
3.7.3	Electronic Heat Conduction in Plasma	76
3.7.4	Applicability of Diffusion Approximation for Description the Heat Conduction in the Laser-Created Plasma	77
3.7.5	Linear and Non-Linear Heat Propagation from the Focal Region	78
3.7.5.1	Linear heat conduction	79
3.7.5.2	Non-linear heat propagation	79
3.8	Summary	81
<b>4.</b>	<b>Non-Destructive Transformations: Formation, Lifetime and Decay of Unconventional States of Matter</b>	<b>83</b>
4.1	Generation and Decay of the Coherent Phonons	84

4.1.1	Melting in Equilibrium: Atomic Vibrations Become Anharmonic	85
4.1.2	Swift Deposition of the Energy Density Comparable to the Enthalpy of Fusion by the Ultra-Short Laser Pulse	88
4.1.2.1	Processes during the pulse: building the electronic pressure force	89
4.1.2.2	After the end of the pulse: electronic heat transfer, electron–lattice temperature equilibration, and phonon’s decay rate	90
4.1.2.3	Phonon’s excitation imprinted into the transient optical properties	92
4.1.2.4	Experiments	93
4.2	Fast Transformations in Non-Equilibrium: Transient Phase States—Neither Solid Nor Melt	95
4.2.1	Road to Melting in Equilibrium: Sequence of the Catastrophes	96
4.2.1.1	Main features of the melting in equilibrium	96
4.2.1.2	Critical entropy and critical temperature	97
4.2.2	Ultra-Fast Material Transformations	99
4.2.2.1	The legitimacy of the entropy concept for the description of rapidly excited metal	100
4.2.2.2	Entropy changes during the quick heating	101
4.2.3	Novel Transient Phase States—Neither Solids Nor Melts	103
4.2.3.1	Excitation of metals/ semi-metals—Ga, Bi, Al	104
4.3	Mixed Dielectric/Metal Properties in Swiftly Excited Transparent Dielectric	107

4.4	Inverse Population in Laser-Excited Sapphire and Silica	109
4.5	Summary	112
<b>5.</b>	<b>Ablation of Metals and Dielectrics</b>	<b>113</b>
5.1	Evaporation in Equilibrium	114
5.2	Major Relaxation Processes under Swift Short Pulse Excitation	116
5.3	Short Pulse Ablation Thresholds	119
5.3.1	Ablation of Metals	119
5.3.1.1	Extremely short pulses of duration shorter $t_{c,i}$	119
5.3.1.2	Comparison to the Coulomb explosions of clusters	123
5.3.1.3	Ultra-short pulses $\omega_{pi}^{-1} < t_p < t_{heat}$	124
5.3.1.4	Ablation threshold fluence for metals	126
5.3.2	Ablation of Dielectrics	127
5.4	Dependence of the Ablation Thresholds on the Laser Wavelength for Metals and Dielectrics	131
5.5	Long Pulse Ablation Thresholds	132
5.6	Ablation Thresholds in the Ambient Gas	133
5.7	Ablation Rate, Depth and Mass Per Single Pulse	136
5.8	Control over the Phase State of the Ablated Plume	141
5.8.1	Criterion for Complete Atomization of Ablated Plume	142
5.8.2	Experimental Verification of the Plume's Atomization	145
5.9	Multiple Pulse Action: Accumulation Effects	146
5.9.1	Dwell Time: Control over the Number of Pulses Hitting the Spot	148
5.9.2	Multiple-Pulse Action on Dielectrics: Energy Accumulation	148
5.9.3	Achieving Thermal Ablation Threshold with the Low-Energy Multiple Pulses	149

5.9.4	Smoothing of the Intensity Distribution across the Focal Spot	150
5.9.5	Change of the Interaction Mode: Density Build-Up near the Target Surface	151
5.10	Summary	152
<b>6.</b>	<b>Extreme Energy Density Confined inside a Transparent Crystal—Novel Path for New Materials Creation: Solid-Plasma-Solid Transformations</b>	<b>155</b>
6.1	Introduction	155
6.2	Interaction of the Gauss Beam Tightly Focused inside a Transparent Crystal	158
6.2.1	Beam Propagation	159
6.2.2	Focusing of the Gauss Beam with the High-NA Optics	160
6.2.2.1	Conventional approach to the high-NA focusing	160
6.2.2.2	Experimental evidence: high-NA focus produces nano-sharp intensity distribution	162
6.2.3	Laser Modification of the Dielectric Permittivity: Conversion to Solid Density Plasma	166
6.2.3.1	Threshold for Conversion of Dielectric into Absorbing Medium ( $\epsilon_{re} = 0$ )	167
6.2.3.2	Conversion a dielectric to the solid density plasma	168
6.2.3.3	Ionization after the end of the pulse	169
6.2.4	Relaxation Processes	170
6.2.4.1	Range for the maximum temperature/pressure value in the absorption volume	171
6.2.4.2	Ion's acceleration by the gradient of the electronic pressure	173



6.2.4.3	Electrons-to-ions energy transfer by the Coulomb collisions: Spatial separation of the light and heavy ions	173
6.2.4.4	Diffusion of ions with the different masses: The experimental evidence of the spatial separation	174
6.2.5	Micro-Explosion in Sapphire Considered as a Strong Point-Like Explosion	176
6.2.5.1	Interpretation of the micro-explosion experiments using the strong point-like explosion solution	179
6.2.6	Summary of the Conditions after the Electron–Ion Energy Equilibration; Shock Wave Generation, Propagation and Stopping	180
6.2.6.1	Analysis of the experimentally observed structure on the basis of the energy and mass conservation laws	181
6.2.6.2	Evolution of the conditions and the structure of the laser-affected zone during expansion	183
6.2.7	Modelling the Hydrodynamics of the Confined Explosion	185
6.2.8	Relaxation of the Laser-Affected Material to the Ambient Conditions	187
6.3	Interaction of the Gauss Beam Tightly Focused on the Surface of an Opaque Solid Buried under the Transparent Cover	188
6.3.1	Upper Limit for the Energy Density Directly Delivered to the Opaque Medium through the Transparent Layer	189
6.3.2	High-Energy-Density Interaction at the Silicon/Silica Interface	191
6.3.3	Shock Wave Generation in Silica Layer	193

6.4	Summary of the Gauss Beam–Generated Confined Micro-Explosions	194
6.5	Interaction of the Bessel Beam Focused inside a Bulk of the Transparent Crystal	195
6.5.1	Status of the BB–Transparent Crystal Interactions	195
6.5.2	Non-Diffractive Bessel Beam	196
6.5.3	Creation of the BB by the Circular Slit	197
6.5.4	Formation the BB by Transmitting the GB through the Axicon	199
6.5.5	BB Interaction with the Transparent Medium at Low Intensity	201
6.5.6	Intense BB Interaction: Conversion a Dielectric into Plasma Near the Axis	202
6.5.7	BB Interaction with Plasma	205
6.5.8	Energy Deposition in Plasma to the End of the Pulse	207
6.5.9	Strong Cylindrical Explosion	208
6.5.10	Experimental Evidence of the High Energy Density Achieved by the BB Induced Cylindrical Explosion	210
6.6	Solid-Plasma-Solid Transformation in Confined Micro-Explosion: New Path for High-Pressure Material Phase Formations	212
6.6.1	Discovery of Superdense bcc-Al in Sapphire Irradiated by the Tightly Focused Gauss Beam	214
6.6.2	Discovery of New Tetragonal Polymorphs of Silicon	215
6.7	Summary: Confined Micro-Explosion by the Gauss and Bessel Beams	218
	<b>Conclusions and Future Directions</b>	<b>221</b>
	<b>Appendices</b>	<b>227</b>
	<b>Bibliography</b>	<b>253</b>
	<i>Index</i>	267