

Mohammad Hossein Keshavarz

Combustible Organic Materials

Determination and Prediction of Combustion Properties

2nd Edition

DE GRUYTER

Contents

Preface to the second edition — V

1 Flash Point — 1

- 1.1 Measurement of the FP — 2
- 1.2 Predictive methods of the FP for pure compounds — 5
 - 1.2.1 Empirical models — 5
 - 1.2.2 The SGC methods — 40
 - 1.2.3 QSPR models — 48
- 1.3 Estimation methods of the FP for mixtures — 69
 - 1.3.1 Mixing rules — 70
 - 1.3.2 Assessment of combination of the mixing rule of Liaw et al. and QSPR models — 72
 - 1.3.3 Empirical methods for liquid mixtures — 72
- 1.4 Summary — 76

2 Autoignition — 77

- 2.1 Measurement of the AIT — 78
- 2.2 Predictive methods of the AIT for pure compounds — 79
 - 2.2.1 The use of SGC by a polynomial of degree 3 for organic compounds — 81
 - 2.2.2 A simple QSPR model for various classes of hydrocarbons — 84
 - 2.2.3 A new and reliable model for prediction of the AIT of organic compounds containing energetic groups — 86
 - 2.2.4 Simple method to assess the AIT of organic ether compounds with high reliability — 92
 - 2.2.5 Reliable prediction of autoignition temperature of organic hydroxyl compounds — 94
- 2.3 Autoignition and ignition delay — 96
- 2.4 Summary — 101

3 Flammability Limit — 103

- 3.1 Measurement of the LFL and UFL — 103
- 3.2 Predictive methods of the flammability limits — 104
 - 3.2.1 The predicted LFL as a function of temperature — 105
 - 3.2.2 The use of SGC method for prediction of the LFL and UFL of pure hydrocarbons — 106
 - 3.2.3 Extended method for prediction of the UFL of pure compounds — 110
 - 3.2.4 Machine learning-developed models for prediction of LFL and UFL — 113

- 3.3 Flammability limit estimation of the hydrocarbon-inert gas mixture — 115
- 3.4 Summary — 117
- 4 Heat of Combustion — 119**
 - 4.1 Experimental methods for determination of heats of combustion — 120
 - 4.2 Different approaches for prediction of the heats of combustion — 121
 - 4.2.1 Predicting the standard net heat of combustion for pure hydrocarbons from their molecular structure — 123
 - 4.2.2 Prediction of the standard net heat of combustion from molecular structure — 126
 - 4.2.3 A comprehensive methodology for prediction of the net heat of combustion from group contribution-based property models — 129
 - 4.2.4 A generally applicable group additivity method for the calculation of the gross heat of combustion of organic compounds as well as salts and ionic liquids — 136
 - 4.2.5 Machine learning-developed models of prediction of the net heat of combustion of organic compounds — 143
 - 4.2.6 Reliable predictions of the net heat of combustion of organosilicon compounds — 144
 - 4.2.7 A new method for predicting the gross heat of combustion of polynitro arene, polynitro heteroarene, acyclic and cyclic nitramine, nitrate ester and nitroaliphatic compounds — 145
 - 4.3 Summary — 149
- 5 Polymer Flammability — 151**
 - 5.1 Experimental method based on pyrolysis combustion flow calorimetry — 152
 - 5.2 Different approaches for prediction of flammability parameters — 153
 - 5.2.1 SGC method of Walters and Lyon for prediction of the heat release capacity — 154
 - 5.2.2 SGC method of Lyon et al. for prediction of total heat release (heat of combustion), char yield, and heat release capacity — 158
 - 5.2.3 The simplest model for reliable prediction of total heat release (heat of combustion) — 162
 - 5.2.4 A simple model for reliable prediction of the specific heat release capacity of polymers — 164

- 5.2.5 A simple method for the reliable prediction of char yield of
polymers — 165
- 5.3 Summary — 170

Problems — 171

Answers to Problems — 175

List of Symbols — 177

Appendix A — 183

Appendix B — 223

Appendix C — 241

Appendix D — 255

References — 259

About the Author — 275

Index — 277