

POLYURETHANES EXPO 2004

October 18 – 20, 2004
Paris Las Vegas
Las Vegas, Nevada

CONFERENCE PROCEEDINGS

Sponsored by the Alliance for the Polyurethanes Industry



Table of Contents

Session A — Environment, Health & Safety

| | |
|--|----|
| EH&S Issues Facing the Polyurethane Industry | 3 |
| J. Kasakevich, J. Chapman, W. Robert (<i>Bayer MaterialScience</i>) | |
| Biomonitoring of Diisocyanate Exposures: Pitfalls and Promises | 5 |
| R. N. Shiotsuka (<i>Bayer CropScience</i>) | |
| Adventures in Transportation | 10 |
| R. C. Blake (<i>Bayer MaterialScience</i>) | |
| Measurements of Airborne Methylene Diphenyl Diisocyanate (MDI) in the U.S. Workplace | 14 |
| K. Booth, B. Cummings (<i>Bayer MaterialScience</i>), W. J. Karoly (<i>Huntsman Polyurethanes</i>), S. Mullins, W. P. Robert (<i>BASF Corporation</i>), M. Spence (<i>The Dow Chemical Company</i>), F. W. Lichtenberg (<i>fwl Communications</i>) | |
| Eco-efficiency as an EH&S Tool | 15 |
| C. Wall (<i>BASF Corporation</i>), A. Kicherer (<i>BASF Aktiengesellschaft</i>) | |
| Road to Petition | 19 |
| D. E. Miller (<i>Miller Environmental & Safety Services</i>) | |

Session B — Furnishings

| | |
|--|----|
| Viscoelastic Foam with Enhanced Comfort, Reduced Temperature Sensitivity and a Wide Range of Applications | 27 |
| R. Neff, S. Dakin, T. Green, R. Gummaraju, T. Smiecinski (<i>BASF Corporation</i>) | |
| Progress Towards the Development of Viscoelastic Polyurethane Foam Produced with VORANOL VORACTIV Polyols | 35 |
| V. Delk, R. Polk, R. Prange (<i>The Dow Chemical Company</i>) F. Aguirre (<i>Dow Europe GmbH</i>) | |
| Novel Modifier Polyol for Processing and Performance Enhancement of Slabstock Foam | 41 |
| N. Anderson, V. Jividen, S. Hager, G. DePhillipo, J. George (<i>Bayer Polymers LLC</i>) | |
| Discoloration in Fire-Retardant Flexible Polyurethane Foams | 46 |
| S. Levchik (<i>Phosphorus Chemicals LLC</i>), M. P. Luda, P. Bracco, P. Nada, L. Costa (<i>Dipartimento di Chimica IFM dell'Università</i>) | |
| A Brominated Flame Retardant for Flexible Polyurethane Foams | 53 |
| W. R. Brown (<i>Albemarle Corporation</i>) | |

Session C — Catalysis

| | |
|---|-----|
| Polyurethane Catalysis by Tertiary Amines | 63 |
| R. Van Maris (<i>TOSOH EUROPE B.V.</i>), K. M. Gay (<i>TOSOH USA, INC.</i>), Y. Tamano, H. Yoshimura (<i>TOSOH CORPORATION</i>) | |
| A Study of the Reaction Kinetics of Polyisocyanurate Foam Formulations using Real-Time FTIR | 71 |
| R. R. Romero, R. A. Grigsby, Jr., E. L. Rister, Jr., J. K. Pratt, D. Ridgway (<i>Huntsman Performance Chemicals</i>) | |
| Innovative Trimerization Catalyst Systems for Polyisocyanurate Foams | 81 |
| K. Tokumoto, Y. Takahashi, Y. Tamano, H. Yoshimura (<i>TOSOH Corporation</i>), R. Van Maris (<i>TOSOH EUROPE B.V.</i>), K. M. Gay (<i>TOSOH USA, Inc.</i>) | |
| The Evaluation of Novel Organometallic Catalysts in Polyurethane Foams | 93 |
| B. Stengel (<i>Johnson Matthey Catalysts</i>) | |
| Tuning of Metal Cyanide Salts in Double Metal Cyanide Catalysts for the Ring-opening Polymerization of Propylene Oxide | 100 |
| I. Kim, S. H. Byun, J. T. Ahn, S. H. Lee, C. S. Yang (<i>Pusan National University</i>) | |

Session D — Combustibility

| | |
|--|-----|
| A History of FPF Fire Prevention and Safety Education | 111 |
| L. H. Peters, R. J. Luedeka (<i>Polyurethane Foam Association</i>) | |

| | |
|--|-----|
| Risk Watch Fire Safety Education Program Evaluation | 117 |
| K. M. Ransdell (<i>NC Department of Insurance-Office of State Fire Marshal</i>), P. J. Baughman (<i>West Virginia University</i>) | |
| Halogen Free Flame Retardant Technology for Polyurethane Foam | 118 |
| N. Tokuyasu, K. Fujimoto, T. Hamada (<i>Daihachi Chemical Industry Co., LTD</i>) | |
| Novel Approaches to Meeting Furniture Foam Fire Safety Requirements | 128 |
| S. Falloon, M. Phillips, R. Rose, J. Holland (<i>Great Lakes Chemical Corporation</i>) | |
| FIRE-LCA MODEL: FURNITURE including Polyurethane and Textile as CASE STUDY | 133 |
| S. Landry, L. Tange (<i>EFRA Representatives</i>), P. Blomqvist, L. Rosell, M. Simonson, P. Anderson (<i>SP Sweden and Håkan Stripple</i>) | |
| A Primer of Fire Protection Measures and The Appropriate Selection of Flammability Test Methods for Materials and Products for Specific, End-Use Applications | 144 |
| J. T. Chapin, R. Backstrom (<i>Underwriters Laboratories, Inc.</i>) | |

Session E — Appliance

| | |
|--|-----|
| Improving Initial HFC-245fa Foam Offerings for the Rigid Appliance Industry | 153 |
| C. Martin, B. Obi, S. Moore (<i>The Dow Chemical Company</i>) | |
| CoreFlex: Flexible Core-Changing System for Refrigerated Cabinet Production Lines | 160 |
| D. R. Hanne (<i>Hennecke Machinery Group</i>), K. Pieper (<i>HenneckeGmbH</i>) | |
| Balancing Foam System Economics and Performance with Reduced Levels of HFC 245fa | 163 |
| S. Schilling, E. Ball (<i>Bayer MaterialScience LLC</i>) | |
| Insights into Converting Your Blowing Agent to Pentane | 169 |
| S. Willis (<i>Krauss-Maffei Corporation</i>) | |
| Numerical Simulation of PU Foaming Flow in a Refrigerator Cabinet | 175 |
| Y. B. Kim, K. D. Kim, S. E. Hong, J. G. Kim, M. H. Park, J. H. Kim (<i>LG Electronics</i>), J. K. Kweon (<i>Korea Polyol Co., Ltd.</i>) | |
| Comparison of Insulating Agents, Global Warming Analyses Using a New Index of Sustainability | 182 |
| A. Sekiya (<i>National Institute of Advanced Industrial Science and Technology (AIST)</i>) | |

Session F — Fundamentals

| | |
|---|-----|
| Effect of Polydispersity of Polymer Glycols on Structure and Properties of Polyurethane Elastomers | 191 |
| M. Furukawa, Y. Okuhara, K. Kojio (<i>Nagasaki University</i>) | |
| FTIR Analysis of Thermally Processed Polyurethane Foams | 197 |
| D. W. Hatchett, G. Kodippili, J. M. Kinyanjui (<i>University of Nevada, Las Vegas</i>), L. Sapochak (<i>Pacific Northwest National Laboratory</i>) | |
| Novel Properties of Polyurethane Elastomers Prepared with Ether Based Diisocyanate | 203 |
| K. Kojio, T. Fukumaru, M. Furukawa (<i>Nagasaki University</i>) | |
| Cell Morphology, Density, and Mechanical Property Relations in Rigid Polyurethane Foam | 211 |
| B. O'Toole, M. C. Hawkins, D. J. Jackovich (<i>University of Nevada Las Vegas</i>) | |
| HR Moulded Foam Compression Set and Hardness Response to Relative Humidity | 227 |
| G. R. Blair, L. Dong, M. Rusan, R. J. Bailey (<i>Woodbridge Foam</i>) | |

Session G — Footwear

| | |
|---|-----|
| Future Prospects for the Footwear Industry; Production, Style Trends and Soling Materials | 243 |
| S. Lee (<i>Steve Lee Associates-an InfoDynamix Limited Company</i>) | |
| PU-Lightweight: The New Generation of Midsole Material | 247 |
| B. Dormann, C. Decker (<i>DESMA</i>) | |
| New Antioxidant and Light Stabilizer Systems for PUR Shoe Applications | 252 |
| D. Mäder (<i>Ciba Specialty Chemicals Inc.</i>), M. Speer (<i>Ciba Specialty Chemicals Corporation</i>), K. Schrinner (<i>Ciba Specialty Chemicals (Singapore) Pte Ltd.</i>) | |
| Quick Colour Change System for TPU Process | 263 |
| C. Decker, B. Dormann (<i>DESMA</i>) | |

Session H — Recycling

| | |
|---|-----|
| ISPA Mattress Disposal Task Force | 273 |
| R. Trainer (<i>International Sleep Products Association</i>) | |
| Effect of pH and Buffers on Hydrolysis Rate of TDI and PMDI Based Polyureas | 274 |
| I. Sendijarevic, V. Sendijarevic, A. Sendijarevic (<i>Troy Polymers, Inc.</i>), K. A. Reimann (<i>BASF Corporation</i>), R. E. Bailey (<i>Bailey Associates</i>) | |
| Adding Value to Waste Polyols | 282 |
| R. Gerstle (<i>Satellite International</i>) | |
| Chemical Recycling of Mixed Polyurethane Foam Stream Recovered from Shredder Residue into Polyurethane Polyols | 284 |
| V. Sendijarevic (<i>Troy Polymers, Inc.</i>) | |
| Mobius PU Recycling Technology and Dow’s VORANOL VORACTIV Polyols Produce “Green” Slabstock Foams | 292 |
| P. Berthevas, R. Villwock, B. Martel (<i>Mobius Technologies, Inc.</i>), F. Aguirre (<i>Dow Europe GmbH</i>) | |
| Recycling Shredder Residue Containing Plastics and Foam Using a Thermal Conversion Process | 298 |
| G. R. Winslow (<i>KBS Consulting</i>), B. S. Appel, T. N. Adams (<i>Chaning World Technologies</i>), N. L. Simon (<i>DaimlerChrysler</i>), C. M. Duranceau (<i>Ford Motor Company</i>), C. S. Wheeler (<i>General Motors Corporation</i>), V. Sendijarevic (<i>Troy Polymers, Inc.</i>) | |

Session I — Blowing Agents

| | |
|--|-----|
| The Use of Saytex RB-9130/9170 Low Viscosity Brominated Flame Retardant Polyols in HFC-245fa and High Water Formulations | 309 |
| B. Feske (<i>Albemarle Corporation</i>) | |
| trans-1,2-dichloroethylene As an Additive for HFC-134a Foam Systems | 314 |
| J. Wu, C. Bertelo (<i>ATOFINA Chemicals, Inc.</i>), V. Enaux (<i>ATOFINA CRRRA</i>) | |
| Factors Influencing the Vapor Pressure of Polyol Preblends Containing Enovate® 3000 Blowing Agent and Methods for Vapor Pressure Management | 322 |
| D. J. Williams, R. R. Singh, Z. Zhu, J. M. Bowman (<i>Honeywell</i>) | |
| Tailored Surfactant Solutions to Optimize Foam Performance in HFC-245fa Blown Appliance Systems | 341 |
| C. Eilbracht, P. Hohl (<i>Degussa</i>) | |
| Safety Measures for Plants Producing Pentane-blown Polyiso Laminate Boardstock Insulation | 350 |
| L. A. Ross (<i>Intech Consulting, Inc.</i>) | |
| Survey of Responsible Use Principles Followed for HFC Blowing Agents | 351 |
| (<i>Alliance for the Polyurethanes Industry (API)</i>) | |

Session J — Processing Innovations

| | |
|--|-----|
| Hennecke’s NafpurTec and CompurTec Equipment Technology for Lightweight Automotive Moldings | 361 |
| B. Metzler (<i>Hennecke Machinery Group</i>) | |
| Finished Structural & Aesthetical Parts: Combining Benefits of PU Foaming and Vacuum Forming Technologies | 366 |
| B. Pile (<i>Cannon USA</i>), C. Cairati (<i>Cannon Afros SpA</i>), G. Furlanetto (<i>GMP SpA</i>) | |
| Polymer Laminate Tools for Polyurethane Foam Molding | 377 |
| C. Majewski, N. Hopkinson (<i>Rapid Manufacturing Research Group</i>) | |
| Innovative Mixing Head Nozzle Controls Ensure Considerable Time Savings When Molding Flexible Foams | 386 |
| W. Sochtig, J. Renkl (<i>Krauss-Maffei Kunststofftechnik GmbH</i>) | |
| Polyurethane Mix Head Technologies and Advancements | 390 |
| J. Stout, T. Sherman (<i>Linden Industries</i>) | |
| C-Spray: Innovative Solution for Low Flow-Rate PU Spray Skin Applications | 394 |
| B. Biondich (<i>Decker Industries, Inc.</i>) | |

Session K — Construction

| | |
|--|-----|
| Foam Plastic Insulations, Fire Testing, Building Codes, and Buildings | 401 |
| J. R. Hagan (<i>Intech Consulting, Inc.</i>) | |

| | |
|---|-----|
| Water-Blown Polyurethane Rigid Foam Modified with Maleate | 402 |
| S. Murayama, K. Fukuda, T. Kimura, T. Sasahara (<i>Nippon Polyurethane Industry Co., Ltd.</i>) | |
| Dedicated Equipment for the Use of Expandable Graphite: To Improve Flame Retardant Properties of Foams for Insulated Sandwich Panels | 409 |
| G. Gula (<i>Cannon USA</i>), C. Cairati (<i>Cannon Afros SpA</i>), R. Verbruggen (<i>Cannon Benelux</i>) | |
| High Temperature Performance of Cyclopentane Blown Rigid Foam Spray Systems for Pipe Insulation | 421 |
| M. A. Dobransky (<i>Bayer MaterialScience</i>) | |
| Impact Equipment Selection and Environmental Conditions on Enovate® 3000 Blowing Agent Spray Foam | 428 |
| M. Bogdan (<i>Honeywell</i>), D. West (<i>West Roofing</i>), W. Blank, S. Mirasol (<i>The Dow Chemical Company</i>) | |
| Advances in Polyisocyanurate Technology for Metal Faced Panels | 436 |
| F. Pignagnoli (<i>Dow Italia S.r.l.</i>), M. J. Skowronski (<i>The Dow Chemical Company</i>), L. Bertucelli (<i>Dow Italia S.r.l.</i>) | |

Session L — Coatings, Adhesives & Sealants

| | |
|---|-----|
| A Detailed Understanding of Polyurethane Dispersions, Their Process and Applications | 451 |
| B. Erdem, D. Bhattacharjee, L.-J. Chen (<i>The Dow Chemical Company</i>) | |
| Innovation and Urethane Chemistry in Materials for Coatings | 466 |
| R. R. Matheson, Jr. (<i>DuPont Performance Coatings</i>) | |
| Tack Measurement of Heat-Activated Polyurethane Adhesives | 467 |
| J. F. Dormish (<i>Bayer MaterialScience LLC</i>) | |
| Characteristics and Applications of HDI Allophanate Derivatives | 476 |
| H. Orito, M. Ikemoto (<i>Nippon Polyurethane Industry Co., Ltd.</i>) | |
| Novel Polyurea Spray Systems with Improved Physical Mechanical Properties | 480 |
| G. Müller, C. Bruchertseifer, V. M. T. Thiede (<i>Dow Deutschland GmbH & Co. OHG</i>) | |
| Novel C12™ Chain Extenders for Polyurethanes | 481 |
| B. H. Novak (<i>INVISTA, Inc.</i>), V. Sendjarevic, A. Sendjarevic (<i>Troy Polymers, Inc.</i>) | |

Session M — Automotive

| | |
|---|-----|
| New Isocyanate Technology for the Reduction of Flammability in Low Density Flexible Foams | 491 |
| B. Kaushiva, J. Garrett (<i>Bayer MaterialScience</i>) | |
| Innovative Copolymer Polyol Technologies for Automotive Polyurethane HR Molding | 496 |
| H. R. Van Der Wal (<i>Dow Benelux N.V.</i>), J. M. Sonney, F. M. Casati (<i>Dow Europe GmbH</i>), R. D. Dawe, R. Prange (<i>The Dow Chemical Company</i>) | |
| Morphology Study of HFCs Blown Integral Skin Foam | 504 |
| L. Lee, C-C Lai (<i>Industrial Technology Research Institute</i>) | |
| Heat Resistant Flexible Foam | 509 |
| T. Iwa, T. Shibata, K. Ohkubo (<i>Mitsui Takeda Chemicals, Inc.</i>) | |
| Studies of Composites Made with Baypreg® F: Component Selection for Optimal Mechanical Properties | 513 |
| R. A. Cageao, J. M. Lorenzo, K. Franken (<i>Bayer MaterialScience LLC</i>) | |
| The Rear Foaming of Leather & Other Substrates for Automobile Components | 520 |
| J. Stout (<i>Linden Industries, Inc.</i>), D. Lüthi (<i>ISOTHERM AG</i>) | |

Poster Session — Coatings, Adhesives & Sealants

| | |
|--|-----|
| Novel Cycloaliphatic Chain Extenders for Polyurethanes | 527 |
| B. H. Novak (<i>INVISTA</i>) | |
| Measurement of the reaction profile and the Pot Life of PU-CASE materials | 528 |
| E. E. Hofmann (<i>Format Messtechnik GmbH</i>), D. J. Gross (<i>EuroTech Distributors</i>) | |
| PU-Lightweight: The New Generation of Midsole Material | 532 |
| B. Dormann, C. Decker (<i>DESMA</i>) | |
| An Innovative Process for Manufacturing Polyurethane Structural Composites: Automotive, General Transportation and other Applications | 533 |
| P. Farkas, R. Stanciu, L. Mendoza (<i>Woodbridge Foam Corp.</i>) | |

Poster Session — Flexible Foam/Automotive

| | |
|---|-----|
| The Rear Foaming of Leather & Other Substrates for Automobile Components | 537 |
| J. Stout (<i>Linden Industries, Inc.</i>) | |
| Mechanical Properties of Fiber Reinforced Polyurethane Composites | 538 |
| S. Husić, I. Javni, Z. S. Petrović (<i>Pittsburg State University</i>) | |

Poster Session — Fundamentals/Equipment

| | |
|---|-----|
| EH&S Issues facing the Polyurethane Industry | 547 |
| J. Kasakevich, W. Robert (<i>BASF Corporation</i>) | |
| Chemical Recycling of Mixed Polyurethane Foam Stream Recovered from Shredder Residue into Polyurethane Polyols | 548 |
| V. Sendijarevic (<i>Troy Polymers, Inc.</i>) | |
| Effect of pH and Buffers on Hydrolysis rate of TDI and PMDI Based Polyureas | 556 |
| I. Sendijarevic, V. Sendijarevic, A. Sendijarevic (<i>Troy Polymers, Inc.</i>), K. A. Reimann (<i>BASF Corporation</i>), R. E. Bailey (<i>Bailey Associates</i>) | |
| Cell Morphology, Density, and Mechanical Property Relations in a Rigid Polyurethane Foam | 557 |
| C. Hawkins, B. J. O'Toole, D. Jackovich, B. J. O'Toole, Ph. D. (<i>University of Nevada Las Vegas</i>) | |
| Cone Calorimeter Evaluations of <i>trans</i>-1,2-dichloroethylene Containing Pentane Foams | 558 |
| J. Wu, J. Maxwell, C. Bertelo (<i>Atofina Chemicals, Inc.</i>) | |
| Novel Vegetable Oil Polyols and Polyurethanes | 559 |
| Z. S. Petrović, W. Zhang, I. Javni, J. Schlechte (<i>Pittsburg State University</i>) | |
| Polyurethane Mix Head Technologies & Advancements | 560 |
| J. E. Stout (<i>Linden Industries, Inc.</i>) | |
| Prediction of Polyol Reactivity Based on Gel Reaction Monitoring | 561 |
| L. Brami, V. V. Infiesta (<i>REPSOL YPF VP Química</i>) | |
| A Case-Based Tool for Formulating Polyurethanes | 562 |
| D. M. Segura, A. D. Nurse, R. Heath (<i>Loughborough University</i>) | |
| ZIKASORB Series: The Innovative Anti-Yellowing Solution for Polyurethane | 563 |
| Y. Choi, D. Lee (<i>ZIKO Ltd.</i>) | |
| ecomate® Foam Blowing Agent | 566 |
| M. Schulte, T. Kalinowski, J. Murphy (<i>Foam Supplies, Inc</i>) | |
| Polydextrose: A High Functionality Polyol and Polyol Initiator for Making Polyurethane Foam | 567 |
| C. Nichols, K. Knoblock (<i>Danisco Sweeteners</i>), J. O'Connor, A. McGlocklin (<i>SynUthane International</i>), D. Russell (<i>Akron Polymer Labs</i>) | |
| Did You Know! | 568 |
| D. E. Miller (<i>Miller Environment & Safety Services</i>) | |
| Quick Colour Change System for the TPU Process | 571 |
| B. Dormann, C. Decker (<i>DESMA</i>) | |
| Direct Dosing of PU-Waste, Granulate or Powder at PU Reaction Pouring Units | 572 |
| B. Dormann, C. Decker (<i>DESMA</i>) | |
| The BayCareSM Online Training Center: An Evolutionary Approach to Safer Handling and Storage of Polyurethane Chemicals | 573 |
| H. Campbell (<i>Bayer MaterialScience LLC</i>) | |
| Mechanical Properties of Fiber Reinforced Polyurethane Composites | 574 |
| S. Husić, I. Javni, Z. S. Petrović (<i>Pittsburg State University</i>) | |
| Analysis of Polymer Additives in Polyurethane Using GPC Columns | 581 |
| S. Huang (<i>Noveon Inc.</i>) | |
| Halogen Free Flame Retardant Technology for Polyurethane Foam | 582 |
| N. Tokuyasu, K. Fujimoto, T. Hamada (<i>Daihachi Chemical Industry Co., Ltd.</i>) | |
| Polyurethane Alliance | 583 |
| T. Thomson (<i>Main Street Technologies</i>) | |

| | |
|---|------------|
| Dedicated Equipment for the Use of Expandable Graphite to Improve Flame Retardant Properties of Foams for Insulated Sandwich Panels | 584 |
| G. Gula (<i>Cannon USA</i>), R. Verbruggen (<i>Cannon Benelux</i>), C. Cairati (<i>Cannon Afros SpA</i>) | |
| Finished Structural & Aesthetical Parts Combining Benefits of PU Foaming and Vacuum Forming Technologies | 585 |
| B. Pile (<i>Cannon USA</i>), G. Furlanetto (<i>GMP SpA</i>), C. Cairati (<i>Cannon Afros SpA</i>) | |
| Poster Session — Rigid Foam | |
| New Phosphorus-Based Flame Retardant for Rigid PUR Foams | 589 |
| B. Karoleski (<i>Bayer Chemicals Corporation (Soon to be LANXESS Corporation)</i>), H. Tebbe (<i>Bayer Chemicals, AG, (Soon to be LANXESS AG)</i>) | |
| Innovative Trimerization Catalyst Systems for Polyisocyanurate Foams | 590 |
| K. Tokumoto (<i>TOSOH Corporation</i>) | |
| Evaluation of Various Zero ODP Blowing Agents in a North American Class I Pour-In-Place Panel Applications | 591 |
| J. Hoerter (<i>Honeywell International</i>) | |
| Development of Enovate® 3000 Blowing Agent Technology for Rigid Block Foam Applications | 592 |
| J. Hoerter (<i>Honeywell</i>), J. Glorioso (<i>Dyplast</i>) | |
| Low Viscosity Brominated Flame Retardant for Improved Hardness Development in Rigid Polyurethane Foams | 593 |
| R. Sjerps (<i>Albemarle Europe SPRL</i>) | |
| Author Index | 595 |