

TOURS SYMPOSIUM ON NUCLEAR PHYSICS AND ASTROPHYSICS - VII

Kobe, Japan

16 - 20 November 2009

EDITORS

Hajime Susa

Hiroaki Utsunomiya

Konan University, Japan

Marcel Arnould

ULB, Belgium

Sydney Galès

GANIL, France

Tohru Motobayashi

RIKEN, Japan

Christoph Scheidenberger

GSI, Germany

SPONSORING ORGANIZATIONS

Grand Accélérateur National d'Ions Lourds, France (GANIL)

Helmholtzzentrum für Schwerionenforschung GmbH, Germany (GSI)

Riken Nishina Center for Accelerator-Based Science, Japan (RIKEN)

Université libre de Bruxelles, Belgium (ULB)

French-Japanese International Associated Laboratory

Inamori Foundation, Japan

AIP
American Institute
of Physics

Melville, New York, 2010

AIP CONFERENCE PROCEEDINGS ■ VOLUME 1238

CONTENTS

| | |
|--------------------------------------|-------------|
| Preface | xi |
| Committees and Sponsors | xiii |

PLENARY SESSION CONTRIBUTIONS

| | |
|--|-----------|
| Entropy of the Universe | 3 |
| H. Sato | |
| Explosive Nucleosynthesis in Supernovae and Hypernovae | 9 |
| K. Nomoto, T. Moriya, and N. Tominaga | |
| Nucleosynthesis: A Field with Still Many Open Nuclear Physics Questions . . . | 18 |
| S. Goriely | |
| GANIL-SPIRAL1-SPIRAL2: Highlights and Perspectives | 26 |
| S. Gales | |
| New Developments in Experimental Thermonuclear Reactions | 36 |
| C. Iliadis | |
| Shell Evolution and Existence Limit of Exotic Nuclei and the Nuclear Force . . . | 44 |
| T. Otsuka | |
| Fission and Quasifission in the "Warm" Fusion Reactions | 52 |
| M. G. Itkis, A. A. Bogachev, E. V. Chernysheva, I. M. Itkis, G. N. Knyazheva, and E. M. Kozulin | |
| Study of SHE at SHIP | 60 |
| S. Hofmann | |
| Physics of High Energy QCD | 69 |
| K. Itakura | |
| Physics of Hot Partonic Matter at LHC-ALICE | 77 |
| K. Shigaki on behalf of the ALICE Collaboration | |
| The Extreme Energy Cosmic Rays | 82 |
| Y. Tsunesada | |

PARALLEL SESSION AND POSTER CONTRIBUTIONS

FIELD 1: First and Second Generation Stars

| | |
|---|------------|
| Formation of Primordial Stars | 95 |
| N. Yoshida | |
| The Collapse of First Objects Driven by Dark Matter Cusps | 101 |
| M. Umemura, T. Suwa, and H. Susa | |
| Impacts of Diffuse UV Radiation on the Secondary Population III Star Formation | 107 |
| K. Hasegawa, M. Umemura, and T. Suwa | |
| Low-Metallicity Star Formation | 111 |
| K. Omukai | |
| The Role of Cosmic Microwave Background in High-z Star Formation | 117 |
| R. Schneider and K. Omukai | |

| | |
|--|-----|
| The Effect of the Triple-α Reaction Rates on Stellar Evolution at Low-Metallicity | 122 |
| T. Suda, R. Hirschi, and M. Y. Fujimoto | |
| Near Field Cosmology with Binary, High Mass IMF, and Hierarchical Galaxy Formation | 126 |
| Y. Komiya, T. Suda, and M. Y. Fujimoto | |
| Possible Discovery of Primordial Stars at $z=3$ | 130 |
| A. K. Inoue | |
| Generation of Seed Magnetic Field around First Stars | 133 |
| M. Ando, K. Doi, and H. Susa | |

FIELD 2: Nuclear Astrophysics

| | |
|---|-----|
| Stau-Catalyzed Big-Bang Nucleosynthesis Reactions | 139 |
| M. Kamimura, Y. Kino, and E. Hiyama | |
| Neutrino Astronomy as a Probe into Physics of Hot and Dense Matter | 145 |
| K. Nakazato, K. Sumiyoshi, H. Suzuki, and S. Yamada | |
| Low-Energy Nuclear Reactions in Low-Temperature Dense Plasmas | 151 |
| J. Kasagi, Y. Toriyabe, E. Yoshida, K. H. Fang, and H. Yonemura | |
| Hydrodynamic Models of Classical Novae and Type I X-Ray Bursts | 157 |
| J. José, J. Casanova, F. Moreno, E. García-Berro, A. Parikh, and C. Iliadis | |
| Asymmetric Explosion of Type Ia Supernova and Their Observational Signatures | 163 |
| K. Maeda | |
| Explosive Nucleosynthesis in a Neutrino-Driven Core Collapse Supernova ... | 169 |
| S. Fujimoto, K. Kotake, M. Hashimoto, M. Ono, and N. Ohnishi | |
| Quantum Three-Body Calculation of the Nonresonant Triple-α Reaction Rate at Low Temperatures | 175 |
| K. Ogata, M. Kan, and M. Kamimura | |
| Contribution from 3α-Condensed States to the Triple-Alpha Reaction | 181 |
| K. Katō, C. Kurokawa, and K. Arai | |
| The NACRE II Project—A Status Report | 187 |
| Y. Xu, S. Goriely, and K. Takahashi | |
| Monte Carlo Reaction Rate Evaluation for Astrophysics | 193 |
| A. Coc, C. Iliadis, R. Longland, A. E. Champagne, and R. Fitzgerald | |
| Nuclear Reaction Data File for Astrophysics (NRDF/A) in Hokkaido University Nuclear Reaction Data Center | 199 |
| K. Katō, M. Kimura, N. Furutachi, T. Togashi, A. Makinaga, and N. Otuka | |
| Study of $^{16}\text{O}(n,\gamma)^{17}\text{O}$ Reaction with Core Excitation | 205 |
| K. Yamamoto, H. Masui, M. Ohta, and K. Katō | |
| Background Reduction System for $^4\text{He}(^{12}\text{C},^{16}\text{O})\gamma$ at KUTL | 208 |
| M. Taniguchi, K. Sagara, T. Teranishi, K. Fujita, R. Iwabuchi, T. Goto, K. Nakano, and N. Oba | |
| Direct Measurement of $^4\text{He}(^{12}\text{C},^{16}\text{O})\gamma$ Reaction at KUTL | 211 |
| K. Fujita, K. Sagara, T. Teranishi, T. Goto, R. Iwabuchi, S. Matsuda, K. Nakano, N. Oba, M. Taniguchi, and H. Yamaguchi | |

| | |
|---|------------|
| Neutrino Energy Loss Rates Due to $^{54,55,56}\text{Fe}$ in Stellar Environment | 214 |
| J.-U. Nabi | |
| Pasta Phase with Gyroid Morphology at Subnuclear Densities | 218 |
| K. Nakazato, K. Oyamatsu, and S. Yamada | |
| Isomer Residual Ratio of Odd-Odd Isotope ^{180}Ta in Supernova | |
| Nucleosynthesis | 222 |
| T. Hayakawa, T. Kajino, S. Chiba, and G. Mathews | |
| Thermal Neutron Capture Cross-Section to ^{113}Cd Isomer for the Study of | |
| s-Process Origin of ^{115}Sn | 225 |
| T. Hayakawa, T. Shizuma, S. Chiba, T. Kajino, Y. Hatsukawa, N. Iwamoto, N. Shinohara, and H. Harada | |
| Cross Section Measurement on $^{139}\text{La}(\gamma, \gamma')$ below Neutron Separation | |
| Energy | 228 |
| A. Makinaga, G. Rusev, R. Schwengner, F. Dönau, R. Beyer, D. Bemmerer, P. Crespo, M. Erhard, A. R. Junghans, J. Klug, C. Nair, K. D. Schilling, and A. Wagner | |
| Threshold Photoneutron Cross Sections for $^{208,207,206}\text{Pb}$ Isotopes | 231 |
| T. Kondo, H. Utsunomiya, H. Akimune, T. Yamagata, C. Iwamoto, M. Kamata, O. Itoh, H. Toyokawa, and Y.-W. Lui | |
| Extra γ-Ray Strength for $^{116,117}\text{Sn}$ Arising from Pygmy Dipole Resonance . . . | 234 |
| M. Kamata, H. Utsunomiya, H. Akimune, T. Yamagata, O. Itoh, C. Iwamoto, T. Kondo, H. Toyokawa, Y.-W. Lui, and S. Goriely | |
| Determination of Photoneutron Cross Sections for ^{197}Au by Using Laser | |
| Inverse-Compton Scattering Gamma-Rays | 237 |
| O. Itoh, H. Utsunomiya, H. Akimune, T. Yamagata, M. Kamata, T. Kondo, H. Toyokawa, Y.-W. Lui, F. Kitatani, H. Harada, S. Goko, and C. Nair | |
| r-Process in Type II Supernovae and the Role of Direct Capture | 240 |
| K. Otsuki, A. Burrows, G. Martinez-Pinedo, S. Typel, K. Langanke, and M. Matos | |

FIELD 3: Physics of Exotic Nuclei

| | |
|--|------------|
| 2p Radioactivity Studied by Tracking Technique | 245 |
| I. Mukha | |
| S^3: The Super Separator Spectrometer for SPIRAL2 Stable Beams | 251 |
| H. Savajols, A. M. Amthor, D. Boutin, A. Drouart, J. Payet, J. N. Nolen, and S. Manikonda on behalf of the S^3 Collaboration | |
| Shell and Halo Structure in Neutron-Rich Light Nuclei | 257 |
| C. Nociforo | |
| Shell and Shapes in the $N = 28$ Isotones | 261 |
| L. Cáceres, Zs. Dombrádi, C. Force, L. Gaudefroy, S. Grévy, F. Nowacki, D. Sohler, and O. Sorlin | |
| New Results at RIBF | 265 |
| H. Sakurai | |

| | |
|---|------------|
| Reaction Cross Section Studies at NIRS and RIBF | 270 |
| M. Fukuda, M. Takechi, D. Nishimura, M. Mihara, R. Matsumiya, K. Matsuta, T. Minamisono, T. Ohtsubo, Y. Ohkuma, Y. Shimbara, S. Suzuki, R. Watanabe, T. Izumikawa, S. Momota, T. Suzuki, T. Yamaguchi, T. Kuboki, I. Hachiuma, K. Namihira, S. Nakajima, K. Kobayashi, T. Sumikama, Y. Miyashita, K. Yoshinaga, K. Tanaka, N. Aoi, N. Fukuda, N. Inabe, D. Kameda, T. Kubo, K. Kusaka, M. Lantz, T. Ohnishi, M. Ohtake, T. Suda, H. Takeda, Y. Yanagisawa, A. Yoshida, K. Yoshida, A. Ozawa, T. Moriguchi, H. Ohishi, Y. Itoh, Y. Ishibashi, K. Ogawa, Y. Yasuda, H. Geissel, M. Winkler, S. Sato, M. Kanazawa, and A. Kitagawa | |
| Nuclear Incompressibility and the Asymmetry Term: Implications for Astrophysics and Physics with Exotic Nuclei | 274 |
| M. Fujiwara, E. Matsumoto, T. Suzuki, T. Yamagata, H. Akimune, M. Fujiwara, K. Fushimi, M. B. Greenfield, H. Hashimoto, R. Hayami, H. Ikemizu, K. Kawase, T. Kudoh, K. Nakanishi, T. Oota, K. Sagara, M. Tanaka, and M. Yosoi | |
| Isovector Dipole Resonances of ^4He and Neutrino Heating in Supernova | 280 |
| S. Nakayama, E. Matsumoto, T. Suzuki, T. Yamagata, H. Akimune, M. Fujiwara, K. Fushimi, M. B. Greenfield, H. Hashimoto, R. Hayami, H. Ikemizu, K. Kawase, T. Kudoh, K. Nakanishi, T. Oota, K. Sagara, M. Tanaka, and M. Yosoi | |
| Large-Amplitude Quadrupole Collective Dynamics of Shape Coexistence Phenomena in Proton-Rich Se and Kr Isotopes | 286 |
| N. Hinohara, K. Sato, T. Nakatsukasa, and M. Matsuo | |
| Mirror Asymmetry for $B(GT)$ of ^{24}Si Induced by Thomas-Ehrman Shift | 290 |
| Y. Ichikawa, T. K. Onishi, D. Suzuki, H. Iwasaki, T. Kubo, V. Naik, A. Chakrabarti, N. Aoi, B. A. Brown, N. Fukuda, S. Kubono, T. Motobayashi, T. Nakabayashi, T. Nakamura, T. Nakao, T. Okumura, H. J. Ong, H. Suzuki, M. K. Suzuki, T. Teranishi, K. N. Yamada, H. Yamaguchi, and H. Sakurai | |
| Evidence for α-Cluster Condensation in the 0^+_2 State at $E_x=7.654$ MeV in ^{12}C via the (p, p') Reaction at 300 MeV | 294 |
| A. Okamoto, T. Yamagata, H. Akimune, M. Fujiwara, K. Fushimi, M. B. Greenfield, K. Hara, K. Y. Hara, H. Hashimoto, R. Hayami, H. Hirabayashi, K. Kawase, M. Kinoshita, N. Nakanishi, S. Nakayama, M. Tanaka, H. Utsunomiya, N. Warashina, and M. Yosoi | |
| Gamow-Teller Transitions and β-Decay Half-Life in Proton Rich pf-Shell Nuclei | 297 |
| Y. Fujita, T. Adachi, B. Blank, P. von Brentano, G. P. A. Berg, H. Fujita, K. Fujita, K. Hatanaka, K. Nakanishi, A. Negret, L. Popescu, B. Rubio, Y. Shimbara, Y. Shimizu, Y. Tameshige, A. Tamii, M. Yosoi, and K. O. Zell | |
| M1 and E1 Transition Cross Sections in $D(\gamma, n)$ Reactions near Reaction Threshold | 301 |
| C. Iwamoto, H. Akimune, H. Utsunomiya, T. Yamagata, T. Kondo, M. Kamata, H. Toyokawa, H. Harano, T. Matsumoto, and Y.-W. Lui | |

FIELD 4: Fusion Fission Dynamics

| | |
|--|------------|
| Effects of Nuclear Orientation on Fusion and Fission Process for Reactions Using ^{238}U Target Nucleus | 307 |
| K. Nishio, H. Ikezoe, S. Mitsuoka, I. Nishinaka, H. Makii, Y. Watanabe, Y. Nagame, T. Ohtsuki, K. Hirose, and S. Hofmann | |

| | |
|---|------------|
| Structure of Nuclei Deformed at Maximum and the Mass Asymmetry in Low-Energy Fission | 313 |
| N. Carjan, M. Rizea, and V. Pashkevich | |
| Mass Measurements of Rare Isotopes with SHIPTRAP | 321 |
| M. Dworschak on behalf of the SHIPTRAP Collaboration | |
| Nuclear Fission of Fm Isotopes | 325 |
| T. Asano, T. Wada, M. Ohta, and S. Chiba | |

FIELD 5: Super Heavy Elements

| | |
|---|------------|
| Decay Properties of ^{266}Bh and ^{262}Db Produced in the $^{248}\text{Cm} + ^{23}\text{Na}$ Reaction—Further Confirmation of the $^{278}\text{113}$ Decay Chain | 331 |
| K. Morita, K. Morimoto, D. Kaji, H. Haba, K. Ozeki, Y. Kudou, N. Sato, T. Sumita, A. Yoneda, T. Ichikawa, Y. Fujimori, S. Goto, E. Ideguchi, Y. Kasamatsu, K. Katori, Y. Komori, H. Koura, H. Kudo, K. Ooe, A. Ozawa, F. Tokanai, K. Tsukada, T. Yamaguchi, and A. Yoshida | |
| Spectroscopy of Transfermium Nuclei Using the GABRIELA Set Up at the Focal Plane of the VASSILISSA Recoil Separator | 337 |
| K. Hauschild, A. Lopez-Martens, O. Dorvaux, J. Piot, D. Curien, B. Gall, A. V. Yeremin, M. L. Chelnokov, V. I. Chepigin, A. V. Isaev, I. N. Izosimov, A. P. Kabachenko, D. E. Katrasev, A. N. Kuznetsov, O. N. Malyshev, A. G. Popeko, E. A. Sokol, A. I. Svirikhin, T. Wiborg-Hagen, H. T. Nyhus, S. Siem, G. Drafta, D. Pantelica, N. Scintee, A. Gorgen, T. Kutsarova, S. Mullins, and Š. Šaro | |

FIELD 6: Large Hadron Collider

| | |
|--|------------|
| The ALICE Electromagnetic Calorimeter | 345 |
| S. Gadrat on behalf of the ALICE Collaboration | |
| LHCf: Calibration of Hadron Interaction Models for High Energy Cosmic-Ray Physics at the LHC Energy | 349 |
| T. Mase, O. Adriani, L. Bonechi, M. Bongi, G. Castellini, R. D'Alessandro, A. Faus, M. Grandi, M. Haguenaue, Y. Itow, K. Kasahara, K. Kawade, D. Macina, K. Masuda, Y. Matsubara, H. Menjo, G. Mitsuka, Y. Muraki, M. Nakai, P. Papini, A.-L. Perrot, S. Ricciarini, T. Sako, Y. Shimizu, K. Taki, T. Tamura, S. Torii, A. Tricomi, W. C. Turner, J. Velasco, A. Viciani, and K. Yoshida | |
| The Performance of LHCf Detector | 352 |
| K. Kawade, O. Adriani, L. Bonechi, M. Bongi, G. Castellini, R. D'Alessandro, A. Faus, M. Grandi, M. Haguenaue, Y. Itow, K. Kasahara, D. Macina, T. Mase, K. Masuda, Y. Matsubara, H. Menjo, G. Mitsuka, Y. Muraki, M. Nakai, P. Papini, A.-L. Perrot, S. Ricciarini, T. Sako, Y. Shimizu, K. Taki, T. Tamura, S. Torii, A. Tricomi, W. C. Turner, J. Velasco, A. Viciani, and K. Yoshida | |

FIELD 7: Extreme Energy Cosmic Rays

| | |
|--|------------|
| The Simulation Study on the Performance of JEM-EUSO Telescope | 357 |
| N. Inoue and K. Higashide on behalf of the JEM-EUSO Collaborations | |

| | |
|--|------------|
| Maximum Cosmic Ray Energies and the Shock Acceleration Mechanism | 361 |
| A. Meli | |
| The Telescope Array Experiment: Status and Prospects | 365 |
| H. Tokuno et.al. | |
| The JEM-EUSO Mission to Explore the Extreme Universe | 369 |
| T. Ebisuzaki, Y. Takahashi, F. Kajino, H. Mase, A. Santangelo, M. Teshima, E. Parizot, P. Gorodetzky, O. Catalano, P. Picozza, M. Casolino, M. Panasyuk, B. A. Khrenov, I. H. Park, T. Peter, G. Medina-Tanco, D. Rodriguez-Frias, J. Szabelski, and P. Bobik on behalf of the JEM-EUSO Collaboration | |
| Extreme Energy Gamma Rays and Neutrinos and Their Observation in JEM-EUSO Mission | 377 |
| K. Shinozaki on behalf of the JEM-EUSO Collaboration | |
| The Science Case of the JEM-EUSO Mission-Unveiling the Universe at Ultra-High Energies | 380 |
| A. Santangelo, T. Ebisuzaki , Y. Takahashi, F. Kajino, M. Teshima, E. Parizot, M. Casolino, and G. Medina-Tanco on behalf of the JEM-EUSO Collaboration | |
| List of Participants | 389 |
| Photographs | 397 |
| Author Index | 399 |