

# **Distilled Spirits**

*Science and Sustainability*

*Edited by*

Graeme Walker<sup>1</sup>

Robert Fotheringham<sup>2</sup>

Ian Goodall<sup>3</sup>

Douglas Murray<sup>4</sup>

*<sup>1</sup>Professor of Zymology, Abertay University, United Kingdom; <sup>2</sup>Chief Chemist, Chivas Brothers Ltd, Pernod-Ricard; <sup>3</sup>Senior Scientist, The Scotch Whisky Research Institute; <sup>4</sup>Liquid & Process Technology Manager, Diageo*

# Contents

---

## PART 1: DISTILLING INDUSTRY RESOURCES

- 1 Recent progress in the genetics of malting barley** **1**  
W Thomas<sup>1</sup>, J Comadran<sup>1</sup>, L Ramsay<sup>1</sup>, P Shaw<sup>1</sup>, D Marshall<sup>1</sup>, A Newton<sup>1</sup>,  
D O'Sullivan<sup>2</sup>, J Cockram<sup>2</sup>, I Mackay<sup>2</sup>, R Bayles<sup>2</sup>, J White<sup>2</sup>, T Bringhurst<sup>3</sup>,  
J Brosnan<sup>3</sup>, R Waugh<sup>1</sup> and the AGOUEB Consortium  
*<sup>1</sup>The James Hutton Institute, Invergowrie, Dundee DD2 5DA, UK; <sup>2</sup>NIAB, Huntingdon  
Road, Cambridge CB3 0LE, UK; <sup>3</sup>Scotch Whisky Research Institute, Research Avenue  
North, Riccarton, Edinburgh EH14 4AP*
- 2 Sustainability of grapes as a raw material for distilled spirits** **9**  
L. Lurton, G. Ferrari, B. Galy, L. Boitaud, V. Dumot  
*Bureau National Interprofessionnel du Cognac, Station Viticole, BP 18, 16100 Cognac,  
France*
- 3 The impact of peat source on the flavour of Scotch malt whisky** **19**  
B. Harrison  
*Scotch Whisky Research Institute, Riccarton, Edinburgh, EH14 4AP, United Kingdom*
- 4 The case of cork** **27**  
M. Cabral, P. Lopes & I. Roseira  
*Research & Development, Amorim & Irmãos, S. A. Rua das Meladas, 380, P. O. Box 20,  
Mozelos, 4536 – 902 Portugal*
- 5 Near Infrared Reflectance (NIR) used as a predictive tool for Canadian Whisky Ageing** **35**  
D. Livermore  
*Pernod Ricard United States – Canada Technical Centre, Windsor, Ontario, Canada*
- 6 Reducing the need for new wood by regenerating and re-using casks** **47**  
J. Conner, M. Patterson, C. Owen and J. Freeman  
*The Scotch Whisky Research Institute, The Robertson Trust Building, Research Avenue  
North, Riccarton, Edinburgh EH14 4AP*
- 7 Evaluation of oakwood potential for aging of wine and spirits: comparison of  
physicochemical, sensory and molecular approaches** **55**  
E. Guichoux<sup>1,2,3</sup> and R. J. Petit<sup>1,2,3</sup>  
*<sup>1</sup>INRA, UMR 1202 Biodiversity Genes & Communities, F- 33610 Cestas, France; <sup>2</sup>Univ.  
Bordeaux, UMR1202 Biodiversity Genes & Communities, Bordeaux, F-33400 Talence,  
France; <sup>3</sup>Pernod Ricard Research Centre, F-94000 Creteil, France*

- 8 Kiwi spirits: first results** 65  
 F. López<sup>1</sup>, L. García-Llobodanin<sup>1</sup>, R. Pérez-Correa<sup>2</sup>, P. Blanco<sup>3</sup>, C. López-Vázquez<sup>3</sup>, I. Orriols<sup>3</sup>  
*<sup>1</sup>Departament d'Enginyeria Química, Facultat d'Enologia, Universitat Rovira i Virgili, Av. Països Catalans 26, Campus Sescelades, 43007 Tarragona, Spain; <sup>2</sup>Departamento de Ingeniería Química y Bioprocesos, Pontificia Universidad Católica de Chile, Casilla 306, Santiago 22, Chile; <sup>3</sup>Estación de Viticultura y Enología de Galicia (EVEGA)-Ingacal, Ponte San Clodio, 32427 Leiro, Spain*
- 9 Potential of Conference pear variety to produce pear spirits: influence of the raw material and distillation system on the final quality of the spirits** 71  
 F. López<sup>1</sup>, Y. Arrieta-Garay<sup>1</sup>, L. García-Llobodanin<sup>1</sup>, R. Pérez-Correa<sup>2</sup>, P. Blanco<sup>3</sup>, C. López-Vázquez<sup>3</sup>, I. Orriols<sup>3</sup>  
*<sup>1</sup>Departament d'Enginyeria Química, Facultat d'Enologia, Universitat Rovira i Virgili, Av. Països Catalans 26, Campus Sescelades, 43007 Tarragona, Spain; <sup>2</sup>Departamento de Ingeniería Química y Bioprocesos, Pontificia Universidad Católica de Chile, Casilla 306, Santiago 22, Chile; <sup>3</sup>Estación de Viticultura y Enología de Galicia (EVEGA)-Ingacal, Ponte San Clodio, 32427 Leiro, Spain 71*
- 10 Creating better cereal varieties for the sustainability of the distilling industry** 77  
 T.A. Bringham, R.C. Agu, J.M. Brosnan  
*The Scotch Whisky Research Institute, The Robertson Trust Building, Research Avenue North, Riccarton, Edinburgh, EH14 4AP*
- 11 Geometric features of oak casks I. Modelling shape and derivation of surface areas and volumes** 87  
 P.S. Hughes<sup>1</sup> and J.A. Hughes<sup>2</sup>  
*<sup>1</sup> International Centre for Brewing and Distilling, Heriot-Watt University, Edinburgh, EH14 4AS, UK; <sup>2</sup> School of Mathematical Sciences, Science Laboratories, South Road, Durham University, DH1 3LE, UK*
- 12 Production of a cassava based potable spirit** 95  
 B. Mandanna<sup>1</sup>; P. Hughes<sup>2</sup>; J.H. Bryce<sup>2</sup>  
*<sup>1</sup>Molson Coors Brewing Company (UK), Station Street, Burton upon Trent, DE14 1BG; <sup>2</sup>The International Centre for Brewing and Distilling (ICBD), Heriot-Watt University, Riccarton, Edinburgh EH14 4AS 95*
- 13 Chinese white spirit** 103  
 D. Lin  
*Sichuan Swellfun Co. Ltd, Admin Office 4F, 9 Quanxing Road, Chengdu 610036, China*

## PART 2: YEAST AND FERMENTATION

- 14 Analysis of a distiller's yeast during industrial grain fermentation** 109  
 R. Hansen<sup>1,2</sup>, F. Moffat<sup>1</sup>, and D.J. Jamieson<sup>1</sup>  
*<sup>1</sup>School of Life Sciences, Heriot-Watt University, Edinburgh EH14 4AS, UK; <sup>2</sup>Current address: Syngenta, Jealott's Hill International Research Centre Bracknell, Berkshire RG42 6EY, United Kingdom*

- 15 The tolerance of *Saccharomyces cerevisiae* distilling and bioethanol strains to ethanol 117**  
 A.W.Y. Cheung<sup>1</sup>, J.M. Brosnan<sup>2</sup> and K.A. Smart<sup>1</sup>  
*<sup>1</sup>Bioenergy and Brewing Science, School of Biosciences, University of Nottingham, Sutton Bonington Campus, Loughborough, Leics, LE12 5RD, UK; <sup>2</sup>The Scotch Whisky Research Institute, The Robertson Trust Building, Research Avenue North, Riccarton, Edinburgh, EH14 4AP, UK*
- 16 Selecting new distilling yeasts for improved fermentation and for sustainability 127**  
 G. Walker<sup>1</sup>, J. Brosnan<sup>2</sup>, T. Bringhurst<sup>2</sup> and F. Jack<sup>2</sup>  
*<sup>1</sup>Yeast Research Group, School of Contemporary Sciences, University of Abertay Dundee, Dundee DD1 1HG; <sup>2</sup>Scotch Whisky Research Institute, Research Avenue North, Riccarton, Edinburgh, EH14 4AP*
- 17 Current challenges and future opportunities for distillers yeast: discussion forum 137**  
 Reporter: G.M. Walker

### PART 3: DISTILLATION

- 18 Modelling methanol recovery in wine batch distillations using rectification columns 141**  
 J.R. Pérez-Correa; R. Munizaga-Miranda; C.A. Gelmi  
*Department of Chemical and Bioprocess Engineering, Pontificia Universidad Católica de Chile, Av. Vicuña Mackenna 4860, Macul, Santiago, Chile*
- 19 New Scotch grain whisky distillery design and build – Starlaw Grain Distillery, Bathgate 147**  
 I. Palmer<sup>1</sup>, G. Gibson<sup>2</sup> and F. Cannoni<sup>3</sup>  
*<sup>1</sup>Glen Turner Company, Starlaw Road, Bathgate, West Lothian; <sup>2</sup>Colorado Group, Rosyth, Fife; <sup>3</sup>Frilli Impianti SRL, Monteriggioni, Italy*
- 20 Ethyl carbamate distribution in pot still Cachaça 155**  
 A.R. Alcarde<sup>1</sup>, L.S. Marelli<sup>1</sup>, A.E.S. Belluco<sup>2</sup>, B.M.S. Monteiro<sup>1</sup>  
*<sup>1</sup>University of São Paulo, College of Agriculture “Luiz de Queiroz”, Av. Pádua Dias, 11, CP 9, 13418-900, Piracicaba/SP, Brazil; <sup>2</sup>Federal University of São Carlos, DTAiSER, Rodovia Anhanguera, km 174, 13600-970, Araras/SP, Brazil*
- 21 Ethyl carbamate formation in Cachaça produced from different sugar cane varieties 159**  
 A.R. Alcarde, L.S. Marelli, B.M.S. Monteiro  
*University of São Paulo, College of Agriculture “Luiz de Queiroz”, Av. Pádua Dias, 11, CP 9, 13418-900, Piracicaba/SP, Brazil*

### PART 4: SCIENCE BEHIND FLAVOURS

- 22 From nature to bottle: How to create authentic flavour profiles 161**  
 S. Haiber  
*Givaudan, Huizerstraatweg 28, 1411 GP Naarden, The Netherlands*

- 23 The impact of increased wash fatty acid levels on the nutty/cereal aroma volatile composition of new make malt spirit** **167**  
 E.L. Boothroyd<sup>1</sup>, F. Jack<sup>2</sup>, B. Harrison<sup>2</sup> and D.J. Cook<sup>1</sup>  
<sup>1</sup> University of Nottingham, Division of Food Sciences, Sutton Bonington Campus, LE12 5RD; <sup>2</sup> The Scotch Whisky Research Institute, The Robertson Trust Building, Research Avenue North, Riccarton, Edinburgh, EH14 4AP
- 24 Understanding the aroma of gin: a Gas Chromatography-Olfactometry approach** **175**  
 P. Dussort<sup>1,2</sup>, N. Deprêtre<sup>1</sup>, E. Bou-Maroun<sup>1</sup>, P. Brunerie<sup>2</sup>, E. Guichard<sup>1</sup>, C. Fant<sup>3</sup>, Y. Le Fur<sup>1</sup>, J.-L. Le Quéré<sup>1</sup>  
<sup>1</sup>Centre des Sciences du Goût et de l'Alimentation, UMR 6265 CNRS, UMR 1324 INRA, Université de Bourgogne, AgroSup Dijon, 17 rue Sully F-21000 Dijon; <sup>2</sup>Centre de Recherche Pernod Ricard, 120 av. Maréchal Foch, 94015 Créteil; <sup>3</sup>Agrosup Dijon, 26 boulevard Petitjean BP 87999 21079 - DIJON cedex
- 25 Profiling Scotch malt whisky spirits from different distilleries using an electronic nose and an expert sensory panel** **185**  
 A. Aranyos<sup>1</sup>, F. Ayouni<sup>1</sup>, M. Bonnefille<sup>1</sup>, F. Jack<sup>2</sup>, H. Lechat<sup>1</sup>  
<sup>1</sup>Alpha MOS, 20 avenue Didier Daurat – 31400 Toulouse - France; <sup>2</sup>The Scotch Whisky Research Institute - Research Avenue North - Riccarton - Edinburgh - EH14 4AP – United Kingdom
- 26 The behaviour of whisky lactone isomers in Japanese oak casks** **191**  
 Y. Noguchi<sup>1</sup>, M. Koike<sup>1</sup>, P. Hughes<sup>2</sup>, J. Conner<sup>3</sup>, and F. Jack<sup>3</sup>  
<sup>1</sup> Suntory Liquors Limited, Osaka, JAPAN; <sup>2</sup> International Centre of Brewing and Distilling, Heriot-Watt University, Edinburgh, UK; <sup>3</sup> The Scotch Whisky Research Institute, Edinburgh, UK
- 27 Creating various whiskies utilizing differences in warehouse conditions in Japan** **199**  
 M. Nakajima, T. Fujii  
 Suntory Liquors Limited, Yamazaki Distillery, 5-2-1 Yamazaki, Shimamoto-cho, Mishimagun, Osaka, 618-0001, Japan
- 28 Aromatic and flavourful distillates from different malt beer specialities** **205**  
 J. Voigt<sup>1</sup>, A. Richter<sup>2</sup>  
<sup>1</sup>TU München, Wissenschaftszentrum Weißenstephan, Freising, Germany; Weyermann, Specialty Malting, Bamberg, Germany 205

## PART 5: ANALYTICAL ASPECTS

- 29 Alert® for methanol, a rapid diagnostic assay to detect methanol contamination in distilled spirits** **209**  
 S. Graham<sup>1</sup>, S. Holmes<sup>1</sup>, B. McGhee<sup>2</sup>, R. Tester<sup>2</sup>, A. Kariagin<sup>3</sup>, B. Steiner<sup>3</sup>, R. Sarver<sup>3</sup>  
<sup>1</sup>Neogen Europe Ltd, The Dairy School, Auchincruive, Ayr, KA6 5HW, Scotland, UK; <sup>2</sup>Glycologic Ltd., c/o Glasgow Caledonian University, Cowcaddens Road, Glasgow, G4 0BA; <sup>3</sup> Neogen Corporation, 620 Leshar Place, Lansing, MI 48912, USA

- 30 The effect of organic haze on the ethanol determination in whisky** **213**  
 R. Beneš, M. Trinkel, C. Reichart  
*Anton Paar, GmbH, Anton-Paar Straße 20, 8054 Graz, Austria*
- 31 Evaluation of the performance of ethyl carbamate determination by GC/MS analysis in spirits** **219**  
 G. Snakkers<sup>1</sup>, P. Brunerie<sup>2</sup>, S. Muller<sup>3</sup>, M. Garden<sup>4</sup>, L. Kragelund<sup>5</sup>, P. Lockyer<sup>6</sup>, K. Mac Namara<sup>7</sup>, F. Scanlan<sup>8</sup>, I. Tonutti<sup>9</sup>  
*<sup>1</sup>Bureau National Interprofessionnel du Cognac (BNIC), Station Viticole, 69 rue de Bellefonds, 16100 Cognac France; <sup>2</sup>Centre de Recherche Pernod-Ricard; <sup>3</sup>Edrington Distillers Ltd, 2500 Great Western Road, Glasgow, G15 6RW, Scotland; <sup>4</sup>Scotch Whisky Association; <sup>5</sup>Pernod-Ricard Nordic; <sup>6</sup>Diageo TCE; <sup>7</sup>Irish Distillers; <sup>8</sup>Campari Technical Centre; <sup>9</sup>Analytical Research Lab. Tradall SA Switzerland, Bacardi*

## **PART 6: ENERGY FOCUS**

- 32 Energy potential and liquid reuse from distillery co-product streams** **223**  
 J. McAteer  
*Technical Manager, Veolia Water Solutions & Technologies, Aqua House, 2620 Kings Court, Birmingham Business Park, Birmingham, B37 7YE*
- 33 Sustainable energy efficient distillation technologies for neutral/potable spirits** **231**  
 S.P. Singh  
*Praj Industries Limited, Pune - 411021, India*
- 34 Sustainability through process design** **239**  
 M. Phillips, J.A.V. Ludford-Brooks, J.C. Hancock, N. Harlow  
*Briggs of Burton Plc, Briggs House, Derby Street, Burton-on-Trent, Staffordshire, DE14 2LH*
- 35 The real cost of sustainability: Is it possible to reduce effluent and generate green energy while making a profit?** **251**  
 V. Ramachandran<sup>1</sup> and D. Gates<sup>2</sup>  
*<sup>1</sup>Ondeo Industrial Solutions, Suez Environnement House, Bo'ness Road, Grangemouth, FK3 9XD; <sup>2</sup>Ondeo Industrial Solutions, 530 / 534 Durham Road, Low Fell, Gateshead, NE9 6HU*
- 36 Low-temperature processing of wheat for bioethanol production** **259**  
 G.G. Stewart, S. Cornfine, K.A. Leiper, M. Meidl  
*International Centre for Brewing and Distilling, Heriot-Watt University, Riccarton, Edinburgh, EH14 4AS, Scotland*
- 37 Adapting liquid digestion systems for distillery co-products** **271**  
 R. Gueterbock  
*Marketing Director, Clearfleau Limited, 10 Wellington Street, Cambridge, CB1 1HW*
- 38 Energy saving in Cognac pot still distillation** **279**  
 G. Ferrari, B. Galy and L. Lurton  
*Bureau National Interprofessionnel du Cognac (BNIC) – Station Viticole, 69 rue de Bellefonds, 16100 COGNAC France*

## PART 7: SUSTAINABILITY FOCUS

- 39 Minimisation of water use in the beverage industry 283**  
D. Donnelly  
*Diageo, Global Beer Technical Centre, Guinness Brewery, St. James' Gate, Dublin 8, Republic of Ireland*
- 40 Cost effective solution for copper removal in distillery effluents 289**  
S. Walker  
*B&V Effluent Services Limited, Lamport Drive, Heartlands Business Park, Daventry, Northants, NN11 8YH*
- 41 Characterisation of the pot ale profile from a malt whisky distillery 295**  
J. Graham<sup>1</sup>, B. Peter<sup>1</sup>, G. Walker<sup>1</sup>, A. Wardlaw<sup>2</sup> and E. Campbell<sup>2</sup>  
*<sup>1</sup>School of Contemporary Sciences, University of Abertay Dundee, Bell Street, Dundee DD1 1HG, Scotland; <sup>2</sup>Diageo Global Supply Technical Centre, Glenochil, Menstrie, Clackmannanshire FK11 7ES, Scotland*
- 42 Anaerobic treatment of Tequila distilling effluent: From pilot to full-scale 303**  
W. Driessen, Y. Yspeert, P. Yspeert, and R. Prins  
*Paques bv, P.O. Box 52, 8560 AB Balk, The Netherlands*
- 43 Vegetation characteristics and associated conservation values in the watersheds of whisky distilleries in Scotland 307**  
T. Asada and T. Yonezawa  
*Whisky Blending and Planning Department, Suntory Liquors Limited, 5-2-1 Yamazaki, Shimamoto-cho, Mishima-gun, Osaka, Japan 618-0001*
- 44 The Sustainability Dilemma. Will this change the way we do business? 317**  
A. Bright  
*WSP Environment & Energy, 4/5 Lochside View, Edinburgh Park, Edinburgh, EH12 9DH*
- 45 Sustainable Scotch: Will science deliver the industry's sustainability strategy or will the strategy deliver the science? 323**  
J. Hesketh-Laird<sup>1</sup>, G. Hutcheon<sup>2</sup> and D. Rae<sup>3</sup>  
*<sup>1</sup>Scotch Whisky Association, 20 Atholl Crescent, Edinburgh, EH3 8HA; <sup>2</sup>The Edrington Group Ltd, 2500 Great Western Road, Glasgow, G15 6RW; <sup>3</sup>The North British Distillery Ltd., Wheatfield Road, Edinburgh, EH11 2PX*

## PART 8: FUTURE TECHNOLOGY

- 46 Application of ultrasound in the bioconversion of distiller's spent grains to bioethanol 331**  
J. Bennett, G.M. Walker and D.H. Bremner  
*School of Contemporary Science, University of Abertay Dundee, Dundee, DD1 1HG, UK*
- 47 Recent advances in bioethanol production 341**  
W.M. Ingledew  
*University of Saskatchewan, c/o 1421 Saturna Drive, Parksville, B.C. V9P 2Y1, Canada*

- 48 Detectable limit of molasses-spirit mixed in rice-spirits using a SNIF-NMR method 347**  
 C.-H. Lai<sup>1\*</sup>, W.-C. Ko<sup>1</sup>, C.-W. Hsieh<sup>2</sup>  
<sup>1</sup> Department and Graduate Program of BioIndustry Technology, Da-Yeh University, 168 University Rd, Da-Tsuen, Changhua 51591, Taiwan, Republic of China; <sup>2</sup> Department of Medicinal Botanicals and Healthcare, Da-Yeh University, 168 University Rd, Da-Tsuen, Changhua 51591, Taiwan, Republic of China
- 49 Removal of higher fatty acid esters from Taiwanese rice-spirits by nanofiltration 353**  
 W.-C. Ko<sup>2</sup>, Y.-H. Huang<sup>2</sup>, C.-H. Lai<sup>2</sup>, C.-W. Hsieh<sup>1</sup>  
<sup>1</sup> Department of Medicinal Botanicals and Health care, Da-Yeh University, 168 University Rd, Da-Tsuen, Chang-Hua, Taiwan, Republic of China; <sup>2</sup> Department and Graduate Program of BioIndustry Technology, Da-Yeh University, 168 University Rd, Da-Tsuen, Chang-Hua, Taiwan, Republic of China
- 50 Applications of flow cytometry in the distilling industry 359**  
 S.Y. Pearson<sup>1</sup> and J.W. Walker<sup>1</sup>  
<sup>1</sup>The Scotch Whisky Research Institute, The Robertson Trust Building, Research Avenue North, Riccarton, Edinburgh, EH14 4AP, UK

## **PART 9: CONSUMER PERCEPTION**

- 51 Impact of swallowing on the dynamics of aroma release and perception during the consumption of alcoholic beverages 365**  
 I. Déléris<sup>1</sup>, Y. Guo<sup>1</sup>, A. Saint-Eve<sup>1</sup>, P. Lieben<sup>1</sup>, M. L. Cypriani<sup>2</sup>, N. Jacquet<sup>2</sup>, I. Souchon<sup>1</sup> and P. Brunerie<sup>2</sup>  
<sup>1</sup> INRA, UMR 782 INRA-AgroParisTech Génie et Microbiologie des Procédés Alimentaires, 1 avenue Lucien Brétignières, F-78850 Thiverval-Grignon, France; <sup>2</sup>Centre de Recherche Pernod-Ricard, 120 avenue du Maréchal Foch, F-94015 Créteil, France
- 52 Global counterfeiting detection 375**  
 S Fisher  
 VP Pernod Ricard Brand Security, c/o Chivas House, 72 Chancellors Road, London, W6 9RS
- 53 Anti-counterfeiting: Using LC-MS to detect and differentiate between caramels E150 a, b, c and d in whisky 381**  
 S. Cubbon<sup>1</sup>, D. McMillan<sup>1</sup>, C. Owen<sup>2</sup>, I. Goodall<sup>2</sup>  
<sup>1</sup>Waters, Atlas Park, Simonsway, Manchester, M22 5PP; <sup>2</sup> Scotch Whisky Research Institute, The Robertson Trust Building, Research Avenue North, Riccarton, Edinburgh, EH14 4AP
- Index 389**