

A self-referenced single-electron current source

Von der Fakultät für Mathematik und Physik
der Gottfried Wilhelm Leibniz Universität Hannover
zur Erlangung des Grades

Doktor der Naturwissenschaften
- Dr. rer. nat. -

genehmigte Dissertation
von

Dipl.-Phys. Lukas Fricke
geboren am 16.09.1985 in Celle

2015

Contents

List of Figures	ix
List of Symbols	xv
List of Abbreviations	xxii
1 Introduction	1
2 Basics of single-charge transfer	11
2.1 Electrons in a confining potential	11
2.1.1 The two-dimensional electron gas	11
2.1.2 One-dimensional electron gas	16
2.2 Quantum mechanical tunneling	18
2.3 Static quantum dots	20
2.4 Adiabatic electron turnstiles and pumps	29
2.4.1 Single-electron turnstile	29
2.4.2 Adiabatic single-electron pump	32
2.5 Non-adiabatic single-electron pumping using a dynamic QD	36
2.5.1 Illustrative description of the charge transfer mechanism	38
2.5.2 The charge-capturing process	47
2.6 Series operation of non-adiabatic dynamic QDs	53
2.6.1 Mesoscopic feedback	53
2.7 Metrological context: Quantum metrological triangle	57

3	Experimental methods	63
3.1	Sample fabrication	64
3.2	Introduction of the processed chip	71
3.3	Low-temperature environment	74
3.3.1	Electric wiring	77
3.3.2	Sample holder	78
3.4	Laboratory setup	79
3.4.1	Voltage sources	79
3.4.2	Amplifiers	80
3.4.3	Waveform generators and digitizers	83
3.4.4	Software	85
4	Conventional device characterization	89
4.1	Basic device characterization	90
4.1.1	Resistance during cool-down	90
4.1.2	Gate-dependence of the channel's conductance	90
4.1.3	Coulomb-blockade: Estimating capacitances	95
4.2	Charge transfer by the non-adiabatic dynamic QD (cw drive)	98
4.2.1	Finding the region of quantized-charge transfer	98
4.2.2	Investigation of the transfer characteristics (cw) of the individual dynamic QDs	100
4.2.3	Effect of the amplitude of the driving waveform	105
4.3	The dc-coupled single-electron transistor	107
4.3.1	Introduction to the superconducting SET	107
4.3.2	Optimal working point of the SETs operated as charge detectors	118

5	Dynamic quantum dots investigated by charge detection	121
5.1	Non-invasive charge detection on the dynamic dot	122
5.1.1	Data analysis	130
5.1.2	Results	133
5.1.3	Continuous charging experiments beyond barrier characterization	142
5.2	Microscopic insight into dynamics of single-electron capture	147
5.2.1	Data evaluation	151
5.2.2	Counting statistics of charge transfer by a dynamic quantum dot	157
5.2.3	Detailed analysis of the capture mechanism	165
5.2.4	Analysis of entrance-gate voltage dependence by counting	170
5.2.5	Qualification of dots QD2 and QD4 by counting	172
5.2.6	Summary	175
6	The self-referenced current source	177
6.1	Introduction to series pumping and error accounting	178
6.2	Description of the measurement	182
6.3	Details of the counting algorithm	188
6.4	Results and discussions	195
6.4.1	Error accounting	196
6.4.2	Counting the number of transferred electrons	201
6.5	Conclusion	207
7	Series operation: Feedback and MHz repetition rates	209
7.1	Introduction to feedback during series operation	210

7.2	Parameter dependence of transfer fidelity in series operation	213
7.2.1	Evaluation of transfer probabilities	216
7.2.2	Evaluation of charge built-up on the node	219
7.2.3	Break-down of unidirectional charge transfer	224
7.2.4	Summary	227
7.3	Series operation of dynamic QDs with MHz repetition rate	227
8	Summary and outlook	237
	Bibliography	241
	Curriculum vitae	263
	List of publications	265
	Danksagung	267