

Hauptreferent:

Prof. Dr.-Ing. U. Nackenhorst

Korreferent:

Asst. Prof. Dr. L. Chamoin

Doktorand:

M.Sc. Ole Stegen

**A Fully Micro-mechanically Motivated
Material Law for Filled Elastomer**

Von der Fakultät für
Bauingenieurwesen
und Geodäsie der
Gottfried Wilhelm Leibniz
Universität Hannover

zur Erlangung des Grades
eines

Doktor-Ingenieurs

genehmigte Dissertation
von

M.Sc. Ole Stegen

Hannover 2015

Tag der Einreichung:

24. 09. 2014

Tag der mündl. Prüfung:

17. 12. 2014

**Institut für
Baumechanik
und Numerische
Mechanik**

Contents

1. Introduction	1
1.1. State of the Art	1
1.2. Goal of this Thesis	3
2. Physical and Chemical Properties of Elastomer	5
2.1. Structure of Elastomer	5
2.1.1. Elastomer Chain	5
2.1.2. Entropy of an Elastomer Chain	6
2.1.3. Elastomer Network	7
2.1.4. Filler Reinforcement	8
2.1.5. Temperature Dependent Behaviour	9
2.2. Chemistry of Elastomer	10
2.2.1. Chain Polymerization	10
2.2.2. Addition Polymer	14
2.2.3. Condensation Polymer	14
2.2.4. Vulcanisation of Polymer	14
3. Non-linear Continuum Mechanics Background	17
3.1. Kinematics	17
3.2. Stress Measures	20
3.3. Balance Laws	21
3.3.1. Conservation of Mass	21
3.3.2. Conservation of Linear Momentum	21
3.3.3. Conservation of Angular Momentum	22
3.3.4. Conservation of Energy	22
3.3.5. Entropy Inequality Principle	23
3.4. Constitutive Theory	24
3.4.1. Concept of Internal Variables	24
4. Review of Material Models for Elastomers	27
4.1. Elastic Material Models	27
4.1.1. Analytical Homogenization Methods for Filled Elastomers	30
4.2. Damage Models	33
4.3. Visco-Elastic Models	35
5. Micromechanically Motivated Material Model	39
5.1. Network Decomposition Concept	39
5.2. Micro Plane Model	40
5.2.1. Numerical Integration at the Surface of a Unit Sphere	40
5.3. Elastic Part of Material Model	42
5.3.1. Material Tangent	42
5.3.2. Non-Gaussian Statistic for Chain Entropy	44
5.3.3. Stress and Material Tangent for Affine Network Model	45
5.4. Anisotropic-Mullins Type Damage Model	47
5.4.1. Statistical Distribution of Chains between Filler Particles	48

5.4.2.	Microscopic Free Energy Function for Mullins Effect	49
5.4.3.	Material Tangent with Approximate Probability Function	51
5.5.	Viscous Part of Material Model	55
5.5.1.	Micro-mechanical Motivation of Elastomer Viscosity	55
5.6.	Numerical Implementation	58
5.6.1.	Update Step for Internal Variables	60
6.	Finite Element Method	61
6.1.	Weak Form of Equilibrium	61
6.2.	Linearisation	62
6.3.	Discretisation	63
6.4.	Implementation of Dyadic Product of Stretch Vectors	65
6.5.	Solution Algorithm	65
7.	Numerical Studies	67
7.1.	Anisotropic Mullins-Type Damage Model	67
7.1.1.	Parameter Study	67
7.1.2.	Comparison with Experimental Data	69
7.1.3.	Loading in Three Directions	72
7.1.4.	Shear Test	72
7.2.	Viscous Response	73
7.2.1.	Parameter Study	73
7.2.2.	Fitting to Time-Dependent Test Data	76
7.2.3.	Anisotropic Time-Depended Behaviour	76
8.	Conclusion	79
8.1.	Outlook	80
A.	Numerical integration over a unit sphere	81
	Literaturverzeichnis	83
	Lebenslauf	89
	Forschungs- und Seminarberichte	91