

Laser proton acceleration from water micro-droplets and solid hydrogen targets

DISSERTATION
zur Erlangung des akademischen Grades
DOCTOR RERUM NATURALIUM (DR. RER. NAT.)



seit 1558

vorgelegt dem Rat der
PHYSIKALISCH-ASTRONOMISCHEN FAKULTÄT, FRIEDRICH-SCHILLER-UNIVERSITÄT
JENA

von Dipl.-Phys. Jens Polz
geboren am 26.09.1982 in Gera

Contents

1	Introduction	1
2	Theoretical background	5
2.1	Laser field and single-electron interaction	5
2.1.1	The laser field in vacuum	5
2.1.2	Single electron in a laser field – classical description	6
2.1.3	Single electron in a laser field – relativistic description	8
2.1.4	Ponderomotive force and ponderomotive potential	10
2.2	Ionisation mechanisms	12
2.2.1	Multi-photon ionisation	12
2.2.2	Tunnel ionisation	13
2.2.3	Barrier-suppression ionisation	13
2.3	The plasma – definition and properties	14
2.3.1	The Debye length	14
2.3.2	Plasma frequency and refractive index	16
2.4	Energy absorption and generation of hot electrons	18
2.4.1	Collisional versus collisionless absorption	18
2.4.2	Ponderomotive force and $v \times B$ heating	19
2.4.3	Resonant absorption and Brunel heating	19
2.5	Laser ion acceleration	21
2.5.1	Target normal sheath acceleration	21
2.5.2	Collisionless shock wave acceleration	26
2.5.3	Radiation pressure acceleration	27
3	Experimental methods	31
3.1	Intensity and contrast measurement	31
3.1.1	Focal spot measurement	32

Contents

3.1.2	Energy measurement	33
3.1.3	Pulse duration measurement	34
3.1.4	Third order cross-correlator	34
3.2	The JETI laser system	35
3.2.1	Setup	35
3.2.2	Fast Pockels cell and ASE pedestal duration	36
3.3	The POLARIS laser system	37
3.3.1	Setup	38
3.3.2	Change of contrast by seed manipulation and the XPW stage	39
3.4	The Thomson spectrometer	40
3.4.1	Setup	40
3.4.2	Energy calibration with relativistic particle tracking	42
3.4.3	Particle number calibration	44
3.5	Plastic scintillator for ion-beam profile detection	44
3.5.1	Plastic scintillator	45
3.5.2	Time of flight of ions, timing and gateable CCD	46
3.5.3	Cross-calibration with CR39	49
3.6	Generation of water micro-droplets	50
3.7	A cryogenic source for the generation of solid hydrogen targets	52
3.7.1	General considerations	52
3.7.2	Setup	55
3.7.3	Generation of filaments	56
3.7.4	Generation of pellets	59
4	Laser proton acceleration from water micro-droplets	61
4.1	Experimental setup	61
4.1.1	Setup of the JETI experiment	62
4.1.2	Setup of the POLARIS experiment	66
4.2	Dependence of proton energy on ASE conditions at JETI	67
4.2.1	Experimental findings	67
4.2.2	Particle in cell simulations – change in absorption mechanisms	68
4.3	Generation of spectral modulations	74
4.4	Proton-beam profile	75
5	Laser proton acceleration with solid hydrogen	81
5.1	Experimental setup	82

5.2	Experimental results	84
5.2.1	Solid hydrogen filaments	84
5.2.2	Solid hydrogen pellets	88
5.2.3	Proton-beam profile and conversion efficiency estimation	89
5.3	Theoretical analysis with PIC simulations	92
6	Conclusions and Outlook	97
6.1	Summary of the results	97
6.1.1	Proton beams from water micro-droplets	97
6.1.2	Proton beams from solid hydrogen targets	98
6.1.3	Proton-beam profiles	98
6.2	Outlook	99
A	Appendix to chapter: “Theoretical background”	101
A.1	Calculation of the electric potential of a plasma expanding into vacuum	101
A.2	Calculation of the solution of the equation of motion for radiation pressure acceleration	103
B	Appendix to chapter: “Experimental methods”	105
B.1	Phase diagram construction	105
C	Appendix to chapter: “Laser proton acceleration with solid hydrogen”	109
C.1	Estimation of corona density	109
	References	111
	List of publications	141