
Multi-Scale Modeling of Lithium ion Batteries: a thermal management approach and molecular dynamic studies

Kumulative Dissertation
Zur Erlangung des akademischen Grades
Doktor-Ingenieur (Dr.-Ing.)

an der Fakultät Bauingenieurwesen
der Bauhaus-Universität Weimar

vorgelegt von

Ali Hossein Nezhad Shirazi
geboren am 28. März 1980 in Schiras, Iran
Weimar, 2019

Mentor:

Prof. Dr.-Ing. Timon Rabczuk

Gutachtern:

Prof. Dr.-Ing. habil. Carsten Könke
Prof. Dr. Esteban Samaniego

Disputation am 09 Januar 2020

Contents

Acknowledgements	iii
Contents	iv
List of Figures	vii
List of Tables	x
Abbreviations	xi
Symbols	xii
1 Summary	1
1.1 Motivation	1
1.2 Literature review	2
1.2.1 introduction to LIBs	3
1.2.2 Thermal issue challenges in LIBs	5
1.2.3 Thermal management of LIBs	7
1.2.4 Multi-scale modeling of Lithium ion batteries	10
1.2.5 Introduction to single-layered 2D materials	10
1.2.6 Carbon Allotropes	12
1.3 Methodology	13
1.3.1 1D electrochemical model	13
1.3.2 Introduction to molecular dynamics	17
1.3.2.1 Modified Tersoff Potential	18
1.3.3 Fracture of 2D nanosheets	20
1.4 State of the art	21
1.4.1 High-power LIBs	21
1.4.2 Electrode materials for LIBs	22
1.4.3 Thermal runaway in LIBs	24
1.4.4 SEI formation	25
1.4.5 Entropy change	26
1.4.6 Particle size effect on LIBs	27
1.4.7 PCMs in thermal management of LIBs	28
1.4.8 2D materials: applications and mechanical properties	29
1.5 Results and discussion	31

1.5.1	The effect of electrode's solid particles on thermal management and battery parameters of LIB model	31
1.5.1.1	Charge and discharge curves	31
1.5.1.2	Reversible and irreversible heat in the LIB model	32
1.5.1.3	Maximum reversible heating and cooling	33
1.5.1.4	Maximum irreversible heating (MIRH)	34
1.5.1.5	Overpotential	34
1.5.1.6	Maximum capacity	35
1.5.2	The effect of paraffin nano-composites on thermal management of LIB models	36
1.5.2.1	Thermal conductivity of paraffin nano-composites	37
1.5.2.2	Temperature rises in the battery pack	38
1.5.3	Mechanical responses of pristine and defective C ₃ N nanosheets studied by molecular dynamics simulations	40
1.5.3.1	Stress-strain response of the pristine C ₃ N nanosheet	42
1.5.3.2	The effect of nano-crack on C ₃ N nanosheet	43
1.5.3.3	The effect of notch on C ₃ N nanosheet	44
1.5.3.4	Comparison the effect of nano-crack with notch	46
1.5.4	Molecular dynamics investigation of mechanical properties of single-layer phagraphene	47
1.5.4.1	Anisotropic properties of phagraphene nanosheet	47
1.5.4.2	Ductile behavior of phagraphene nanosheet in zigzag direction	48
1.5.4.3	Stress-strain curves of pristine phagraphene nanosheet	48
1.5.4.4	Maximum tensile strength of pristine models	48
1.5.4.5	The influence of line crack defect on phagraphene nanosheet	49
1.5.4.6	Stress intensity factor in defective phagraphene nanosheet	51
1.5.4.7	Crack propagation in phagraphene nanosheet	52
2	Numerical Study of Composite Electrode's Particle Size Effect on the Electrochemical and Heat Generation of a Li-Ion Battery	53
2.1	Introduction	54
2.2	Theory and Modeling	56
2.3	Results and Discussion	58
2.4	Conclusion	66
3	Paraffin Nanocomposites for Heat Management of Lithium-Ion Batteries: A Computational Investigation	70
3.1	Introduction	71
3.2	Theory and Modeling	73
3.3	Results and Discussions	79
3.4	Conclusion	84
4	Mechanical responses of pristine and defective C₃N nanosheets studied by molecular dynamics simulations	86
4.1	Introduction	87
4.2	Molecular dynamics modeling	88
4.3	Results and discussion	89

4.4	Conclusions	95
5	Molecular dynamics investigation of mechanical properties of single-layer phagraphene	97
5.1	Introduction	97
5.2	Molecular dynamics modeling	99
5.3	Results and discussion	100
5.4	Conclusions	106
A	Battery terms	109
A.1	General definitions	109
A.2	Capacity-related definitions	109
A.3	Design-related definitions	110
A.4	Application-related definitions	111
	Bibliography	112