

GEOLOGICAL SOCIETY SPECIAL PUBLICATION NO. 308

Geodynamic Evolution of East Antarctica: A Key to the East–West Gondwana Connection

EDITED BY

M. SATISH-KUMAR
Shizuoka University, Japan

Y. MOTOYOSHI
National Institute of Polar Research, Japan

Y. OSANAI
Kyushu University, Japan

Y. HIROI
Chiba University, Japan

and

K. SHIRAISHI
National Institute of Polar Research, Japan

2008

Published by
The Geological Society
London

Contents

Preface	vii
Acknowledgements	viii
SATISH-KUMAR, M., HOKADA, T., KAWAKAMI, T. & DUNKLEY, D. J. Geosciences research in East Antarctica (0°E–60°E): present status and future perspectives	1
SHIRAIISHI, K., DUNKLEY, D. J., HOKADA, T., FANNING, C. M., KAGAMI, H. & HAMAMOTO, T. Geochronological constraints on the Late Proterozoic to Cambrian crustal evolution of eastern Dronning Maud Land, East Antarctica: a synthesis of SHRIMP U–Pb age and Nd model age data	21
JACOBS, J., BINGEN, B., THOMAS, R. J., BAUER, W., WINGATE, M. T. D. & FEITIO, P. Early Palaeozoic orogenic collapse and voluminous late-tectonic magmatism in Dronning Maud Land and Mozambique: insights into the partially delaminated orogenic root of the East African–Antarctic Orogen?	69
GRANTHAM, G. H., MACEY, P. H., INGRAM, B. A., ROBERTS, M. P., ARMSTRONG, R. A., HOKADA, T., SHIRAIISHI, K., JACKSON, C., BISNATH, A. & MANHICA, V. Terrane correlation between Antarctica, Mozambique and Sri Lanka; comparisons of geochronology, lithology, structure and metamorphism and possible implications for the geology of southern Africa and Antarctica	91
ISHIZUKA, H. An overview of geological studies of JARE in the Napier Complex, Enderby Land, East Antarctica	121
TOYOSHIMA, T., OSANAI, Y. & NOGI, Y. Macroscopic geological structures of the Napier and Rayner Complexes, East Antarctica	139
SATISH-KUMAR, M., MIYAMOTO, T., HERMANN, J., KAGAMI, H., OSANAI, Y. & MOTOYOSHI, Y. Pre-metamorphic carbon, oxygen and strontium isotope signature of high-grade marbles from the Lützow-Holm Complex, East Antarctica: apparent age constraints of carbonate deposition	147
MIYAMOTO, T., SATISH-KUMAR, M., DUNKLEY, D. J., OSANAI, Y., YOSHIMURA, Y., MOTOYOSHI, Y. & CARSON, C. J. Post-peak (<530 Ma) thermal history of Lützow-Holm Complex, East Antarctica, based on Rb–Sr and Sm–Nd mineral chronology	165
ISHIKAWA, M., SHINGAI, E. & ARIMA, M. Elastic properties of high-grade metamorphosed igneous rocks from Enderby Land and eastern Dronning Maud Land, Antarctica: evidence for biotite-bearing mafic lower crust	183
SUZUKI, S., ISHIZUKA, H. & KAGAMI, H. Early to middle Proterozoic dykes in the Mt. Riiser-Larsen area of the Napier Complex, East Antarctica: tectonic implications as deduced from geochemical studies	195
SUDA, Y., KAWANO, Y., YAXLEY, G., KORENAGA, H. & HIROI, Y. Magmatic evolution and tectonic setting of metabasites from Lützow-Holm Complex, East Antarctica	211
OWADA, M., BABA, S., OSANAI, Y. & KAGAMI, H. Geochemistry of post-kinematic mafic dykes from central to eastern Dronning Maud Land, East Antarctica: evidence for a Pan-African suture in Dronning Maud Land	235
HOKADA, T., MOTOYOSHI, Y., SUZUKI, S., ISHIKAWA, M. & ISHIZUKA, H. Geodynamic evolution of Mt. Riiser-Larsen, Napier Complex, East Antarctica, with reference to the UHT mineral associations and their reaction relations	253
CARSON, C. J. & AGUE, J. J. Early Palaeozoic metasomatism of the Archaean Napier Complex, East Antarctica	283
TSUNOGAE, T., SANTOSH, M., DUBESSY, J., OSANAI, Y., OWADA, M., HOKADA, T. & TOYOSHIMA, T. Carbonic fluids in ultrahigh-temperature metamorphism: evidence from Raman spectroscopic study of fluid inclusions in granulites from the Napier Complex, East Antarctica	317

HIROI, Y., MOTOYOSHI, Y., ISHIKAWA, N., HOKADA, T. & SHIRAIISHI, K. Origin of xenocrystic garnet and kyanite in clinopyroxene–hornblende-bearing adakitic meta-tonalites from Cape Hinode, Prince Olav Coast, East Antarctica	333
KAWAKAMI, T., GREW, E. S., MOTOYOSHI, Y., SHEARER, C. K., IKEDA, T., BURGER, P. V. & KUSACHI, I. Kornerupine <i>sensu stricto</i> associated with mafic and ultramafic rocks in the Lützow-Holm Complex at Akami Point, East Antarctica: what is the source of boron?	351
YOSHIMURA, Y., MOTOYOSHI, Y. & MIYAMOTO, T. Sapphirine + quartz association in garnet: implication for ultrahigh-temperature metamorphism in Rundvågshetta, Lützow-Holm Complex, East Antarctica	377
GOTO, S. & IKEDA, T. Crystal size distribution of garnet in quartzo-feldspathic gneisses from the Lützow-Holm Complex at Skallen, East Antarctica	391
BABA, S., OWADA, M. & SHIRAIISHI, K. Contrasting metamorphic P – T path between Schirmacher Hills and Mühlig-Hofmannfjella, central Dronning Maud Land, East Antarctica	401
KAWASAKI, T. & OSANAI, Y. Empirical thermometer of TiO_2 in quartz for ultrahigh-temperature granulites of East Antarctica	419
SATO, K., MIYAMOTO, T. & KAWASAKI, T. Fe^{2+} –Mg partitioning experiments between orthopyroxene and spinel using ultrahigh-temperature granulite from the Napier Complex, East Antarctica	431
Index	449